

## Soil Map units with Nutrient Management Standard 590 restrictions due to potential for nitrate leaching to ground water 4-20-2007

Soils with restrictions listed alphabetically by county followed by map unit name

Potential for nitrate leaching restriction symbols:

p = drained hydrologic group A for any major component

r = RV depth to bedrock (lithic or paralithic) 20 inches or less

w = apparent water table at 12 inches or less anytime of year, or poorly or very poorly drained with apparent water table

A + sign indicates the map unit may have any of the restrictions, however an on-site investigation is needed to ID which restrictions may actually be present

Soils not listed here with an entry in the restrictions column are less likely to have NR590 restrictions for wetness, rock, or permeability (leaching)

Other soil properties affecting NR590 suitability, such as % slope and surface texture were not evaluated

Data was exported from NASIS, not the OFFICIAL data on the Soil Data Mart, and is to be used for general information only, not program eligibility determinations

County	MUSYM	Map Unit Name	Restriction
Adams County, Wisconsin	Ad	Adrian muck	wp
Adams County, Wisconsin	AIA	Alganssee loamy sand, 0 to 3 percent slopes	w
Adams County, Wisconsin	An	Aquents, sandy	w+
Adams County, Wisconsin	Au	Au Gres loamy sand	w
Adams County, Wisconsin	BnB	Boone sand, 2 to 6 percent slopes	p
Adams County, Wisconsin	BnC	Boone sand, 6 to 12 percent slopes	p
Adams County, Wisconsin	BnD	Boone sand, 12 to 25 percent slopes	p
Adams County, Wisconsin	BpF	Boone-Rock outcrop complex, 25 to 45 percent slopes	rp
Adams County, Wisconsin	BrA	Brems loamy sand, 0 to 3 percent slopes	p
Adams County, Wisconsin	BsA	Brems-Newson loamy sands, 0 to 3 percent slopes	wp
Adams County, Wisconsin	CoB	Coloma sand, 2 to 6 percent slopes	p
Adams County, Wisconsin	CoC	Coloma sand, 6 to 12 percent slopes	p
Adams County, Wisconsin	CoD	Coloma sand, 12 to 25 percent slopes	p
Adams County, Wisconsin	EvB	Elk mound loamy sand, 2 to 6 percent slopes	r
Adams County, Wisconsin	Hm	Houghton muck	wp
Adams County, Wisconsin	LDF	Landfill	+
Adams County, Wisconsin	Le	Leola loamy sand	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Adams County, Wisconsin	M-W	Miscellaneous water	+
Adams County, Wisconsin	MoA	Meehan loamy sand, 0 to 3 percent slopes	w
Adams County, Wisconsin	Ne	Newson loamy sand	wp
Adams County, Wisconsin	Pa	Palms muck	wp
Adams County, Wisconsin	Pd	Pits	+
Adams County, Wisconsin	PfA	Plainfield sand, 0 to 2 percent slopes	p
Adams County, Wisconsin	PfB	Plainfield sand, 2 to 6 percent slopes	p
Adams County, Wisconsin	PfC	Plainfield sand, 6 to 12 percent slopes	p
Adams County, Wisconsin	PfD	Plainfield sand, 12 to 35 percent slopes	p
Adams County, Wisconsin	Pw	Psammaquents, nearly level	wp
Adams County, Wisconsin	QUA	Quarry	r +
Adams County, Wisconsin	RfA	Richford loamy sand, 0 to 2 percent slopes	p
Adams County, Wisconsin	RfB	Richford loamy sand, 2 to 6 percent slopes	p
Adams County, Wisconsin	RfC	Richford loamy sand, 6 to 12 percent slopes	p
Adams County, Wisconsin	SpA	Sparta loamy sand, 0 to 3 percent slopes	p
Adams County, Wisconsin	UoE	Udorthents, earthen dam	+
Adams County, Wisconsin	W	Water	+
Adams County, Wisconsin	WeA	Wyeville loamy sand, 0 to 3 percent slopes	w
Ashland County, Wisconsin	5A	Arnheim mucky silt loam, 0 to 1 percent slopes, frequently flooded	w
Ashland County, Wisconsin	7C	Beaches, 2 to 12 percent slopes	+
Ashland County, Wisconsin	69B	Keweenaw-Sayner-Vilas complex, 2 to 6 percent slopes, stony	p
Ashland County, Wisconsin	69C	Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony	p
Ashland County, Wisconsin	69E	Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony	p
Ashland County, Wisconsin	74B	Vilas loamy sand, 0 to 6 percent slopes	p
Ashland County, Wisconsin	74C	Vilas loamy sand, 6 to 15 percent slopes	p
Ashland County, Wisconsin	92F	Udorthents, ravines and escarpments, 25 to 60 percent slopes	+
Ashland County, Wisconsin	192A	Worcester sandy loam, 0 to 3 percent slopes	w
Ashland County, Wisconsin	193A	Minocqua muck, 0 to 2 percent slopes	w
Ashland County, Wisconsin	217B	Karlin loamy fine sand, 0 to 6 percent slopes	p
Ashland County, Wisconsin	217C	Karlin loamy fine sand, 6 to 15 percent slopes	p
Ashland County, Wisconsin	339B	Rousseau loamy fine sand, 0 to 6 percent slopes	p
Ashland County, Wisconsin	339C	Rousseau loamy fine sand, 6 to 15 percent slopes	p
Ashland County, Wisconsin	339D	Rousseau loamy fine sand, 15 to 30 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Ashland County, Wisconsin	375A	Robago fine sandy loam, lake terrace, 0 to 3 percent slopes	w
Ashland County, Wisconsin	388B	Pelkie, occasionally flooded-Dechamps, frequently flooded complex, 0 to 4 percent slopes	wp
Ashland County, Wisconsin	405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	wp
Ashland County, Wisconsin	408A	Lupton and Cathro soils, 0 to 1 percent slopes	wp
Ashland County, Wisconsin	414A	Loxley and Beseman soils, 0 to 1 percent slopes	wp
Ashland County, Wisconsin	445A	Kinross muck, 0 to 2 percent slopes	w
Ashland County, Wisconsin	461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	wp
Ashland County, Wisconsin	475C	Rubicon-Sayner complex, 6 to 15 percent slopes	p
Ashland County, Wisconsin	514B	Iosco loamy sand, 0 to 4 percent slopes	w
Ashland County, Wisconsin	520A	Annriver silt loam, 0 to 2 percent slopes	w
Ashland County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	w
Ashland County, Wisconsin	571C	Pelissier gravelly sandy loam, 6 to 15 percent slopes	p
Ashland County, Wisconsin	571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	p
Ashland County, Wisconsin	582D	Padus-Pence-Keweenaw complex, 15 to 30 percent slopes, stony	p
Ashland County, Wisconsin	591A	Croswell-Chinwhisker complex, 0 to 3 percent slopes	p
Ashland County, Wisconsin	594B	Vilas-Lindquist complex, 0 to 6 percent slopes	p
Ashland County, Wisconsin	594C	Vilas-Lindquist complex, 6 to 15 percent slopes	p
Ashland County, Wisconsin	594D	Vilas-Lindquist complex, 15 to 30 percent slopes	p
Ashland County, Wisconsin	597A	Meehan sand, beaches, 0 to 2 percent slopes	w
Ashland County, Wisconsin	598A	Wurtsmith sand, beaches, 0 to 3 percent slopes	p
Ashland County, Wisconsin	599C	Grayling sand, beaches, 2 to 12 percent slopes	p
Ashland County, Wisconsin	603B	Redrim very cobbly sand, 0 to 6 percent slopes, very stony	r
Ashland County, Wisconsin	610B	Zeba sandy loam, 0 to 6 percent slopes, very stony	w
Ashland County, Wisconsin	614B	Abbaye-Zeba complex, 0 to 6 percent slopes, very stony	w
Ashland County, Wisconsin	639A	Neconish loamy fine sand, 0 to 3 percent slopes	p
Ashland County, Wisconsin	670B	Keweenaw-Pence complex, 0 to 6 percent slopes, stony	p
Ashland County, Wisconsin	670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	p
Ashland County, Wisconsin	670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	p
Ashland County, Wisconsin	674B	Sultz sand, 0 to 6 percent slopes	p
Ashland County, Wisconsin	674C	Sultz sand, 6 to 15 percent slopes	p
Ashland County, Wisconsin	674E	Sultz sand, 15 to 45 percent slopes	p
Ashland County, Wisconsin	675A	Robago fine sandy loam, 0 to 3 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Ashland County, Wisconsin	701A	Whisklake silt loam, 0 to 3 percent slopes	w
Ashland County, Wisconsin	705B	Cublake-Croswell-Ashwabay complex, 0 to 6 percent slopes	p
Ashland County, Wisconsin	705C	Cublake-Croswell-Ashwabay complex, 6 to 15 percent slopes	p
Ashland County, Wisconsin	755A	Moppet, occasionally flooded-Fordum, frequently flooded complex, 0 to 3 percent slopes	w
Ashland County, Wisconsin	805E	Sultz-Ashwabay-Rubicon complex, 15 to 45 percent slopes	p
Ashland County, Wisconsin	809C	Gogebic-Metonga-Rock outcrop complex, 6 to 18 percent slopes, very stony	r
Ashland County, Wisconsin	809D	Gogebic-Metonga-Rock outcrop complex, 10 to 35 percent slopes, very stony	r
Ashland County, Wisconsin	813E	Manistee-Kellogg-Ashwabay complex, 15 to 45 percent slopes	p
Ashland County, Wisconsin	815A	Wormet sandy loam, 0 to 3 percent slopes	w
Ashland County, Wisconsin	874B	Keweenaw, stony-Rubicon complex, 0 to 6 percent slopes	p
Ashland County, Wisconsin	874C	Keweenaw, stony-Rubicon complex, 6 to 15 percent slopes	p
Ashland County, Wisconsin	925C	Rock outcrop-Ishpeming complex, 0 to 15 percent slopes	rp+
Ashland County, Wisconsin	974B	Sayner-Pence-Vilas complex, 0 to 6 percent slopes	p
Ashland County, Wisconsin	974C	Sayner-Pence-Vilas complex, 6 to 15 percent slopes	p
Ashland County, Wisconsin	974D	Sayner-Pence-Vilas complex, 15 to 30 percent slopes	p
Ashland County, Wisconsin	1385B	Cublake-Keweenaw, stony complex, 0 to 6 percent slopes	p
Ashland County, Wisconsin	2015	Pits	+
Ashland County, Wisconsin	2030	Udorthents and Udipsamments, cut or fill	+
Ashland County, Wisconsin	2050	Landfill	+
Ashland County, Wisconsin	3114A	Saprists, Aquents, and Aquepts, 0 to 1 percent slopes, ponded and flooded	w
Ashland County, Wisconsin	3243A	Spear silt loam, lake terrace, 0 to 3 percent slopes	w
Ashland County, Wisconsin	3276A	Au Gres loamy sand, 0 to 3 percent slopes	w
Ashland County, Wisconsin	3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	wp
Ashland County, Wisconsin	3423A	Rifle peat, 0 to 1 percent slopes	wp
Ashland County, Wisconsin	3512D	Menominee loamy sand, 15 to 30 percent slopes	p
Ashland County, Wisconsin	3608B	Deerton-Brownstone complex, 0 to 6 percent slopes, very stony	p
Ashland County, Wisconsin	3608C	Deerton-Brownstone complex, 6 to 15 percent slopes, very stony	p
Ashland County, Wisconsin	3826B	Allendale-Wakeley-Kinross complex, 0 to 6 percent slopes	p
Ashland County, Wisconsin	5140A	Dawson, Greenwood, and Loxley soils, 0 to 1 percent slopes	wp
Ashland County, Wisconsin	5141A	Lupton-Pleine-Cathro complex, 0 to 1 percent slopes	w
Ashland County, Wisconsin	5146C	Amasa-Karlin complex, esker, 2 to 18 percent slopes	p
Ashland County, Wisconsin	5170A	Minocqua-Pleine-Cathro complex, 0 to 2 percent slopes	wp

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Ashland County, Wisconsin	5172B	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 6 percent slopes	wp
Ashland County, Wisconsin	5172C	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 18 percent slopes	wp
Ashland County, Wisconsin	5172D	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 35 percent slopes	wp
Ashland County, Wisconsin	5369D	Dishno-Gogebic-Peshekee-Rock outcrop complex, 18 to 35 percent slopes, very stony	r
Ashland County, Wisconsin	5369E	Michigamme-Schweitzer-Peshekee-Rock outcrop complex, 35 to 55 percent slopes, very stony	r
Ashland County, Wisconsin	5369F	Michigamme-Schweitzer-Peshekee-Rock outcrop complex, 55 to 75 percent slopes, very stony	r
Ashland County, Wisconsin	5373A	Cathro muck, drainageway, 0 to 1 percent slopes	w
Ashland County, Wisconsin	5374A	Bowstring-Arnheim complex, 0 to 1 percent slopes, frequently flooded	w
Ashland County, Wisconsin	5425A	Foxpaw-Gay, stony complex, 0 to 2 percent slopes	w
Ashland County, Wisconsin	5504A	Moquah-Arnheim complex, 0 to 3 percent slopes, frequently flooded	w
Ashland County, Wisconsin	5689B	Chabeneau-Channing-Gogebic complex, 0 to 6 percent slopes, stony	w
Ashland County, Wisconsin	9012B	Sayner-Lindquist complex, 0 to 6 percent slopes	p
Ashland County, Wisconsin	9012C	Sayner-Lindquist complex, 6 to 15 percent slopes	p
Ashland County, Wisconsin	9012D	Sayner-Lindquist complex, 15 to 30 percent slopes	p
Ashland County, Wisconsin	9050A	Fordum, Totagatic, and Bowstring soils, 0 to 1 percent slopes, frequently flooded	wp
Ashland County, Wisconsin	9113B	Padus-Karlin complex, 0 to 6 percent slopes	p
Ashland County, Wisconsin	9113C	Padus-Karlin complex, 6 to 15 percent slopes	p
Ashland County, Wisconsin	9113D	Padus-Karlin complex, 15 to 30 percent slopes	p
Ashland County, Wisconsin	9155A	Haplosaprists, Peats and Mucks, 0 to 1 percent slopes	wp
Ashland County, Wisconsin	M-W	Miscellaneous water	+
Ashland County, Wisconsin	W	Water	+
Barron County, Wisconsin	AmD	Amery-Greenwood complex, 0 to 35 percent slopes	wp
Barron County, Wisconsin	Be	Beseman peat, 0 to 1 percent slopes	wp
Barron County, Wisconsin	Cm	Comstock silt loam, 0 to 2 percent slopes	w
Barron County, Wisconsin	CsC	Cress-Mahtomedi complex, 6 to 15 percent slopes	p
Barron County, Wisconsin	CsD	Cress-Mahtomedi complex, 15 to 25 percent slopes	p
Barron County, Wisconsin	Fm	Fordum silt loam, 0 to 2 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Barron County, Wisconsin	FrA	Friendship loamy sand, 0 to 3 percent slopes	p
Barron County, Wisconsin	Gr	Greenwood peat, 0 to 1 percent slopes	wp
Barron County, Wisconsin	HgC	Haugen-Greenwood complex, 0 to 15 percent slopes	wp
Barron County, Wisconsin	HxF	Hayriver-Twinmound complex, 20 to 50 percent slopes	p
Barron County, Wisconsin	M-W	MISCELLANEOUS WATER	+
Barron County, Wisconsin	Me	Markey muck, 0 to 1 percent slopes	wp
Barron County, Wisconsin	Mh	Meehan loamy sand, 0 to 2 percent slopes	w
Barron County, Wisconsin	MnA	Menahga loamy sand, 0 to 2 percent slopes	p
Barron County, Wisconsin	MnB	Menahga loamy sand, 2 to 6 percent slopes	p
Barron County, Wisconsin	MnC	Menahga loamy sand, 6 to 12 percent slopes	p
Barron County, Wisconsin	MnD	Menahga loamy sand, 12 to 25 percent slopes	p
Barron County, Wisconsin	Ns	Newson loamy sand, 0 to 2 percent slopes	wp
Barron County, Wisconsin	Oe	Oesterle sandy loam, 0 to 2 percent slopes	w
Barron County, Wisconsin	Pc	Pits, gravel	p+
Barron County, Wisconsin	PdB	Plainbo loamy sand, 2 to 6 percent slopes	p
Barron County, Wisconsin	PdC	Plainbo loamy sand, 6 to 12 percent slopes	p
Barron County, Wisconsin	PdD	Plainbo loamy sand, 12 to 20 percent slopes	p
Barron County, Wisconsin	Px	Poskin silt loam, 0 to 2 percent slopes	w
Barron County, Wisconsin	Rb	Rib silt loam, 0 to 2 percent slopes	w
Barron County, Wisconsin	Ru	Rubble land	p+
Barron County, Wisconsin	Sm	Seelyeville and Cathro mucks, 0 to 1 percent slopes	wp
Barron County, Wisconsin	Ud	Udorthents, nearly level	+
Barron County, Wisconsin	Va	Vancecreek silt loam, 0 to 2 percent slopes	w
Barron County, Wisconsin	W	Water	+
Bayfield County, Wisconsin	3A	Totagatic-Bowstring-Ausable complex, 0 to 2 percent slopes, frequently flooded	wp
Bayfield County, Wisconsin	5A	Arnheim mucky silt loam, 0 to 1 percent slopes, frequently flooded	w
Bayfield County, Wisconsin	7C	Beaches, 2 to 12 percent slopes	+
Bayfield County, Wisconsin	69B	Keweenaw-Sayner-Vilas complex, 2 to 6 percent slopes, stony	p
Bayfield County, Wisconsin	69C	Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony	p
Bayfield County, Wisconsin	69E	Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony	p
Bayfield County, Wisconsin	74B	Vilas loamy sand, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	74C	Vilas loamy sand, 6 to 15 percent slopes	p

County	MUSYM	Map Unit Name	Restriction
Bayfield County, Wisconsin	74D	Vilas loamy sand, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	74E	Vilas loamy sand, 20 to 45 percent slopes	p
Bayfield County, Wisconsin	92F	Udorthents, ravines and escarpments, 25 to 60 percent slopes	+
Bayfield County, Wisconsin	174B	Rubicon sand, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	174C	Rubicon sand, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	174D	Rubicon sand, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	174F	Rubicon sand, 30 to 60 percent slopes	p
Bayfield County, Wisconsin	192A	Worcester sandy loam, 0 to 3 percent slopes	w
Bayfield County, Wisconsin	193A	Minocqua muck, 0 to 2 percent slopes	w
Bayfield County, Wisconsin	217B	Karlin loamy fine sand, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	217C	Karlin loamy fine sand, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	292B	Udifluvents, loamy to clayey, 0 to 6 percent slopes, occasionally flooded	+
Bayfield County, Wisconsin	309C	Metonga-Rock outcrop complex, 6 to 20 percent slopes	r
Bayfield County, Wisconsin	309E	Metonga-Rock outcrop complex, 20 to 45 percent slopes	r
Bayfield County, Wisconsin	339B	Rousseau loamy fine sand, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	339C	Rousseau loamy fine sand, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	339D	Rousseau loamy fine sand, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	371A	Croswell loamy sand, 0 to 3 percent slopes	p
Bayfield County, Wisconsin	375A	Robago fine sandy loam, lake terrace, 0 to 3 percent slopes	w
Bayfield County, Wisconsin	388B	Pelkie, occasionally flooded-Dechamps, frequently flooded, complex, 0 to 4 percent slopes	wp
Bayfield County, Wisconsin	405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	wp
Bayfield County, Wisconsin	406A	Loxley mucky peat, 0 to 1 percent slopes	wp
Bayfield County, Wisconsin	407A	Seelyeville and Markey soils, 0 to 1 percent slopes	wp
Bayfield County, Wisconsin	425B	Karlin sandy loam, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	425C	Karlin sandy loam, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	425D	Karlin sandy loam, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	445A	Kinross muck, 0 to 2 percent slopes	w
Bayfield County, Wisconsin	461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	wp
Bayfield County, Wisconsin	475B	Rubicon-Sayner complex, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	475C	Rubicon-Sayner complex, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	475D	Rubicon-Sayner complex, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	485C	Lupton and Tawas soils, seeped, 2 to 15 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Bayfield County, Wisconsin	514B	Iosco loamy sand, 0 to 4 percent slopes	w
Bayfield County, Wisconsin	524E	Rock outcrop-Frogcreek-Metonga complex, 2 to 45 percent slopes, very stony	r+
Bayfield County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	w
Bayfield County, Wisconsin	571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	p
Bayfield County, Wisconsin	574B	Sayner loamy sand, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	574C	Sayner loamy sand, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	574E	Sayner loamy sand, 15 to 45 percent slopes	p
Bayfield County, Wisconsin	582B	Padus-Pence-Keweenaw complex, 0 to 6 percent slopes, stony	p
Bayfield County, Wisconsin	582C	Padus-Pence-Keweenaw complex, 6 to 15 percent slopes, stony	p
Bayfield County, Wisconsin	582D	Padus-Pence-Keweenaw complex, 15 to 30 percent slopes, stony	p
Bayfield County, Wisconsin	591A	Croswell-Chinwhisker complex, 0 to 3 percent slopes	p
Bayfield County, Wisconsin	594C	Vilas-Lindquist complex, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	594D	Vilas-Lindquist complex, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	597A	Meehan sand, beaches, 0 to 2 percent slopes	w
Bayfield County, Wisconsin	603B	Redrim very cobbly sand, 0 to 6 percent slopes, very stony	r
Bayfield County, Wisconsin	610B	Zeba sandy loam, 0 to 6 percent slopes, very stony	w
Bayfield County, Wisconsin	614B	Abbaye-Zeba complex, 0 to 6 percent slopes, very stony	w
Bayfield County, Wisconsin	639A	Neconish loamy fine sand, 0 to 3 percent slopes	p
Bayfield County, Wisconsin	670B	Keweenaw-Pence complex, 0 to 6 percent slopes, stony	p
Bayfield County, Wisconsin	670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	p
Bayfield County, Wisconsin	670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	p
Bayfield County, Wisconsin	674B	Sultz sand, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	674C	Sultz sand, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	674D	Sultz sand, 10 to 30 percent slopes	p
Bayfield County, Wisconsin	674E	Sultz sand, 15 to 45 percent slopes	p
Bayfield County, Wisconsin	675A	Robago fine sandy loam, 0 to 3 percent slopes	w
Bayfield County, Wisconsin	705B	Cublake-Croswell-Ashwabay complex, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	705C	Cublake-Croswell-Ashwabay complex, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	724A	Rib-Rock outcrop complex, 0 to 2 percent slopes	wr
Bayfield County, Wisconsin	805E	Sultz-Ashwabay-Rubicon complex, 15 to 45 percent slopes	p
Bayfield County, Wisconsin	809C	Gogebic-Metonga-Rock outcrop complex, 6 to 18 percent slopes, very stony	r
Bayfield County, Wisconsin	809D	Gogebic-Metonga-Rock outcrop complex, 10 to 35 percent slopes, very stony	r

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Bayfield County, Wisconsin	813E	Manistee-Kellogg-Ashwabay complex, 15 to 45 percent slopes	p
Bayfield County, Wisconsin	815A	Wormet sandy loam, 0 to 3 percent slopes	w
Bayfield County, Wisconsin	874B	Keweenaw, stony-Rubicon complex, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	874C	Keweenaw, stony-Rubicon complex, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	874D	Keweenaw, stony-Rubicon complex, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	874E	Keweenaw, stony-Rubicon complex, 20 to 45 percent slopes	p
Bayfield County, Wisconsin	884C	Keweenaw, stony-Vilas-Cathro complex, 0 to 15 percent slopes	wp
Bayfield County, Wisconsin	884E	Keweenaw, stony-Vilas-Cathro complex, 0 to 55 percent slopes	wp
Bayfield County, Wisconsin	885B	Springstead, stony-Annalake-Cathro complex, 0 to 6 percent slopes	wp
Bayfield County, Wisconsin	974B	Sayner-Pence-Vilas complex, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	974C	Sayner-Pence-Vilas complex, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	974D	Sayner-Pence-Vilas complex, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	1385B	Cublake-Keweenaw, stony, complex, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	1760C	Keweenaw, stony-Pence, stony-Cathro complex, 0 to 15 percent slopes	wp
Bayfield County, Wisconsin	1760E	Keweenaw, stony-Pence, stony-Cathro complex, 0 to 45 percent slopes	wp
Bayfield County, Wisconsin	2015	Pits	+
Bayfield County, Wisconsin	2030	Udorthents and Udipsamments, cut or fill	+
Bayfield County, Wisconsin	2050	Landfill	+
Bayfield County, Wisconsin	3114A	Saprists, Aquents, and Aquepts, 0 to 1 percent slopes, ponded, flooded	w
Bayfield County, Wisconsin	3243A	Spear silt loam, lake terrace, 0 to 3 percent slopes	w
Bayfield County, Wisconsin	3276A	Au Gres loamy sand, 0 to 3 percent slopes	w
Bayfield County, Wisconsin	3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	wp
Bayfield County, Wisconsin	3423A	Rifle peat, 0 to 1 percent slopes	wp
Bayfield County, Wisconsin	3512D	Menominee loamy sand, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	3608B	Deerton-Brownstone complex, 0 to 6 percent slopes, very stony	p
Bayfield County, Wisconsin	3608C	Deerton-Brownstone complex, 6 to 15 percent slopes, very stony	p
Bayfield County, Wisconsin	3826B	Allendale-Wakeley-Kinross complex, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	5172B	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 6 percent slopes	wp
Bayfield County, Wisconsin	5172C	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 18 percent slopes	wp
Bayfield County, Wisconsin	5172D	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 35 percent slopes	wp
Bayfield County, Wisconsin	9012B	Sayner-Lindquist complex, 0 to 6 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Bayfield County, Wisconsin	9012C	Sayner-Lindquist complex, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	9012D	Sayner-Lindquist complex, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	9020C	Wakefield, stony-Annalake-Cathro complex, 0 to 18 percent slopes	wp
Bayfield County, Wisconsin	9020D	Wakefield, stony-Annalake-Cathro complex, 0 to 35 percent slopes	wp
Bayfield County, Wisconsin	9050A	Fordum, Totagatic, and Bowstring soils, 0 to 1 percent slopes, frequently flooded	wp
Bayfield County, Wisconsin	9064E	Rubicon sand, eskers, 20 to 45 percent slopes	p
Bayfield County, Wisconsin	9113B	Padus-Karlin complex, 0 to 6 percent slopes	p
Bayfield County, Wisconsin	9113C	Padus-Karlin complex, 6 to 15 percent slopes	p
Bayfield County, Wisconsin	9113D	Padus-Karlin complex, 15 to 30 percent slopes	p
Bayfield County, Wisconsin	9155A	Haplosaprists, Peats and Mucks, 0 to 1 percent slopes	wp
Bayfield County, Wisconsin	M-W	Miscellaneous water	+
Bayfield County, Wisconsin	W	Water	+
Brown County, Wisconsin	AdA	Allendale loamy fine sand, 0 to 3 percent slopes	w
Brown County, Wisconsin	AeA	Allendale fine sandy loam, 0 to 3 percent slopes	w
Brown County, Wisconsin	Au	Alluvial land	+
Brown County, Wisconsin	Aw	Alluvial land, wet	w
Brown County, Wisconsin	Ax	Angelica silt loam	w
Brown County, Wisconsin	Bd	Bellevue silty clay loam, mottled subsoil variant	w
Brown County, Wisconsin	BnA	Bonduel loam, 0 to 3 percent slopes	w
Brown County, Wisconsin	Bp	Borrow pits	+
Brown County, Wisconsin	Ca	Carbondale muck	wp
Brown County, Wisconsin	CdE2	Casco-Rodman complex, 12 to 35 percent slopes, eroded	p
Brown County, Wisconsin	Cm	Cathro muck	wp
Brown County, Wisconsin	DeA	Dresden sandy loam, mottled subsoil variant, 0 to 2 percent slopes	w
Brown County, Wisconsin	DsA	Dresden silt loam, mottled subsoil variant, 1 to 3 percent slopes	w
Brown County, Wisconsin	Du	Dumps	+
Brown County, Wisconsin	Fa	Fabius silt loam	w
Brown County, Wisconsin	Fd	Fill land	+
Brown County, Wisconsin	Gp	Gravel pits	p+
Brown County, Wisconsin	Ke	Keowns silt loam	w
Brown County, Wisconsin	KnA	Kibbie silt loam, 1 to 3 percent slopes	w
Brown County, Wisconsin	LaA	Lamartine silt loam, 0 to 3 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Brown County, Wisconsin	M-W	Miscellaneous water	+
Brown County, Wisconsin	MeB	Manistee loamy fine sand, 2 to 6 percent slopes	p
Brown County, Wisconsin	MeC2	Manistee loamy fine sand, 6 to 14 percent slopes, eroded	p
Brown County, Wisconsin	MfB	Manistee fine sandy loam, 2 to 6 percent slopes	p
Brown County, Wisconsin	Mk	Markey muck	wp
Brown County, Wisconsin	Mr	Marsh	wp
Brown County, Wisconsin	MsB	Menominee loamy fine sand, 2 to 6 percent slopes	p
Brown County, Wisconsin	NaB	Namur silt loam, 1 to 6 percent slopes	r
Brown County, Wisconsin	NaD	Namur silt loam, 6 to 20 percent slopes	r
Brown County, Wisconsin	Ne	Namur silt loam, wet variant	wr
Brown County, Wisconsin	Od	Ogden muck	wp
Brown County, Wisconsin	OIB	Onaway-Solona complex, 2 to 6 percent slopes	w
Brown County, Wisconsin	Pe	Pella silt loam	w
Brown County, Wisconsin	Po	Poygan silty clay loam	w
Brown County, Wisconsin	Qu	Quarries	r +
Brown County, Wisconsin	Ro	Rough broken land	+
Brown County, Wisconsin	Rs	Roscommon muck	wp
Brown County, Wisconsin	Ru	Ruse silt loam	wr
Brown County, Wisconsin	Sb	Sebewa silt loam	w
Brown County, Wisconsin	SeC	Shawano fine sand, rolling	p
Brown County, Wisconsin	SeD	Shawano fine sand, hilly	p
Brown County, Wisconsin	SfB	Shawano loamy fine sand, 2 to 6 percent slopes	p
Brown County, Wisconsin	SfC	Shawano loamy fine sand, 6 to 12 percent slopes	p
Brown County, Wisconsin	SgB	Shullsburg silt loam, wet variant, 2 to 6 percent slopes	w
Brown County, Wisconsin	SoA	Solona sandy loam, 1 to 3 percent slopes	w
Brown County, Wisconsin	SpA	Solona loam, 1 to 3 percent slopes	w
Brown County, Wisconsin	Sr	Stony and rocky land	+
Brown County, Wisconsin	SuB	Summerville loam, 1 to 6 percent slopes	r
Brown County, Wisconsin	SuD2	Summerville loam, 6 to 20 percent slopes, eroded	r
Brown County, Wisconsin	SvB	Summerville silt loam, clayey subsoil variant, 1 to 6 percent slopes	r
Brown County, Wisconsin	TeA	Tedrow loamy fine sand, 0 to 3 percent slopes	w
Brown County, Wisconsin	W	Water	+
Brown County, Wisconsin	YaA	Yahara fine sandy loam, 0 to 3 percent slopes	w

County	MUSYM	Map Unit Name	Restriction
Brown County, Wisconsin	YhA	Yahara silt loam, 0 to 3 percent slopes	w
Buffalo County, Wisconsin	BoB2	Boone fine sand, 2 to 6 percent slopes, eroded	p
Buffalo County, Wisconsin	BoC2	Boone fine sand, 6 to 12 percent slopes, eroded	p
Buffalo County, Wisconsin	BoD2	Boone fine sand, 12 to 40 percent slopes, eroded	p
Buffalo County, Wisconsin	CP	Coal pile	p+
Buffalo County, Wisconsin	Dv	Duelm fine sandy loam	p
Buffalo County, Wisconsin	Dw	Duelm fine sandy loam, high water table	w
Buffalo County, Wisconsin	Es	Ettrick silt loam	w
Buffalo County, Wisconsin	Et	Ettrick silt loam, sandy substratum	w
Buffalo County, Wisconsin	GoA	Gotham loamy fine sand, 0 to 2 percent slopes	p
Buffalo County, Wisconsin	GoB	Gotham loamy fine sand, 2 to 6 percent slopes	p
Buffalo County, Wisconsin	GoB2	Gotham loamy fine sand, 2 to 6 percent slopes, eroded	p
Buffalo County, Wisconsin	GP	Gravel pit	p+
Buffalo County, Wisconsin	Gr	Granby sandy loam	w
Buffalo County, Wisconsin	Gu	Gullied land	+
Buffalo County, Wisconsin	HuA	Hubbard soils, 0 to 2 percent slopes	p
Buffalo County, Wisconsin	HuB	Hubbard soils, 2 to 6 percent slopes	p
Buffalo County, Wisconsin	Lv	Loamy alluvial land, poorly drained	w
Buffalo County, Wisconsin	Lw	Loamy alluvial land	+
Buffalo County, Wisconsin	M-W	Miscellaneous water	+
Buffalo County, Wisconsin	Ma	Marsh	wp
Buffalo County, Wisconsin	Pa	Peat and muck, shallow	wp
Buffalo County, Wisconsin	Pd	Peat and muck, deep	wp
Buffalo County, Wisconsin	PfA	Plainfield loamy fine sand, 0 to 2 percent slopes	p
Buffalo County, Wisconsin	PfB	Plainfield loamy fine sand, 2 to 6 percent slopes	p
Buffalo County, Wisconsin	PfB2	Plainfield loamy fine sand, 2 to 6 percent slopes, eroded	p
Buffalo County, Wisconsin	PfC2	Plainfield loamy fine sand, 6 to 12 percent slopes, eroded	p
Buffalo County, Wisconsin	Ps	Plainfield loamy fine sand, loamy substrata variant	p
Buffalo County, Wisconsin	QUA	Quarry	r +
Buffalo County, Wisconsin	Re	Riverwash	p+
Buffalo County, Wisconsin	Sa	Sandy alluvial land, poorly drained	wp
Buffalo County, Wisconsin	Sd	Sandy alluvial land	+
Buffalo County, Wisconsin	SpA	Sparta loamy fine sand, 0 to 2 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Buffalo County, Wisconsin	SpB	Sparta loamy fine sand, 2 to 6 percent slopes	p
Buffalo County, Wisconsin	SpB2	Sparta loamy fine sand, 2 to 6 percent slopes, eroded	p
Buffalo County, Wisconsin	SpC	Sparta loamy fine sand, 6 to 12 percent slopes	p
Buffalo County, Wisconsin	SpC2	Sparta loamy fine sand, 6 to 12 percent slopes, eroded	p
Buffalo County, Wisconsin	Sr	Sparta loamy fine sand, loamy substrata variant	p
Buffalo County, Wisconsin	Ss	Sparta and Plainfield fine sands and dune land	p
Buffalo County, Wisconsin	St	Steep stony and rocky land	+
Buffalo County, Wisconsin	Tm	Terrace escarpments, loamy	+
Buffalo County, Wisconsin	Tn	Terrace escarpments, sandy	p+
Buffalo County, Wisconsin	TrA	Trempe loamy fine sand, 0 to 2 percent slopes	p
Buffalo County, Wisconsin	TrB	Trempe loamy fine sand, 2 to 6 percent slopes	p
Buffalo County, Wisconsin	TrB2	Trempe loamy fine sand, 2 to 6 percent slopes, eroded	p
Buffalo County, Wisconsin	TrC2	Trempe loamy fine sand, 6 to 12 percent slopes, eroded	p
Buffalo County, Wisconsin	Ud	Udorthents	+
Buffalo County, Wisconsin	W	Water	+
Buffalo County, Wisconsin	Wa	Walkill silt loam	w
Burnett County, Wisconsin	3A	Totagatic-Bowstring-Ausable complex, 0 to 2 percent slopes, frequently flooded	wp
Burnett County, Wisconsin	12A	Makwa stony muck, 0 to 1 percent slopes, extremely stony, frequently flooded	w
Burnett County, Wisconsin	22A	Comstock silt loam, 0 to 3 percent slopes	w
Burnett County, Wisconsin	64A	Totagatic-Winterfield complex, 0 to 2 percent slopes, frequently flooded	wp
Burnett County, Wisconsin	69C	Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony	p
Burnett County, Wisconsin	69E	Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony	p
Burnett County, Wisconsin	83A	Smestad loamy fine sand, 0 to 3 percent slopes	w
Burnett County, Wisconsin	89A	Wildwood muck, 0 to 1 percent slopes	w
Burnett County, Wisconsin	100B	Menahga sand, 0 to 6 percent slopes	p
Burnett County, Wisconsin	100C	Menahga sand, 6 to 12 percent slopes	p
Burnett County, Wisconsin	100D	Menahga sand, 12 to 30 percent slopes	p
Burnett County, Wisconsin	120B	Kost fine sand, 0 to 6 percent slopes	p
Burnett County, Wisconsin	151A	Bluffton loam, 0 to 2 percent slopes	w
Burnett County, Wisconsin	152A	Alstad loam, 0 to 3 percent slopes	w
Burnett County, Wisconsin	160A	Oesterle sandy loam, 0 to 2 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Burnett County, Wisconsin	189A	Siren loam, 0 to 3 percent slopes	w
Burnett County, Wisconsin	193A	Minocqua muck, 0 to 2 percent slopes	w
Burnett County, Wisconsin	368B	Mahtomedi-Cress complex, 2 to 6 percent slopes	p
Burnett County, Wisconsin	368C	Mahtomedi-Cress complex, 6 to 12 percent slopes	p
Burnett County, Wisconsin	368D	Mahtomedi-Cress complex, 12 to 25 percent slopes	p
Burnett County, Wisconsin	368E	Mahtomedi-Cress complex, 25 to 35 percent slopes	p
Burnett County, Wisconsin	380B	Cress-Rosholt complex, 2 to 6 percent slopes	p
Burnett County, Wisconsin	380C	Cress-Rosholt complex, 6 to 12 percent slopes	p
Burnett County, Wisconsin	380D	Cress-Rosholt complex, 12 to 25 percent slopes	p
Burnett County, Wisconsin	383B	Mahtomedi loamy sand, 0 to 6 percent slopes	p
Burnett County, Wisconsin	383C	Mahtomedi loamy sand, 6 to 12 percent slopes	p
Burnett County, Wisconsin	383D	Mahtomedi loamy sand, 12 to 30 percent slopes	p
Burnett County, Wisconsin	392C	Rockmarsh-Dairyland-Makwa, seeped, complex, 2 to 20 percent slopes, very stony	w
Burnett County, Wisconsin	396B	Friendship-Wurtsmith-Grayling complex, 0 to 6 percent slopes	p
Burnett County, Wisconsin	397A	Perchlake loamy fine sand, 0 to 2 percent slopes	w
Burnett County, Wisconsin	399B	Grayling sand, 0 to 6 percent slopes	p
Burnett County, Wisconsin	399C	Grayling sand, 6 to 12 percent slopes	p
Burnett County, Wisconsin	399D	Grayling sand, 12 to 30 percent slopes	p
Burnett County, Wisconsin	406A	Loxley mucky peat, 0 to 1 percent slopes	wp
Burnett County, Wisconsin	407A	Seelyeville and Markey soils, 0 to 1 percent slopes	wp
Burnett County, Wisconsin	410A	Seelyeville and Cathro soils, 0 to 1 percent slopes	wp
Burnett County, Wisconsin	419A	Seelyeville, Cathro, and Markey soils, 0 to 1 percent slopes	wp
Burnett County, Wisconsin	421A	Dora, Markey, and Seelyeville soils, 0 to 1 percent slopes	p
Burnett County, Wisconsin	422A	Seelyeville, Cathro, and Rondeau soils, 0 to 1 percent slopes	wp
Burnett County, Wisconsin	426B	Emmert-Mahtomedi-Menahga complex, 2 to 6 percent slopes	p
Burnett County, Wisconsin	426C	Emmert-Mahtomedi-Menahga complex, 6 to 12 percent slopes	p
Burnett County, Wisconsin	426D	Emmert-Mahtomedi-Menahga complex, 12 to 30 percent slopes	p
Burnett County, Wisconsin	439B	Graycalm-Menahga complex, 0 to 6 percent slopes	p
Burnett County, Wisconsin	439C	Graycalm-Menahga complex, 6 to 12 percent slopes	p
Burnett County, Wisconsin	439D	Graycalm-Menahga complex, 12 to 30 percent slopes	p
Burnett County, Wisconsin	442C	Haugen, very stony-Greenwood complex, 0 to 15 percent slopes	wp
Burnett County, Wisconsin	443D	Amery, very stony-Greenwood complex, 0 to 35 percent slopes	wp

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Burnett County, Wisconsin	459A	Loxley, Daisybay, and Dawson soils, 0 to 1 percent slopes	wp
Burnett County, Wisconsin	461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	wp
Burnett County, Wisconsin	465A	Newson-Meehan complex, 0 to 3 percent slopes	wp
Burnett County, Wisconsin	471B	Dairyland-Emmert complex, 0 to 6 percent slopes, very stony	p
Burnett County, Wisconsin	471C	Dairyland-Emmert complex, 6 to 15 percent slopes, very stony	p
Burnett County, Wisconsin	484A	Greenwood and Beseman soils, 0 to 1 percent slopes	wp
Burnett County, Wisconsin	485C	Lupton and Tawas soils, seeped, 2 to 15 percent slopes	w
Burnett County, Wisconsin	495B	Karlsborg-Grettum-Perida complex, 1 to 6 percent slopes	p
Burnett County, Wisconsin	495C	Karlsborg-Grettum-Perida complex, 6 to 12 percent slopes	p
Burnett County, Wisconsin	495D	Karlsborg-Grettum-Perida complex, 12 to 30 percent slopes	p
Burnett County, Wisconsin	544F	Menahga and Mahtomedi soils, 30 to 45 percent slopes	p
Burnett County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	w
Burnett County, Wisconsin	557B	Shawano fine sand, 0 to 6 percent slopes	p
Burnett County, Wisconsin	557C	Shawano fine sand, 6 to 12 percent slopes	p
Burnett County, Wisconsin	557D	Shawano fine sand, 12 to 30 percent slopes	p
Burnett County, Wisconsin	600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	w +
Burnett County, Wisconsin	615B	Cress sandy loam, 0 to 6 percent slopes	p
Burnett County, Wisconsin	615C	Cress sandy loam, 6 to 12 percent slopes	p
Burnett County, Wisconsin	615D	Cress sandy loam, 12 to 30 percent slopes	p
Burnett County, Wisconsin	620C	Lundeen-Haustrup-Rock outcrop complex, 2 to 12 percent slopes, very stony	r
Burnett County, Wisconsin	624A	Ossmer silt loam, 0 to 3 percent slopes	w
Burnett County, Wisconsin	634C	Drylanding-Beartree complex, 0 to 12 percent slopes, rocky	wr
Burnett County, Wisconsin	635C	Drylanding-Beartree complex, 0 to 12 percent slopes, rocky, rarely flooded	wr
Burnett County, Wisconsin	671B	Spoonerhill, stony-Spoonerhill complex, 2 to 6 percent slopes	p
Burnett County, Wisconsin	706A	Winterfield-Totagatic complex, 0 to 2 percent slopes, frequently flooded	wp
Burnett County, Wisconsin	720F	Haustrup-Lundeen-Rock outcrop complex, 12 to 65 percent slopes, very stony	r
Burnett County, Wisconsin	726B	Sissabagama loamy sand, 0 to 6 percent slopes	p
Burnett County, Wisconsin	755A	Moppet, occasionally flooded-Fordum, frequently flooded, complex, 0 to 3 percent slopes	w
Burnett County, Wisconsin	771A	Lenroot loamy sand, 0 to 3 percent slopes	p
Burnett County, Wisconsin	825A	Meehan sand, 0 to 2 percent slopes	w
Burnett County, Wisconsin	896A	Wurtsmith sand, 0 to 3 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Burnett County, Wisconsin	1070C	Fremstadt, stony-Cress complex, 6 to 15 percent slopes	p
Burnett County, Wisconsin	1070D	Fremstadt, stony-Cress complex, 15 to 30 percent slopes	p
Burnett County, Wisconsin	1080B	Spoonerhill-Spoonerhill, stony-Cress complex, 1 to 6 percent slopes	p
Burnett County, Wisconsin	2002	Udorhents, earthen dams	+
Burnett County, Wisconsin	2015	Pits	+
Burnett County, Wisconsin	2050	Landfill	+
Burnett County, Wisconsin	3082E	Braham-Shawano complex, 12 to 35 percent slopes	p
Burnett County, Wisconsin	3114A	Saprists, Aquents, and Aquepts, 0 to 1 percent slopes, ponded, flooded	w
Burnett County, Wisconsin	3125A	Meehan loamy sand, 0 to 2 percent slopes	wp
Burnett County, Wisconsin	3126A	Wurtsmith loamy sand, 0 to 3 percent slopes	p
Burnett County, Wisconsin	3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	wp
Burnett County, Wisconsin	3446A	Newson muck, 0 to 2 percent slopes	w
Burnett County, Wisconsin	3625A	Lino loamy fine sand, 0 to 2 percent slopes	wp
Burnett County, Wisconsin	3629B	Perida loamy sand, 0 to 4 percent slopes	p
Burnett County, Wisconsin	M-W	Miscellaneous water	+
Burnett County, Wisconsin	W	Water	+
Calumet County, Wisconsin	Ac	Adrian muck	wp
Calumet County, Wisconsin	As	Aquents, sloping	+
Calumet County, Wisconsin	Bu	Brookston silt loam	w
Calumet County, Wisconsin	CnB	Channahon loam, 2 to 6 percent slopes	r
Calumet County, Wisconsin	CnC	Channahon loam, 6 to 12 percent slopes	r
Calumet County, Wisconsin	Du	Dune land	p+
Calumet County, Wisconsin	Fu	Fluvaquents	w+
Calumet County, Wisconsin	Gb	Granby fine sandy loam	wp
Calumet County, Wisconsin	Hu	Houghton muck	wp
Calumet County, Wisconsin	Ke	Keowns very fine sandy loam	w
Calumet County, Wisconsin	LmA	Lamartine silt loam, 0 to 3 percent slopes	w
Calumet County, Wisconsin	M-W	Miscellaneous water	+
Calumet County, Wisconsin	MuA	Mundelein silt loam, 0 to 3 percent slopes	w
Calumet County, Wisconsin	OaB	Oakville loamy fine sand, 2 to 6 percent slopes	p
Calumet County, Wisconsin	OaC	Oakville loamy fine sand, 6 to 12 percent slopes	p
Calumet County, Wisconsin	OgB	Oakville-Granby complex, 0 to 4 percent slopes	wp
Calumet County, Wisconsin	Pa	Palms muck	wp

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Calumet County, Wisconsin	Pe	Pella silt loam	w
Calumet County, Wisconsin	Pg	Pits, gravel	p+
Calumet County, Wisconsin	Ph	Pits, quarries	r +
Calumet County, Wisconsin	PIB	Plainfield loamy sand, 2 to 6 percent slopes	p
Calumet County, Wisconsin	PIC	Plainfield loamy sand, 6 to 12 percent slopes	p
Calumet County, Wisconsin	PID	Plainfield loamy sand, 12 to 20 percent slopes	p
Calumet County, Wisconsin	ShA	Shiocton very fine sandy loam, 0 to 3 percent slopes	w
Calumet County, Wisconsin	SyA	Symco silt loam, 0 to 3 percent slopes	w
Calumet County, Wisconsin	TeA	Tedrow loamy fine sand, 0 to 3 percent slopes	w
Calumet County, Wisconsin	Ud	Udorthents	+
Calumet County, Wisconsin	W	Water	+
Calumet County, Wisconsin	WaA	Wasepi sandy loam, 0 to 3 percent slopes	w
Calumet County, Wisconsin	Wt	Willette muck	p
Chippewa County, Wisconsin	Au	Auburndale silt loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	Be	Beseman muck, 0 to 1 percent slopes	wp
Chippewa County, Wisconsin	BoE	Boone fine sand, 20 to 45 percent slopes	p
Chippewa County, Wisconsin	Cb	Cable silt loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	CkD2	Chetek-Mahtomedi complex, 12 to 25 percent slopes, eroded	p
Chippewa County, Wisconsin	CkE	Chetek-Mahtomedi complex, 25 to 40 percent slopes	p
Chippewa County, Wisconsin	Cm	Comstock silt loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	DAM	Dam, concrete	+
Chippewa County, Wisconsin	EmB	Elkmound loam, 2 to 6 percent slopes	r
Chippewa County, Wisconsin	EmC2	Elkmound loam, 6 to 12 percent slopes, eroded	r
Chippewa County, Wisconsin	EmD2	Elkmound loam, 12 to 20 percent slopes, eroded	r
Chippewa County, Wisconsin	EmE	Elkmound loam, 20 to 45 percent slopes	r
Chippewa County, Wisconsin	Eo	Elm Lake loamy sand, 0 to 2 percent slopes	wp
Chippewa County, Wisconsin	FaB	Fallcreek sandy loam, 2 to 6 percent slopes	w
Chippewa County, Wisconsin	Fm	Fordum loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	FrA	Friendship loamy sand, 0 to 3 percent slopes	p
Chippewa County, Wisconsin	Gr	Greenwood peat, 0 to 1 percent slopes	wp
Chippewa County, Wisconsin	Ha	Halder loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	La	Lows loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	Lp	Lupton muck, 0 to 1 percent slopes	wp

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Chippewa County, Wisconsin	M-W	Miscellaneous water	+
Chippewa County, Wisconsin	MdB	Mahtomedi loamy sand, 2 to 6 percent slopes	p
Chippewa County, Wisconsin	MdC	Mahtomedi loamy sand, 6 to 12 percent slopes	p
Chippewa County, Wisconsin	Me	Markey muck, 0 to 1 percent slopes	wp
Chippewa County, Wisconsin	Mh	Meehan loamy sand, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	MkB	Menahga loamy sand, 0 to 6 percent slopes	p
Chippewa County, Wisconsin	MkC	Menahga loamy sand, 6 to 12 percent slopes	p
Chippewa County, Wisconsin	MrB	Merrillan sandy loam, 1 to 6 percent slopes	w
Chippewa County, Wisconsin	Mu	Minocqua loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	MvA	Moundville loamy sand, 0 to 3 percent slopes	p
Chippewa County, Wisconsin	Na	Newson loamy sand, 0 to 2 percent slopes	wp
Chippewa County, Wisconsin	NtB	Northfield silt loam, 2 to 6 percent slopes	r
Chippewa County, Wisconsin	NtC2	Northfield silt loam, 6 to 12 percent slopes, eroded	r
Chippewa County, Wisconsin	NtD2	Northfield silt loam, 12 to 20 percent slopes, eroded	r
Chippewa County, Wisconsin	Oe	Oesterle sandy loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	Pc	Pits, gravel	p+
Chippewa County, Wisconsin	PdB	Plainbo loamy sand, 2 to 6 percent slopes	p
Chippewa County, Wisconsin	PdC	Plainbo loamy sand, 6 to 12 percent slopes	p
Chippewa County, Wisconsin	PdD	Plainbo loamy sand, 12 to 20 percent slopes	p
Chippewa County, Wisconsin	Pv	Plover silt loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	Px	Poskin silt loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	Rb	Rib silt loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	Rc	Rib mucky silt loam, ponded, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	RfA	Richford loamy sand, 0 to 3 percent slopes	p
Chippewa County, Wisconsin	Sm	Seelyeville muck, 0 to 1 percent slopes	wp
Chippewa County, Wisconsin	Ud	Udifluvents, loamy, nearly level	w
Chippewa County, Wisconsin	UoE	Udorthents (dam)	+
Chippewa County, Wisconsin	Ve	Vesper silt loam, 0 to 2 percent slopes	w
Chippewa County, Wisconsin	W	Water	+
Chippewa County, Wisconsin	Wb	Warman variant sandy loam, 0 to 2 percent slopes	w
Clark County, Wisconsin	AnA	Au Gres-Newson complex, 0 to 3 percent slopes	wp
Clark County, Wisconsin	BoC	Boone sand, 6 to 15 percent slopes	p
Clark County, Wisconsin	BoF	Boone sand, 15 to 50 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Clark County, Wisconsin	BpF	Boone-Elevasil complex, 15 to 50 percent slopes	p
Clark County, Wisconsin	Cd	Citypoint mucky peat, 0 to 1 percent slopes	wp
Clark County, Wisconsin	CmA	Comstock silt loam, 0 to 3 percent slopes	w
Clark County, Wisconsin	Da	Dawsil mucky peat, 0 to 1 percent slopes	wp
Clark County, Wisconsin	EaB	Eau Claire loamy sand, 1 to 6 percent slopes	p
Clark County, Wisconsin	FeA	Fairchild-Elm Lake complex, 0 to 3 percent slopes	wp
Clark County, Wisconsin	FfA	Fallcreek loam, 0 to 3 percent slopes	w
Clark County, Wisconsin	FgA	Fallcreek-Merrillan complex, 0 to 3 percent slopes	w
Clark County, Wisconsin	Fm	Fordum silt loam, 0 to 2 percent slopes	w
Clark County, Wisconsin	HxB	Humbird-Merrillan fine sandy loams, 0 to 6 percent slopes	w
Clark County, Wisconsin	IxA	Ironrun-Ponycreek complex, 0 to 3 percent slopes	wp
Clark County, Wisconsin	IzB	Ironrun-Ponycreek-Arbutus complex, 0 to 6 percent slopes	wp
Clark County, Wisconsin	Lk	Loxley peat, 0 to 1 percent slopes	wp
Clark County, Wisconsin	Lm	Loxley, Beseman, and Dawson peats 0 to 1 percent slopes	wp
Clark County, Wisconsin	M-W	Miscellaneous water	+
Clark County, Wisconsin	MbB	Mahtomedi loamy sand, 0 to 6 percent slopes	p
Clark County, Wisconsin	MbC	Mahtomedi loamy sand, 6 to 12 percent slopes	p
Clark County, Wisconsin	McA	Maplehurst silt loam, 0 to 3 percent slopes	w
Clark County, Wisconsin	Me	Markey-Newson mucks, 0 to 2 percent slopes	wp
Clark County, Wisconsin	MgB	Menahga loamy sand, 0 to 6 percent slopes	p
Clark County, Wisconsin	MpA	Merrillan fine sandy loam, 0 to 3 percent slopes	w
Clark County, Wisconsin	MrA	Merrillan-Veedum complex, 0 to 3 percent slopes	w
Clark County, Wisconsin	MxA	Moppet-Fordum complex, 0 to 3 percent slopes	w
Clark County, Wisconsin	NmC	Newood-Magnor-Cathro complex, 0 to 15 percent slopes, very stony	wp
Clark County, Wisconsin	NrF	Northmound-Rock outcrop complex, 15 to 50 percent slopes, very stony	r
Clark County, Wisconsin	OeA	Oesterle loam, 0 to 3 percent slopes	w
Clark County, Wisconsin	PeA	Pelkie-Winterfield loamy fine sands, 0 to 3 percent slopes	wp
Clark County, Wisconsin	Pg	Pits	p+
Clark County, Wisconsin	PoA	Plover very fine sandy loam, 0 to 3 percent slopes	w
Clark County, Wisconsin	Pv	Ponycreek-Dawsil complex, 0 to 2 percent slopes	wp
Clark County, Wisconsin	PxA	Poskin silt loam, 0 to 3 percent slopes	w
Clark County, Wisconsin	Py	Psammaquents, nearly level	w
Clark County, Wisconsin	Rb	Rib silt loam, 0 to 2 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Clark County, Wisconsin	RkA	Rockdam sand, 0 to 3 percent slopes	p
Clark County, Wisconsin	ScA	Simescreek sand, 0 to 3 percent slopes	p
Clark County, Wisconsin	TrB	Tarr sand, 0 to 6 percent slopes	p
Clark County, Wisconsin	Ve	Veedum silt loam, 0 to 2 percent slopes	w
Clark County, Wisconsin	Vs	Veedum-Elm Lake mucks, 0 to 2 percent slopes	wp
Clark County, Wisconsin	W	Water	+
Columbia County, Wisconsin	Ad	Adrian muck	wp
Columbia County, Wisconsin	Ae	Alluvial land, sandy	+
Columbia County, Wisconsin	Af	Alluvial land, sandy, wet	wp
Columbia County, Wisconsin	Ag	Alluvial land, loamy	+
Columbia County, Wisconsin	Ah	Alluvial land, loamy, wet	w
Columbia County, Wisconsin	BbA	Barry loam, 0 to 3 percent slopes	w
Columbia County, Wisconsin	BnC	Boone loamy fine sand, 6 to 12 percent slopes	p
Columbia County, Wisconsin	BnE	Boone loamy fine sand, 12 to 45 percent slopes	p
Columbia County, Wisconsin	Bo	Boots muck	wp
Columbia County, Wisconsin	ChB	Chelsea loamy fine sand, 1 to 6 percent slopes	p
Columbia County, Wisconsin	ChC	Chelsea loamy fine sand, 6 to 12 percent slopes	p
Columbia County, Wisconsin	CoA	Colwood fine sandy loam, 0 to 3 percent slopes	w
Columbia County, Wisconsin	CP	Coal pit	+
Columbia County, Wisconsin	DAM	Dam concrete	+
Columbia County, Wisconsin	GaA	Gilford fine sandy loam, stratified substratum, 0 to 3 percent slopes	w
Columbia County, Wisconsin	Gb	Granby loamy sand	wp
Columbia County, Wisconsin	GP	Gravel pit	p+
Columbia County, Wisconsin	Ho	Houghton muck	wp
Columbia County, Wisconsin	LDF	Landfill	+
Columbia County, Wisconsin	M-W	Miscellaneous water	+
Columbia County, Wisconsin	Mb	Marsh	w
Columbia County, Wisconsin	Mc	Marshan loam	w
Columbia County, Wisconsin	NoB	Northfield sandy loam, 2 to 6 percent slopes	r
Columbia County, Wisconsin	NoC	Northfield sandy loam, 6 to 12 percent slopes	r
Columbia County, Wisconsin	NoE	Northfield sandy loam, 12 to 30 percent slopes	r
Columbia County, Wisconsin	OsA	Ossian silt loam, 0 to 3 percent slopes	w
Columbia County, Wisconsin	Ot	Otter silt loam	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Columbia County, Wisconsin	Pa	Palms muck	wp
Columbia County, Wisconsin	PeC2	Plainfield sand, 2 to 12 percent slopes, eroded	p
Columbia County, Wisconsin	PfA	Plainfield loamy fine sand, 0 to 2 percent slopes	p
Columbia County, Wisconsin	PfB	Plainfield loamy fine sand, 2 to 6 percent slopes	p
Columbia County, Wisconsin	PfC	Plainfield loamy fine sand, 6 to 12 percent slopes	p
Columbia County, Wisconsin	PfD	Plainfield loamy fine sand, 12 to 25 percent slopes	p
Columbia County, Wisconsin	PkB	Plainfield loamy fine sand, loamy substratum, 2 to 6 percent slopes	p
Columbia County, Wisconsin	PkC	Plainfield loamy fine sand, loamy substratum, 6 to 12 percent slopes	p
Columbia County, Wisconsin	PkD	Plainfield loamy fine sand, loamy substratum, 12 to 25 percent slopes	p
Columbia County, Wisconsin	PoA	Poygan silt loam, 0 to 3 percent slopes	w
Columbia County, Wisconsin	QUA	Quarry	r +
Columbia County, Wisconsin	Rk	Rock land	r
Columbia County, Wisconsin	RoC	Rodman gravelly loam, 2 to 12 percent slopes	p
Columbia County, Wisconsin	RoD	Rodman gravelly loam, 12 to 20 percent slopes	p
Columbia County, Wisconsin	RoE	Rodman gravelly loam, 20 to 45 percent slopes	p
Columbia County, Wisconsin	Sd	Sandy land	+
Columbia County, Wisconsin	SpB	Sparta loamy fine sand, 1 to 6 percent slopes	p
Columbia County, Wisconsin	W	Water	+
Columbia County, Wisconsin	Wa	Wacousta mucky silt loam	w
Columbia County, Wisconsin	Wb	Walkkill silt loam	w
Crawford County, Wisconsin	Aa	Alluvial land, poorly drained, frequently flooded	w
Crawford County, Wisconsin	Ab	Alluvial land, frequently flooded	+
Crawford County, Wisconsin	BoD	Boone fine sand, 12 to 30 percent slopes	p
Crawford County, Wisconsin	ChC2	Chelsea fine sand, 6 to 12 percent slopes, moderately eroded	p
Crawford County, Wisconsin	ChD2	Chelsea fine sand, 12 to 20 percent slopes, moderately eroded	p
Crawford County, Wisconsin	ChE2	Chelsea fine sand, 20 to 30 percent slopes, moderately eroded	p
Crawford County, Wisconsin	Ct	Cherty alluvial land, frequently flooded	p
Crawford County, Wisconsin	DtC2	Dubuque cherty silt loam, 6 to 12 percent slopes, moderately eroded	r
Crawford County, Wisconsin	DtD2	Dubuque cherty silt loam, 12 to 20 percent slopes, moderately eroded	r
Crawford County, Wisconsin	DtE2	Dubuque cherty silt loam, 20 to 30 percent slopes, moderately eroded	r
Crawford County, Wisconsin	Et	Ettrick silt loam, frequently flooded	w
Crawford County, Wisconsin	GoB	Gotham loamy fine sand, 2 to 6 percent slopes	p
Crawford County, Wisconsin	GoB2	Gotham loamy fine sand, 2 to 6 percent slopes, moderately eroded	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Crawford County, Wisconsin	GoC2	Gotham loamy fine sand, 6 to 12 percent slopes, moderately eroded	p
Crawford County, Wisconsin	GP	Gravel pit	p+
Crawford County, Wisconsin	Gu	Gullied land	+
Crawford County, Wisconsin	M-W	Miscellaneous water	+
Crawford County, Wisconsin	Ow	Orion silt loam, poorly drained variant, frequently flooded	w
Crawford County, Wisconsin	QUA	Quarry	r +
Crawford County, Wisconsin	SP	Sand pit	p
Crawford County, Wisconsin	SsA	Sparta loamy fine sand, 0 to 2 percent slopes	p
Crawford County, Wisconsin	SsB	Sparta loamy fine sand, 2 to 6 percent slopes	p
Crawford County, Wisconsin	SsB2	Sparta loamy fine sand, 2 to 6 percent slopes, moderately eroded	p
Crawford County, Wisconsin	SsC2	Sparta loamy fine sand, 6 to 12 percent slopes, moderately eroded	p
Crawford County, Wisconsin	St	Steep stony and rocky land	+
Crawford County, Wisconsin	Su	Stony colluvial land, frequently flooded	+
Crawford County, Wisconsin	Tr	Terrace escarpments, loamy	+
Crawford County, Wisconsin	Ts	Terrace escarpments, sandy	+
Crawford County, Wisconsin	W	Water	+
Dane County, Wisconsin	Ad	Adrian muck	wp
Dane County, Wisconsin	Af	Alluvial land, wet	w
Dane County, Wisconsin	BrA	Brems loamy sand	p
Dane County, Wisconsin	Co	Colwood silt loam	w
Dane County, Wisconsin	Cu	Cut and fill land	+
Dane County, Wisconsin	DmA	Dickinson loamy fine sand, sandy variant, 1 to 4 percent slopes	p
Dane County, Wisconsin	DuB2	Dunbarton silt loam, 2 to 6 percent slopes, eroded	r
Dane County, Wisconsin	DuC2	Dunbarton silt loam, 6 to 12 percent slopes, eroded	r
Dane County, Wisconsin	DuD2	Dunbarton silt loam, 12 to 20 percent slopes, eroded	r
Dane County, Wisconsin	DuE2	Dunbarton silt loam, 20 to 30 percent slopes, eroded	r
Dane County, Wisconsin	EdB2	Edmund silt loam, 2 to 6 percent slopes, eroded	r
Dane County, Wisconsin	EdC2	Edmund silt loam, 6 to 12 percent slopes, eroded	r
Dane County, Wisconsin	EdD2	Edmund silt loam, 12 to 20 percent slopes, eroded	r
Dane County, Wisconsin	EmC2	Elkmound sandy loam, 6 to 12 percent slopes, eroded	r
Dane County, Wisconsin	EmD2	Elkmound sandy loam, 12 to 20 percent slopes, eroded	r
Dane County, Wisconsin	EmE2	Elkmound sandy loam, 20 to 30 percent slopes, eroded	r
Dane County, Wisconsin	EmF	Elkmound sandy loam, 30 to 60 percent slopes	r

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Dane County, Wisconsin	Ev	Elvers silt loam	w
Dane County, Wisconsin	Gn	Granby loamy sand	wp
Dane County, Wisconsin	GP	Gravel pit	p+
Dane County, Wisconsin	Ho	Houghton muck	wp
Dane County, Wisconsin	LDF	Landfill	+
Dane County, Wisconsin	M-W	Miscellaneous water	+
Dane County, Wisconsin	Ma	Made land	+
Dane County, Wisconsin	Mb	Marsh	w
Dane County, Wisconsin	Mc	Marshan silt loam	w
Dane County, Wisconsin	MoA	Montgomery silty clay loam, 0 to 3 percent slopes	w
Dane County, Wisconsin	Os	Orion silt loam, wet	w
Dane County, Wisconsin	Ot	Otter silt loam	w
Dane County, Wisconsin	Pa	Palms muck	wp
Dane County, Wisconsin	PfB	Plainfield sand, 1 to 6 percent slopes	p
Dane County, Wisconsin	QUA	Quarry	r +
Dane County, Wisconsin	RpE	Rodman sandy loam, 12 to 35 percent slopes	p
Dane County, Wisconsin	SaA	Sable silty clay loam, 0 to 3 percent slopes	w
Dane County, Wisconsin	SoD	Sogn silt loam, 2 to 20 percent slopes	r
Dane County, Wisconsin	SoE	Sogn silt loam, 20 to 35 percent slopes	r
Dane County, Wisconsin	SpB	Spinks and Plainfield loamy sands, 2 to 6 percent slopes	p
Dane County, Wisconsin	SpC	Spinks and Plainfield loamy sands, 6 to 12 percent slopes	p
Dane County, Wisconsin	SpD	Spinks and Plainfield loamy sands, 12 to 25 percent slopes	p
Dane County, Wisconsin	St	Stony and rocky land	+
Dane County, Wisconsin	W	Water	+
Dane County, Wisconsin	Wa	Wacousta silty clay loam	w
Dodge County, Wisconsin	Ar	Adrian variant muck	wp
Dodge County, Wisconsin	BsA	Brookston silt loam, 0 to 3 percent slopes	w
Dodge County, Wisconsin	CdB	Channahon silt loam, 1 to 6 percent slopes	r
Dodge County, Wisconsin	ChB	Chelsea loamy fine sand, 2 to 6 percent slopes	p
Dodge County, Wisconsin	ChC	Chelsea loamy fine sand, 6 to 18 percent slopes	p
Dodge County, Wisconsin	Co	Colwood silty clay loam	w
Dodge County, Wisconsin	Ev	Elvers silt loam	w
Dodge County, Wisconsin	Fu	Fluvaquents	w+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Dodge County, Wisconsin	Gb	Granby variant fine sandy loam	wp
Dodge County, Wisconsin	Hu	Houghton muck	wp
Dodge County, Wisconsin	Hw	Houghton muck, ponded	w
Dodge County, Wisconsin	Ke	Keowns silt loam	w
Dodge County, Wisconsin	LDF	Landfill	+
Dodge County, Wisconsin	M-W	Miscellaneous water	+
Dodge County, Wisconsin	Ot	Otter silt loam	w
Dodge County, Wisconsin	Pa	Palms muck	wp
Dodge County, Wisconsin	Ph	Pella silty clay loam	w
Dodge County, Wisconsin	Pn	Pits	+
Dodge County, Wisconsin	RcE	Rock outcrop-Channahon complex, 5 to 30 percent slopes	r
Dodge County, Wisconsin	RxC2	Rodman-Casco complex, 6 to 12 percent slopes, eroded	p
Dodge County, Wisconsin	RxD2	Rodman-Casco complex, 12 to 30 percent slopes, eroded	p
Dodge County, Wisconsin	Sk	Saprists and Aquents	wp
Dodge County, Wisconsin	Sm	Sebewa silt loam	w
Dodge County, Wisconsin	Ud	Udorthents, loamy	+
Dodge County, Wisconsin	Uf	Udifluvents	+
Dodge County, Wisconsin	W	Water	+
Door County, Wisconsin	AdA	Allendale loamy sand, 0 to 3 percent slopes	w
Door County, Wisconsin	ApC	Alpena gravelly sandy loam, 0 to 12 percent slopes	p
Door County, Wisconsin	Ax	Angelica loam	w
Door County, Wisconsin	Bn	Bonduel loam	w
Door County, Wisconsin	Bo	Bonduel variant fine sandy loam, shallow	wr
Door County, Wisconsin	Bp	Bonduel variant loam, wet	w
Door County, Wisconsin	Ca	Carbondale muck	wp
Door County, Wisconsin	Cm	Cathro muck	wp
Door County, Wisconsin	Cp	Chippeny muck	w
Door County, Wisconsin	De	Deford loamy fine sand	wp
Door County, Wisconsin	DuB	Duel loamy sand, 1 to 6 percent slopes	p
Door County, Wisconsin	Dv	Duel variant sandy loam	w
Door County, Wisconsin	Fa	Fabius silt loam	w
Door County, Wisconsin	Fu	Fluvaquents	w+
Door County, Wisconsin	Gp	Gravel pits	p+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Door County, Wisconsin	KmB	Kiva sandy loam, 2 to 6 percent slopes	p
Door County, Wisconsin	KmC	Kiva sandy loam, 6 to 12 percent slopes	p
Door County, Wisconsin	KvB	Kolberg variant loam, 1 to 6 percent slopes	r
Door County, Wisconsin	KvC2	Kolberg variant loam, 6 to 12 percent slopes, eroded	r
Door County, Wisconsin	LDF	Landfill	+
Door County, Wisconsin	M-W	Miscellaneous water	+
Door County, Wisconsin	MeB	Manistee loamy sand, 2 to 6 percent slopes	p
Door County, Wisconsin	Mk	Markey muck	wp
Door County, Wisconsin	NaB	Namur loam, 0 to 6 percent slopes	r
Door County, Wisconsin	NaC	Namur loam, 6 to 12 percent slopes	r
Door County, Wisconsin	Nv	Namur variant loam	wr
Door County, Wisconsin	OvB	Omena variant sandy loam, 2 to 6 percent slopes	w
Door County, Wisconsin	Pn	Pinconning loamy fine sand	w
Door County, Wisconsin	Po	Poygan silty clay loam	w
Door County, Wisconsin	QUA	Quarry	r +
Door County, Wisconsin	Ra	Rock outcrop	r +
Door County, Wisconsin	Rb	Rock outcrop-Namur complex, 6 to 20 percent slopes	r
Door County, Wisconsin	Rn	Rondeau muck	wp
Door County, Wisconsin	RoB	Rousseau fine sand, 2 to 6 percent slopes	p
Door County, Wisconsin	RoC	Rousseau fine sand, 6 to 12 percent slopes	p
Door County, Wisconsin	RpC	Rousseau-Shawano fine sands, 2 to 12 percent slopes	p
Door County, Wisconsin	RpD	Rousseau-Shawano fine sands, 12 to 35 percent slopes	p
Door County, Wisconsin	RrB	Rousseau-Deford fine sands, 2 to 6 percent slopes	wp
Door County, Wisconsin	Sa	Saprists	w
Door County, Wisconsin	SoA	Solona loam, 0 to 3 percent slopes	w
Door County, Wisconsin	Su	Suamico muck	wp
Door County, Wisconsin	SvA	Summerville loam, 0 to 2 percent slopes	r
Door County, Wisconsin	SvB	Summerville loam, 2 to 6 percent slopes	r
Door County, Wisconsin	SvC	Summerville loam, 6 to 12 percent slopes	r
Door County, Wisconsin	SvD	Summerville loam, 12 to 20 percent slopes	r
Door County, Wisconsin	Ud	Udipsamments	p
Door County, Wisconsin	Uo	Udorthents, cobbly	p
Door County, Wisconsin	W	Water	+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Door County, Wisconsin	Wa	Wainola loamy fine sand	w
Door County, Wisconsin	YaA	Yahara fine sandy loam, 0 to 3 percent slopes	w
Door County, Wisconsin	Yv	Yahara variant silt loam	w
Douglas County, Wisconsin	3A	Totagatic-Bowstring-Ausable complex, 0 to 2 percent slopes, frequently flooded	wp
Douglas County, Wisconsin	5A	Arnheim mucky silt loam, 0 to 1 percent slopes, frequently flooded	w
Douglas County, Wisconsin	7C	Beaches, 2 to 12 percent slopes	+
Douglas County, Wisconsin	12A	Makwa stony muck, 0 to 1 percent slopes, extremely stony, frequently flooded	w
Douglas County, Wisconsin	64A	Totagatic-Winterfield complex, 0 to 2 percent slopes, frequently flooded	wp
Douglas County, Wisconsin	69B	Keweenaw-Sayner-Vilas complex, 2 to 6 percent slopes, stony	p
Douglas County, Wisconsin	69C	Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony	p
Douglas County, Wisconsin	69E	Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony	p
Douglas County, Wisconsin	74B	Vilas loamy sand, 0 to 6 percent slopes	p
Douglas County, Wisconsin	74C	Vilas loamy sand, 6 to 15 percent slopes	p
Douglas County, Wisconsin	74D	Vilas loamy sand, 15 to 30 percent slopes	p
Douglas County, Wisconsin	92F	Udorthents, ravines and escarpments, 25 to 60 percent slopes	+
Douglas County, Wisconsin	100B	Menahga sand, 0 to 6 percent slopes	p
Douglas County, Wisconsin	100C	Menahga sand, 6 to 12 percent slopes	p
Douglas County, Wisconsin	100D	Menahga sand, 12 to 30 percent slopes	p
Douglas County, Wisconsin	160A	Oesterle sandy loam, 0 to 2 percent slopes	w
Douglas County, Wisconsin	174B	Rubicon sand, 0 to 6 percent slopes	p
Douglas County, Wisconsin	174C	Rubicon sand, 6 to 15 percent slopes	p
Douglas County, Wisconsin	174D	Rubicon sand, 15 to 30 percent slopes	p
Douglas County, Wisconsin	174F	Rubicon sand, 30 to 60 percent slopes	p
Douglas County, Wisconsin	192A	Worcester sandy loam, 0 to 3 percent slopes	w
Douglas County, Wisconsin	193A	Minocqua muck, 0 to 2 percent slopes	w
Douglas County, Wisconsin	217B	Karlin loamy fine sand, 0 to 6 percent slopes	p
Douglas County, Wisconsin	292B	Udifluents, loamy to clayey, 0 to 6 percent slopes, occasionally flooded	+
Douglas County, Wisconsin	309C	Metonga-Rock outcrop complex, 6 to 20 percent slopes	r
Douglas County, Wisconsin	309E	Metonga-Rock outcrop complex, 20 to 45 percent slopes	r
Douglas County, Wisconsin	339B	Rousseau loamy fine sand, 0 to 6 percent slopes	p
Douglas County, Wisconsin	339C	Rousseau loamy fine sand, 6 to 15 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Douglas County, Wisconsin	339D	Rousseau loamy fine sand, 15 to 30 percent slopes	p
Douglas County, Wisconsin	371A	Croswell loamy sand, 0 to 3 percent slopes	p
Douglas County, Wisconsin	375A	Robago fine sandy loam, lake terrace, 0 to 3 percent slopes	w
Douglas County, Wisconsin	383B	Mahtomedi loamy sand, 0 to 6 percent slopes	p
Douglas County, Wisconsin	383C	Mahtomedi loamy sand, 6 to 12 percent slopes	p
Douglas County, Wisconsin	383D	Mahtomedi loamy sand, 12 to 30 percent slopes	p
Douglas County, Wisconsin	388B	Pelkie, occasionally flooded-Dechamps, frequently flooded complex, 0 to 4 percent slopes	wp
Douglas County, Wisconsin	392C	Rockmarsh-Dairyland-Makwa, seeped, complex, 2 to 20 percent slopes, very stony	w
Douglas County, Wisconsin	396B	Friendship-Wurtsmith-Grayling complex, 0 to 6 percent slopes	p
Douglas County, Wisconsin	399B	Grayling sand, 0 to 6 percent slopes	p
Douglas County, Wisconsin	399C	Grayling sand, 6 to 12 percent slopes	p
Douglas County, Wisconsin	399D	Grayling sand, 12 to 30 percent slopes	p
Douglas County, Wisconsin	405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	wp
Douglas County, Wisconsin	406A	Loxley mucky peat, 0 to 1 percent slopes	wp
Douglas County, Wisconsin	407A	Seelyeville and Markey soils, 0 to 1 percent slopes	wp
Douglas County, Wisconsin	419A	Seelyeville, Cathro, and Markey soils, 0 to 1 percent slopes	wp
Douglas County, Wisconsin	426B	Emmert-Mahtomedi-Menahga complex, 2 to 6 percent slopes	p
Douglas County, Wisconsin	426C	Emmert-Mahtomedi-Menahga complex, 6 to 12 percent slopes	p
Douglas County, Wisconsin	426D	Emmert-Mahtomedi-Menahga complex, 12 to 30 percent slopes	p
Douglas County, Wisconsin	439B	Graycalm-Menahga complex, 0 to 6 percent slopes	p
Douglas County, Wisconsin	439C	Graycalm-Menahga complex, 6 to 12 percent slopes	p
Douglas County, Wisconsin	439D	Graycalm-Menahga complex, 12 to 30 percent slopes	p
Douglas County, Wisconsin	445A	Kinross muck, 0 to 2 percent slopes	w
Douglas County, Wisconsin	461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	wp
Douglas County, Wisconsin	471B	Dairyland-Emmert complex, 0 to 6 percent slopes, very stony	p
Douglas County, Wisconsin	471C	Dairyland-Emmert complex, 6 to 15 percent slopes, very stony	p
Douglas County, Wisconsin	475B	Rubicon-Sayner complex, 0 to 6 percent slopes	p
Douglas County, Wisconsin	475C	Rubicon-Sayner complex, 6 to 15 percent slopes	p
Douglas County, Wisconsin	475D	Rubicon-Sayner complex, 15 to 30 percent slopes	p
Douglas County, Wisconsin	485C	Lupton and Tawas soils, seeped, 2 to 15 percent slopes	w
Douglas County, Wisconsin	495B	Karlsborg-Grettum-Perida complex, 1 to 6 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Douglas County, Wisconsin	495C	Karlsborg-Grettum-Perida complex, 6 to 12 percent slopes	p
Douglas County, Wisconsin	514B	Iosco loamy sand, 0 to 4 percent slopes	w
Douglas County, Wisconsin	524E	Rock outcrop-Frogcreek-Metonga complex, 2 to 45 percent slopes, very stony	r+
Douglas County, Wisconsin	544F	Menahga and Mahtomedi soils, 30 to 45 percent slopes	p
Douglas County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	w
Douglas County, Wisconsin	574B	Sayner loamy sand, 0 to 6 percent slopes	p
Douglas County, Wisconsin	574C	Sayner loamy sand, 6 to 15 percent slopes	p
Douglas County, Wisconsin	574E	Sayner loamy sand, 15 to 45 percent slopes	p
Douglas County, Wisconsin	591A	Croswell-Chinwhisker complex, 0 to 3 percent slopes	p
Douglas County, Wisconsin	600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	w +
Douglas County, Wisconsin	615B	Cress sandy loam, 0 to 6 percent slopes	p
Douglas County, Wisconsin	624A	Ossmer silt loam, 0 to 3 percent slopes	w
Douglas County, Wisconsin	634C	Drylanding-Beartree complex, 0 to 12 percent slopes, rocky	wr
Douglas County, Wisconsin	635C	Drylanding-Beartree complex, 0 to 12 percent slopes, rocky, rarely flooded	wr
Douglas County, Wisconsin	639A	Neconish loamy fine sand, 0 to 3 percent slopes	p
Douglas County, Wisconsin	670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	p
Douglas County, Wisconsin	670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	p
Douglas County, Wisconsin	674B	Sultz sand, 0 to 6 percent slopes	p
Douglas County, Wisconsin	674C	Sultz sand, 6 to 15 percent slopes	p
Douglas County, Wisconsin	674E	Sultz sand, 15 to 45 percent slopes	p
Douglas County, Wisconsin	675A	Robago fine sandy loam, 0 to 3 percent slopes	w
Douglas County, Wisconsin	705B	Cublake-Croswell-Ashwabay complex, 0 to 6 percent slopes	p
Douglas County, Wisconsin	706A	Winterfield-Totagatic complex, 0 to 2 percent slopes, frequently flooded	wp
Douglas County, Wisconsin	724A	Rib-Rock outcrop complex, 0 to 2 percent slopes	wr
Douglas County, Wisconsin	771A	Lenroot loamy sand, 0 to 3 percent slopes	p
Douglas County, Wisconsin	805E	Sultz-Ashwabay-Rubicon complex, 15 to 45 percent slopes	p
Douglas County, Wisconsin	813E	Manistee-Kellogg-Ashwabay complex, 15 to 45 percent slopes	p
Douglas County, Wisconsin	815A	Wormet sandy loam, 0 to 3 percent slopes	w
Douglas County, Wisconsin	825A	Meehan sand, 0 to 2 percent slopes	w
Douglas County, Wisconsin	874B	Keweenaw, stony-Rubicon complex, 0 to 6 percent slopes	p
Douglas County, Wisconsin	874C	Keweenaw, stony-Rubicon complex, 6 to 15 percent slopes	p
Douglas County, Wisconsin	874D	Keweenaw, stony-Rubicon complex, 15 to 30 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Douglas County, Wisconsin	884C	Keweenaw, stony-Vilas-Cathro complex, 0 to 15 percent slopes	wp
Douglas County, Wisconsin	884E	Keweenaw, stony-Vilas-Cathro complex, 0 to 55 percent slopes	wp
Douglas County, Wisconsin	885B	Springstead, stony-Annalake-Cathro complex, 0 to 6 percent slopes	wp
Douglas County, Wisconsin	896A	Wurtsmith sand, 0 to 3 percent slopes	p
Douglas County, Wisconsin	928C	Milaca-Mora-Haustrup complex, 0 to 15 percent slopes, very stony, rocky	r
Douglas County, Wisconsin	1670C	Keweenaw, stony-Newood, stony-Cathro complex, 0 to 15 percent slopes	wp
Douglas County, Wisconsin	1884B	Springstead, stony-Markey complex, 0 to 6 percent slopes	wp
Douglas County, Wisconsin	1885B	Springstead, stony-Cathro complex, 0 to 6 percent slopes	wp
Douglas County, Wisconsin	2002	Udorthents, earthen dams	+
Douglas County, Wisconsin	2014	Pits, quarry, hard bedrock	+
Douglas County, Wisconsin	2015	Pits	+
Douglas County, Wisconsin	2030	Udorthents and Udipsamments, cut or fill	+
Douglas County, Wisconsin	2050	Landfill	+
Douglas County, Wisconsin	3114A	Saprists, aquents, and aquepts, 0 to 1 percent slopes, ponded, flooded	w
Douglas County, Wisconsin	3125A	Meehan loamy sand, 0 to 2 percent slopes	wp
Douglas County, Wisconsin	3126A	Wurtsmith loamy sand, 0 to 3 percent slopes	p
Douglas County, Wisconsin	3244A	Brimley fine sandy loam, 0 to 3 percent slopes	w
Douglas County, Wisconsin	3247A	Bruce silt loam, 0 to 2 percent slopes	w
Douglas County, Wisconsin	3276A	Au Gres loamy sand, 0 to 3 percent slopes	w
Douglas County, Wisconsin	3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	wp
Douglas County, Wisconsin	3423A	Rifle peat, 0 to 1 percent slopes	wp
Douglas County, Wisconsin	3446A	Newson muck, 0 to 2 percent slopes	w
Douglas County, Wisconsin	3512D	Menominee loamy sand, 15 to 30 percent slopes	p
Douglas County, Wisconsin	3676A	Au Gres sand, 0 to 3 percent slopes	w
Douglas County, Wisconsin	M-W	Miscellaneous water	+
Douglas County, Wisconsin	W	Water	+
Dunn County, Wisconsin	11A	Markey muck, floodplain, 0 to 1 percent slopes	w
Dunn County, Wisconsin	20A	Palms and Houghton mucks, 0 to 1 percent slopes	wp
Dunn County, Wisconsin	40A	Markey and Seelyeville mucks, 0 to 1 percent slopes	wp
Dunn County, Wisconsin	45A	Seelyeville and Cathro mucks, valley train, 0 to 1 percent slopes	wp
Dunn County, Wisconsin	101B	Menahga sand, valley train, 0 to 6 percent slopes	p
Dunn County, Wisconsin	101C	Menahga sand, valley train, 6 to 12 percent slopes	p
Dunn County, Wisconsin	101E	Menahga sand, valley train, 12 to 30 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Dunn County, Wisconsin	233C	Boone sand, 6 to 15 percent slopes	p
Dunn County, Wisconsin	244B	Elkmound loam, 1 to 6 percent slopes	r
Dunn County, Wisconsin	244C2	Elkmound loam, 6 to 12 percent slopes, eroded	r
Dunn County, Wisconsin	244D2	Elkmound loam, 12 to 20 percent slopes, eroded	r
Dunn County, Wisconsin	265B	Garne loamy sand, 2 to 6 percent slopes	p
Dunn County, Wisconsin	265C	Garne loamy sand, 6 to 12 percent slopes	p
Dunn County, Wisconsin	269A	Veedum muck, 0 to 2 percent slopes	w
Dunn County, Wisconsin	282C	Twinmound fine sand, 6 to 15 percent slopes	p
Dunn County, Wisconsin	282F	Twinmound fine sand, 15 to 50 percent slopes	p
Dunn County, Wisconsin	349A	Rib silt loam, valley train, 0 to 2 percent slopes	w
Dunn County, Wisconsin	429A	Lows loam, 0 to 2 percent slopes	w
Dunn County, Wisconsin	501A	Finchford loamy sand, 0 to 3 percent slopes	p
Dunn County, Wisconsin	501B	Finchford loamy sand, 2 to 6 percent slopes	p
Dunn County, Wisconsin	502B2	Chelsea fine sand, 2 to 6 percent slopes, eroded	p
Dunn County, Wisconsin	502C2	Chelsea fine sand, 6 to 15 percent slopes, eroded	p
Dunn County, Wisconsin	506A	Komro loamy sand, 0 to 3 percent slopes	p
Dunn County, Wisconsin	510B	Boplain sand, 0 to 6 percent slopes	p
Dunn County, Wisconsin	510C	Boplain sand, 6 to 15 percent slopes	p
Dunn County, Wisconsin	511A	Plainfield sand, 0 to 3 percent slopes	p
Dunn County, Wisconsin	511B	Plainfield sand, 2 to 6 percent slopes	p
Dunn County, Wisconsin	511C	Plainfield sand, 6 to 15 percent slopes	p
Dunn County, Wisconsin	511F	Plainfield sand, 15 to 60 percent slopes	p
Dunn County, Wisconsin	512B	Drammen loamy sand, 1 to 6 percent slopes	p
Dunn County, Wisconsin	512C	Drammen loamy sand, 6 to 12 percent slopes	p
Dunn County, Wisconsin	512D	Drammen loamy sand, 12 to 20 percent slopes	p
Dunn County, Wisconsin	516A	Aldo sand, 0 to 3 percent slopes	p
Dunn County, Wisconsin	546A	Prissel loamy sand, 0 to 3 percent slopes	p
Dunn County, Wisconsin	546B	Prissel loamy sand, 2 to 6 percent slopes	p
Dunn County, Wisconsin	546C	Prissel loamy sand, 6 to 15 percent slopes	p
Dunn County, Wisconsin	546F	Prissel loamy sand, 15 to 60 percent slopes	p
Dunn County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes	w
Dunn County, Wisconsin	561B	Tarr sand, 1 to 6 percent slopes	p
Dunn County, Wisconsin	566A	Tint sand, 0 to 3 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Dunn County, Wisconsin	573B	Plainbo sand, sand sheet, 0 to 6 percent slopes	p
Dunn County, Wisconsin	573C	Plainbo sand, sand sheet, 6 to 15 percent slopes	p
Dunn County, Wisconsin	589A	Newson mucky loamy sand, 0 to 2 percent slopes	wp
Dunn County, Wisconsin	619A	Vancecreek silt loam, 0 to 2 percent slopes	w
Dunn County, Wisconsin	629A	Ettrick silt loam, 0 to 2 percent slopes	w
Dunn County, Wisconsin	656A	Scotah loamy fine sand, 0 to 3 percent slopes	p
Dunn County, Wisconsin	1145F	Gaphill-Rockbluff complex, 30 to 60 percent slopes	p
Dunn County, Wisconsin	1224F	Boone-Elevasil complex, 15 to 50 percent slopes	p
Dunn County, Wisconsin	1233F	Boone-Tarr sands, 15 to 50 percent slopes	p
Dunn County, Wisconsin	1275F	Hayriver-Twinmound complex, 15 to 50 percent slopes	p
Dunn County, Wisconsin	1648A	Northbend-Ettrick silt loams, 0 to 3 percent slopes	w
Dunn County, Wisconsin	1658A	Alganssee-Kalmarville complex, 0 to 3 percent slopes	w
Dunn County, Wisconsin	2002	Udorthents, earthen dams	+
Dunn County, Wisconsin	2003A	Riverwash	+
Dunn County, Wisconsin	2013	Pits, gravel	+
Dunn County, Wisconsin	2014	Pits, quarry, hard bedrock	+
Dunn County, Wisconsin	2016	Pits, quarry, soft bedrock	+
Dunn County, Wisconsin	2030	Udorthents and Udipsamments, cut or fill	+
Dunn County, Wisconsin	2050	Landfill	+
Dunn County, Wisconsin	M-W	Miscellaneous water	+
Dunn County, Wisconsin	W	Water	+
Eau Claire County, Wisconsin	Ad	Adrian muck	wp
Eau Claire County, Wisconsin	Ae	Alluvial land, sandy	p
Eau Claire County, Wisconsin	Af	Alluvial land, wet	w
Eau Claire County, Wisconsin	Au	Au Gres loamy sand	w
Eau Claire County, Wisconsin	BoB	Boone-Plainbo complex, 2 to 6 percent slopes	p
Eau Claire County, Wisconsin	BoC	Boone-Plainbo complex, 6 to 12 percent slopes	p
Eau Claire County, Wisconsin	BoE	Boone-Plainbo complex, 12 to 45 percent slopes	p
Eau Claire County, Wisconsin	BP	Borrow pit	+
Eau Claire County, Wisconsin	EmB	Elkmound loam, 2 to 6 percent slopes	r
Eau Claire County, Wisconsin	EmC2	Elkmound loam, 6 to 12 percent slopes, eroded	r
Eau Claire County, Wisconsin	EmD2	Elkmound loam, 12 to 20 percent slopes, eroded	r
Eau Claire County, Wisconsin	EmE	Elkmound loam, 20 to 45 percent slopes	r

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Eau Claire County, Wisconsin	Eo	Elm Lake loamy sand	wp
Eau Claire County, Wisconsin	Er	Ettrick silt loam	w
Eau Claire County, Wisconsin	FrA	Friendship loamy sand, 0 to 3 percent slopes	p
Eau Claire County, Wisconsin	GoB	Gotham loamy sand, 1 to 6 percent slopes	p
Eau Claire County, Wisconsin	GoC2	Gotham loamy sand, 6 to 12 percent slopes, eroded	p
Eau Claire County, Wisconsin	GP	Gravel pit	p+
Eau Claire County, Wisconsin	GsB	Gotham loamy sand, sandstone substratum, 2 to 6 percent slopes	p
Eau Claire County, Wisconsin	GsC2	Gotham loamy sand, sandstone substratum, 6 to 12 percent slopes, eroded	p
Eau Claire County, Wisconsin	Ho	Houghton muck	wp
Eau Claire County, Wisconsin	La	Lows loam	w
Eau Claire County, Wisconsin	LDF	Landfill	+
Eau Claire County, Wisconsin	M-W	Miscellaneous water	+
Eau Claire County, Wisconsin	Ma	Markey muck	wp
Eau Claire County, Wisconsin	Mc	Marshan loam	w
Eau Claire County, Wisconsin	MdB	Menahga sand, 1 to 6 percent slopes	p
Eau Claire County, Wisconsin	MdC	Menahga sand, 6 to 12 percent slopes	p
Eau Claire County, Wisconsin	Na	Newson loamy sand	wp
Eau Claire County, Wisconsin	NtB	Northfield silt loam, 2 to 6 percent slopes	r
Eau Claire County, Wisconsin	NtC2	Northfield silt loam, 6 to 12 percent slopes, eroded	r
Eau Claire County, Wisconsin	NtD2	Northfield silt loam, 12 to 20 percent slopes, eroded	r
Eau Claire County, Wisconsin	NtE2	Northfield silt loam, 20 to 30 percent slopes, eroded	r
Eau Claire County, Wisconsin	NtF	Northfield silt loam, 30 to 45 percent slopes	r
Eau Claire County, Wisconsin	Or	Otter silt loam, overwash	w
Eau Claire County, Wisconsin	PdB	Plainbo loamy sand, 2 to 6 percent slopes	p
Eau Claire County, Wisconsin	PdC2	Plainbo loamy sand, 6 to 12 percent slopes, eroded	p
Eau Claire County, Wisconsin	PfB	Plainfield loamy sand, 1 to 6 percent slopes	p
Eau Claire County, Wisconsin	PfC2	Plainfield loamy sand, 6 to 12 percent slopes, eroded	p
Eau Claire County, Wisconsin	PIB	Plainfield loamy sand, loamy substratum, 1 to 6 percent slopes	p
Eau Claire County, Wisconsin	PIC2	Plainfield loamy sand, loamy substratum, 6 to 12 percent slopes, eroded	p
Eau Claire County, Wisconsin	Pw	Psammaquents	wp
Eau Claire County, Wisconsin	QUA	Quarry	r +
Eau Claire County, Wisconsin	Re	Riverwash	w+
Eau Claire County, Wisconsin	SpB	Sparta loamy sand, 1 to 6 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Eau Claire County, Wisconsin	SPO	Spoil area	+
Eau Claire County, Wisconsin	Tn	Terrace escarpments, sandy	p+
Eau Claire County, Wisconsin	TrB	Trempe loamy sand, 1 to 6 percent slopes	p
Eau Claire County, Wisconsin	Vd	Veedum silt loam	w
Eau Claire County, Wisconsin	Ve	Vesper loam	w
Eau Claire County, Wisconsin	VIB	Vilas sand, 1 to 6 percent slopes	p
Eau Claire County, Wisconsin	W	Water	+
Florence County, Wisconsin	Au	Au Gres loamy sand, 0 to 2 percent slopes	w
Florence County, Wisconsin	CrA	Croswell loamy sand, 0 to 3 percent slopes	p
Florence County, Wisconsin	CuA	Cublake loamy sand, 0 to 3 percent slopes	p
Florence County, Wisconsin	EmB	Ellwood-Iosco-Morganlake complex, 0 to 6 percent slopes	w
Florence County, Wisconsin	EnC	Ellwood-Iosco-Vilas complex, 0 to 15 percent slopes	wp
Florence County, Wisconsin	EoD	Ellwood-Vilas-Padus complex, 10 to 30 percent slopes	p
Florence County, Wisconsin	Fm	Fordum loam, 0 to 2 percent slopes	w
Florence County, Wisconsin	GaA	Gastrow silt loam, 0 to 3 percent slopes	w
Florence County, Wisconsin	IsA	Iosco loamy fine sand, 0 to 3 percent slopes	w
Florence County, Wisconsin	Kr	Kinross muck, 0 to 2 percent slopes	wp
Florence County, Wisconsin	Lo	Loxley, Beseman, and Dawson peats, 0 to 1 percent slopes	wp
Florence County, Wisconsin	Lu	Lupton, Cathro, and Markey mucks, 0 to 1 percent slopes	wp
Florence County, Wisconsin	M-W	Miscellaneous water	+
Florence County, Wisconsin	Mn	Minocqua muck, 0 to 2 percent slopes	w
Florence County, Wisconsin	PsB	Pence-Vilas complex, 0 to 6 percent slopes	p
Florence County, Wisconsin	PsC	Pence-Vilas complex, 6 to 15 percent slopes	p
Florence County, Wisconsin	PsD	Pence-Vilas complex, 15 to 35 percent slopes	p
Florence County, Wisconsin	Pt	Pits, gravel	p+
Florence County, Wisconsin	Px	Pits, mine	+
Florence County, Wisconsin	Rb	Robago fine sandy loam, 0 to 2 percent slopes	w
Florence County, Wisconsin	RkC	Rock outcrop-Ishpeming-Vilas complex, 1 to 15 percent slopes	rp
Florence County, Wisconsin	RkD	Rock outcrop-Ishpeming-Vilas complex, 15 to 35 percent slopes	rp
Florence County, Wisconsin	RmC	Rock outcrop-Metonga-Sarona complex, 1 to 15 percent slopes	r
Florence County, Wisconsin	RmD	Rock outcrop-Metonga-Sarona complex, 15 to 35 percent slopes	r
Florence County, Wisconsin	RsB	Rousseau loamy fine sand, 0 to 6 percent slopes	p
Florence County, Wisconsin	RsC	Rousseau loamy fine sand, 6 to 15 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Florence County, Wisconsin	SIB	Sarona-Vilas complex, 0 to 6 percent slopes, very stony	p
Florence County, Wisconsin	SIC	Sarona-Vilas complex, 6 to 15 percent slopes, very stony	p
Florence County, Wisconsin	SID	Sarona-Vilas complex, 15 to 30 percent slopes, very stony	p
Florence County, Wisconsin	SnB	Sayner loamy sand, 0 to 6 percent slopes	p
Florence County, Wisconsin	SnC	Sayner loamy sand, 6 to 15 percent slopes	p
Florence County, Wisconsin	SnD	Sayner loamy sand, 15 to 30 percent slopes	p
Florence County, Wisconsin	VsB	Vilas loamy sand, 0 to 6 percent slopes	p
Florence County, Wisconsin	VsC	Vilas loamy sand, 6 to 15 percent slopes	p
Florence County, Wisconsin	VsD	Vilas loamy sand, 15 to 30 percent slopes	p
Florence County, Wisconsin	W	Water	+
Florence County, Wisconsin	WrA	Worcester sandy loam, 0 to 3 percent slopes	w
Fond Du Lac County, Wisconsin	Ak	Adrian mucky peat	wp
Fond Du Lac County, Wisconsin	Am	Alluvial land	+
Fond Du Lac County, Wisconsin	An	Alluvial land, wet	w
Fond Du Lac County, Wisconsin	AtA	Ashkum silty clay loam, 0 to 3 percent slopes	w
Fond Du Lac County, Wisconsin	BP	Borrow area	+
Fond Du Lac County, Wisconsin	BsA	Brookston silt loam, 0 to 3 percent slopes	w
Fond Du Lac County, Wisconsin	BtA	Brookston stony silt loam, 0 to 3 percent slopes	w
Fond Du Lac County, Wisconsin	BuA	Brookston silty clay loam, 0 to 3 percent slopes	w
Fond Du Lac County, Wisconsin	Ca	Carbondale mucky peat	wp
Fond Du Lac County, Wisconsin	CpC2	Casco-Rodman loams, 6 to 12 percent slopes, eroded	p
Fond Du Lac County, Wisconsin	CpE	Casco-Rodman loams, 12 to 30 percent slopes	p
Fond Du Lac County, Wisconsin	CpE3	Casco-Rodman loams, 12 to 30 percent slopes, severely eroded	p
Fond Du Lac County, Wisconsin	CpF	Casco-Rodman loams, 30 to 45 percent slopes	p
Fond Du Lac County, Wisconsin	EbA	Elburn silt loam, 0 to 3 percent slopes	w
Fond Du Lac County, Wisconsin	EsA	Elliott silt loam, 0 to 2 percent slopes	w
Fond Du Lac County, Wisconsin	EsB	Elliott silt loam, 2 to 6 percent slopes	w
Fond Du Lac County, Wisconsin	GP	Gravel pit	p+
Fond Du Lac County, Wisconsin	Hu	Houghton mucky peat	wp
Fond Du Lac County, Wisconsin	Km	Keowns silt loam	w
Fond Du Lac County, Wisconsin	KuA	Kibbie silt loam, 0 to 2 percent slopes	w
Fond Du Lac County, Wisconsin	LDF	Landfill	+
Fond Du Lac County, Wisconsin	LmA	Lamartine silt loam, 0 to 2 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Fond Du Lac County, Wisconsin	LmB	Lamartine silt loam, 2 to 6 percent slopes	w
Fond Du Lac County, Wisconsin	M-W	Miscellaneous water	+
Fond Du Lac County, Wisconsin	MaA	Manawa silt loam, 0 to 2 percent slopes	w
Fond Du Lac County, Wisconsin	MaB	Manawa silt loam, 2 to 6 percent slopes	w
Fond Du Lac County, Wisconsin	McA	Manawa silty clay loam, 0 to 2 percent slopes	w
Fond Du Lac County, Wisconsin	McB	Manawa silty clay loam, 2 to 6 percent slopes	w
Fond Du Lac County, Wisconsin	Mf	Marsh	w
Fond Du Lac County, Wisconsin	ML	Made land	+
Fond Du Lac County, Wisconsin	MmA	Martinton silt loam, 0 to 2 percent slopes	w
Fond Du Lac County, Wisconsin	MmB	Martinton silt loam, 2 to 6 percent slopes	w
Fond Du Lac County, Wisconsin	Od	Ogden mucky peat	p
Fond Du Lac County, Wisconsin	Oe	Old beaches	p+
Fond Du Lac County, Wisconsin	Pa	Palms muck	wp
Fond Du Lac County, Wisconsin	Pc	Palms mucky peat	wp
Fond Du Lac County, Wisconsin	PhA	Pella silt loam, 0 to 3 percent slopes	w
Fond Du Lac County, Wisconsin	PnA	Pella silty clay loam, 0 to 2 percent slopes	w
Fond Du Lac County, Wisconsin	Py	Poygan silty clay loam	w
Fond Du Lac County, Wisconsin	QUA	Quarry	r +
Fond Du Lac County, Wisconsin	ReB	Rimer loam, 2 to 6 percent slopes	w
Fond Du Lac County, Wisconsin	Rm	Rock land	r
Fond Du Lac County, Wisconsin	RnD2	Rodman gravelly sand, 6 to 20 percent slopes, eroded	p
Fond Du Lac County, Wisconsin	RnE2	Rodman gravelly sand, 20 to 30 percent slopes, eroded	p
Fond Du Lac County, Wisconsin	RoD2	Rodman gravelly loam, 12 to 20 percent slopes, eroded	p
Fond Du Lac County, Wisconsin	RoF2	Rodman gravelly loam, 20 to 45 percent slopes, eroded	p
Fond Du Lac County, Wisconsin	Rw	Rollin mucky peat	w
Fond Du Lac County, Wisconsin	SmA	Sebewa silt loam, 0 to 2 percent slopes	w
Fond Du Lac County, Wisconsin	SmB	Sebewa silt loam, 2 to 6 percent slopes	w
Fond Du Lac County, Wisconsin	SnA	Sebewa silt loam, deep, 0 to 2 percent slopes	w
Fond Du Lac County, Wisconsin	SpA	Sebewa silt loam, loamy subsoil variant, 0 to 3 percent slopes	w
Fond Du Lac County, Wisconsin	SwB	Sogn stony silt loam, 0 to 6 percent slopes	r
Fond Du Lac County, Wisconsin	VgA	Virgil silt loam, 0 to 2 percent slopes	w
Fond Du Lac County, Wisconsin	VgB	Virgil silt loam, 2 to 6 percent slopes	w
Fond Du Lac County, Wisconsin	VsA	Virgil silt loam, gravelly substratum 0 to 2 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Fond Du Lac County, Wisconsin	VsB	Virgil silt loam, gravelly substratum, 2 to 6 percent slopes	w
Fond Du Lac County, Wisconsin	W	Water	+
Fond Du Lac County, Wisconsin	Wa	Walkkill silt loam	w
Fond Du Lac County, Wisconsin	WsA	Washtenaw silt loam, 0 to 2 percent slopes	w
Fond Du Lac County, Wisconsin	WsB	Washtenaw silt loam, 2 to 6 percent slopes	w
Fond Du Lac County, Wisconsin	Wt	Wauseon loam	w
Fond Du Lac County, Wisconsin	Wu	Wauseon silt loam	w
Forest County, Wisconsin	Au	Au Gres loamy sand, 0 to 2 percent slopes	w
Forest County, Wisconsin	CrA	Croswell loamy sand, 0 to 3 percent slopes	p
Forest County, Wisconsin	CuA	Cublake loamy sand, 0 to 3 percent slopes	p
Forest County, Wisconsin	Fm	Fordum loam, 0 to 2 percent slopes	w
Forest County, Wisconsin	GaA	Gastrow silt loam, 0 to 3 percent slopes	w
Forest County, Wisconsin	Kr	Kinross muck, 0 to 2 percent slopes	wp
Forest County, Wisconsin	Lo	Loxley, Beseman, and Dawson peats, 0 to 1 percent slopes	wp
Forest County, Wisconsin	Lu	Lupton, Cathro, and Markey mucks, 0 to 1 percent slopes	wp
Forest County, Wisconsin	M-W	Miscellaneous water	+
Forest County, Wisconsin	MeD	Metonga-Rock outcrop complex, 4 to 60 percent slopes, very stony	r
Forest County, Wisconsin	Mn	Minocqua muck, 0 to 2 percent slopes	w
Forest County, Wisconsin	PkE	Pelissier gravelly sandy loam, 20 to 45 percent slopes, stony	p
Forest County, Wisconsin	PsB	Pence-Vilas complex, 0 to 6 percent slopes	p
Forest County, Wisconsin	PsC	Pence-Vilas complex, 6 to 15 percent slopes	p
Forest County, Wisconsin	PsD	Pence-Vilas complex, 15 to 35 percent slopes	p
Forest County, Wisconsin	Pt	Pits, gravel	p+
Forest County, Wisconsin	RuD	Rubicon loamy sand, 15 to 35 percent slopes	p
Forest County, Wisconsin	VsB	Vilas loamy sand, 0 to 6 percent slopes	p
Forest County, Wisconsin	VsC	Vilas loamy sand, 6 to 15 percent slopes	p
Forest County, Wisconsin	W	Water	+
Forest County, Wisconsin	WhA	Whisklake silt loam, 0 to 3 percent slopes	w
Forest County, Wisconsin	WrA	Worcester sandy loam, 0 to 3 percent slopes	w
Forest County, Wisconsin	WtA	Wormet sandy loam, 0 to 3 percent slopes	w
Grant County, Wisconsin	An	Alluvial land	w+
Grant County, Wisconsin	CP	Coal pit	+
Grant County, Wisconsin	CsB2	Chelsea fine sand, 0 to 6 percent slopes, moderatley eroded	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Grant County, Wisconsin	CsC2	Chelsea fine sand, 6 to 10 percent slopes, moderately eroded	p
Grant County, Wisconsin	CsD2	Chelsea fine sand, 10 to 15 percent slopes, moderately eroded	p
Grant County, Wisconsin	DyD2	Dubuque stony silt loam, 10 to 15 percent slopes, moderately eroded	r
Grant County, Wisconsin	DyE2	Dubuque stony silt loam, 15 to 20 percent slopes, moderately eroded	r
Grant County, Wisconsin	DyF2	Dubuque stony silt loam, 20 to 30 percent slopes, moderately eroded	r
Grant County, Wisconsin	DyG	Dubuque stony silt loam, 30 to 45 percent slopes	r
Grant County, Wisconsin	GP	Gravel pit	p+
Grant County, Wisconsin	Gw	Garwin silty clay loam	w
Grant County, Wisconsin	M-W	Miscellaneous water	+
Grant County, Wisconsin	Ma	Marsh	w
Grant County, Wisconsin	QUA	Quarry	r +
Grant County, Wisconsin	SnD2	Sogn loam, 10 to 15 percent slopes, moderately eroded	r
Grant County, Wisconsin	SnE2	Sogn loam, 15 to 20 percent slopes, moderately eroded	r
Grant County, Wisconsin	SoB2	Sogn silt loam, 2 to 10 percent slopes, moderately eroded	r
Grant County, Wisconsin	SoD2	Sogn silt loam, 10 to 15 percent slopes, moderately eroded	r
Grant County, Wisconsin	SoE2	Sogn silt loam, 15 to 20 percent slopes, moderately eroded	r
Grant County, Wisconsin	SP	Sand pit	p
Grant County, Wisconsin	SpC	Sparta fine sand and Blown-out land, 6 to 15 percent slopes	p
Grant County, Wisconsin	SrC	Sparta fine sand and Dune land, 6 to 15 percent slopes	p
Grant County, Wisconsin	SsA	Sparta loamy fine sand, 0 to 2 percent slopes	p
Grant County, Wisconsin	SsA2	Sparta loamy fine sand, 0 to 2 percent slopes, moderately eroded	p
Grant County, Wisconsin	SsB	Sparta loamy fine sand, 2 to 6 percent slopes	p
Grant County, Wisconsin	SsB2	Sparta loamy fine sand, 2 to 6 percent slopes, moderately eroded	p
Grant County, Wisconsin	SsC	Sparta loamy fine sand, 6 to 15 percent slopes	p
Grant County, Wisconsin	StA	Sparta loamy fine sand and Blown-out land, 0 to 2 percent slopes	p
Grant County, Wisconsin	Su	Stony colluvial land	+
Grant County, Wisconsin	Sv	Stony rock land, steep	+
Grant County, Wisconsin	Sw	Stony rock land, very steep	+
Grant County, Wisconsin	Tc	Terrace escarpments, medium textured	+
Grant County, Wisconsin	Te	Terrace escarpments, coarse textured	p
Grant County, Wisconsin	UA	Unmapped area	+
Grant County, Wisconsin	UoE	Udorthents, loamy, steep (earthen dam)	+
Grant County, Wisconsin	W	Water	+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Green County, Wisconsin	Ac	Adrian muck	wp
Green County, Wisconsin	Ad	Alluvial land, frequently flooded	+
Green County, Wisconsin	Ae	Alluvial land, wet, frequently flooded	w
Green County, Wisconsin	BoD	Boone fine sand, 2 to 20 percent slopes	p
Green County, Wisconsin	Br	Brookston silt loam	w
Green County, Wisconsin	Co	Colwood silt loam	w
Green County, Wisconsin	DuB2	Dunbarton silt loam, 2 to 6 percent slopes, moderately eroded	r
Green County, Wisconsin	DuC2	Dunbarton silt loam, 6 to 12 percent slopes, moderately eroded	r
Green County, Wisconsin	DuD2	Dunbarton silt loam, 12 to 20 percent slopes, moderately eroded	r
Green County, Wisconsin	DuE2	Dunbarton silt loam, 20 to 30 percent slopes, moderately eroded	r
Green County, Wisconsin	DvD2	Dunbarton silty clay loam, 10 to 20 percent slopes, moderately eroded	r
Green County, Wisconsin	EdB2	Edmund silt loam, 2 to 6 percent slopes, eroded	r
Green County, Wisconsin	EdC2	Edmund silt loam, 6 to 12 percent slopes, moderately eroded	r
Green County, Wisconsin	EdD2	Edmund silt loam, 12 to 20 percent slopes, moderately eroded	r
Green County, Wisconsin	EIB2	Elkmound sandy loam, 2 to 6 percent slopes, moderately eroded	r
Green County, Wisconsin	EIC2	Elkmound sandy loam, 6 to 12 percent slopes, moderately eroded	r
Green County, Wisconsin	EID2	Elkmound sandy loam, 12 to 20 percent slopes, moderately eroded	r
Green County, Wisconsin	EIE2	Elkmound sandy loam, 20 to 30 percent slopes, moderately eroded	r
Green County, Wisconsin	EIF	Elkmound sandy loam, 30 to 45 percent slopes	r
Green County, Wisconsin	Et	Ettrick silt loam, frequently flooded	w
Green County, Wisconsin	GoA	Gotham loamy sand, 0 to 2 percent slopes	p
Green County, Wisconsin	GoB2	Gotham loamy sand, 2 to 6 percent slopes, moderately eroded	p
Green County, Wisconsin	GoC2	Gotham loamy sand, 6 to 12 percent slopes, eroded	p
Green County, Wisconsin	GP	Gravel pit	p+
Green County, Wisconsin	Hu	Houghton mucky peat	wp
Green County, Wisconsin	LDF	Landfill	+
Green County, Wisconsin	M-W	Miscellaneous water	+
Green County, Wisconsin	Mb	Marshan loam, rarely flooded	w
Green County, Wisconsin	Mc	Marshan silt loam, rarely flooded	w
Green County, Wisconsin	Me	Maumee sandy loam	wp
Green County, Wisconsin	MoC2	Mifflin loam, shallow solum variant, 6 to 12 percent slopes, moderately eroded	r
Green County, Wisconsin	MoD2	Mifflin loam, shallow solum variant, 12 to 20 percent slopes, moderately eroded	r

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Green County, Wisconsin	Na	Navan silt loam, rarely flooded	w
Green County, Wisconsin	NoB2	Northfield loam, 2 to 6 percent slopes, moderately eroded	r
Green County, Wisconsin	NoC2	Northfield loam, 6 to 12 percent slopes, moderately eroded	r
Green County, Wisconsin	NoD2	Northfield loam, 12 to 20 percent slopes, moderately eroded	r
Green County, Wisconsin	NoE2	Northfield loam, 20 to 30 percent slopes, moderately eroded	r
Green County, Wisconsin	Or	Orion silt loam, wet variant, frequently flooded	w
Green County, Wisconsin	Ot	Ossian silt loam, occasionally flooded	w
Green County, Wisconsin	Ou	Otter silt loam, frequently flooded	w
Green County, Wisconsin	Pa	Palms muck	wp
Green County, Wisconsin	PrB2	Plainfield loamy sand, 0 to 6 percent slopes, moderately eroded	p
Green County, Wisconsin	QUA	Quarry	r +
Green County, Wisconsin	Rh	Riverwash	wp
Green County, Wisconsin	RoC2	Rodman gravelly loam, 2 to 12 percent slopes, moderately eroded	p
Green County, Wisconsin	RoE2	Rodman gravelly loam, 12 to 30 percent slopes, moderately eroded	p
Green County, Wisconsin	Se	Sebewa silt loam	w
Green County, Wisconsin	SoC2	Sogn silt loam, 2 to 12 percent slopes, moderately eroded	r
Green County, Wisconsin	SoE2	Sogn silt loam, 12 to 30 percent slopes, moderately eroded	r
Green County, Wisconsin	Sp	Steep stony and rocky land	+
Green County, Wisconsin	Te	Terrace escarpments	+
Green County, Wisconsin	W	Water	+
Green County, Wisconsin	Wa	Walkkill silt loam, frequently flooded	w
Green Lake County, Wisconsin	Ad	Adrian muck	wp
Green Lake County, Wisconsin	An	Alluvial land, wet	w
Green Lake County, Wisconsin	Bb	Barry loam	w
Green Lake County, Wisconsin	BrB	Brems loamy fine sand, 0 to 6 percent slopes	p
Green Lake County, Wisconsin	Co	Colwood silt loam	w
Green Lake County, Wisconsin	Ed	Edwards muck	w
Green Lake County, Wisconsin	GaB	Gotham loamy fine sand, 1 to 6 percent slopes	p
Green Lake County, Wisconsin	GaC	Gotham loamy fine sand, 6 to 12 percent slopes	p
Green Lake County, Wisconsin	GbC	Gotham loamy fine sand, sandstone substratum, 6 to 12 percent slopes	p
Green Lake County, Wisconsin	GbD	Gotham loamy fine sand, sandstone substratum, 12 to 20 percent slopes	p
Green Lake County, Wisconsin	Gf	Granby loamy fine sand	wp
Green Lake County, Wisconsin	GhA	Granby loamy fine sand, loamy subsoil variant, 0 to 3 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Green Lake County, Wisconsin	GkA	Granby loamy fine sand, clayey subsoil variant, 0 to 3 percent slopes	w
Green Lake County, Wisconsin	GP	Gravel pit	p+
Green Lake County, Wisconsin	Ho	Houghton muck	wp
Green Lake County, Wisconsin	KbA	Kibbie loam, 0 to 3 percent slopes	w
Green Lake County, Wisconsin	LDF	Landfill	+
Green Lake County, Wisconsin	M-W	Miscellaneous water	+
Green Lake County, Wisconsin	MaA	Manawa silt loam, 0 to 3 percent slopes	w
Green Lake County, Wisconsin	McA	Marcellon loam, 0 to 3 percent slopes	w
Green Lake County, Wisconsin	Mf	Marsh	wp
Green Lake County, Wisconsin	Mh	Marshan silt loam	w
Green Lake County, Wisconsin	OaB	Oakville fine sand, 1 to 6 percent slopes	p
Green Lake County, Wisconsin	OaC	Oakville fine sand, 6 to 12 percent slopes	p
Green Lake County, Wisconsin	OaD	Oakville fine sand, 12 to 35 percent slopes	p
Green Lake County, Wisconsin	Os	Ossian silt loam	w
Green Lake County, Wisconsin	Pa	Palms muck	wp
Green Lake County, Wisconsin	Pr	Poy silty clay loam	w
Green Lake County, Wisconsin	Py	Poygan silty clay loam	w
Green Lake County, Wisconsin	QUA	Quarry	r +
Green Lake County, Wisconsin	RaB	Richford loamy sand, 1 to 6 percent slopes	p
Green Lake County, Wisconsin	RaC	Richford loamy sand, 6 to 15 percent slopes	p
Green Lake County, Wisconsin	RhB2	Ritchey silt loam, 2 to 6 percent slopes, eroded	r
Green Lake County, Wisconsin	RhC2	Ritchey silt loam, 6 to 12 percent slopes, eroded	r
Green Lake County, Wisconsin	RhD2	Ritchey silt loam, 12 to 20 percent slopes, eroded	r
Green Lake County, Wisconsin	RkE	Rock land and Ritchey soils, 6 to 45 percent slopes	r
Green Lake County, Wisconsin	Ro	Rock outcrop	r
Green Lake County, Wisconsin	RsD	Rodman gravelly sandy loam, 6 to 20 percent slopes	p
Green Lake County, Wisconsin	RsE	Rodman gravelly sandy loam, 20 to 35 percent slopes	p
Green Lake County, Wisconsin	W	Water	+
Green Lake County, Wisconsin	We	Willette muck	wp
Green Lake County, Wisconsin	ZtA	Zittau silty clay loam, 0 to 3 percent slopes	w
Iowa County, Wisconsin	BoC2	Boone fine sand, 6 to 12 percent slopes, moderately eroded	p
Iowa County, Wisconsin	BoD2	Boone fine sand, 12 to 30 percent slopes, moderately eroded	p
Iowa County, Wisconsin	Df	Dillon loamy fine sand	wp

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Iowa County, Wisconsin	DIB2	Dodgeville silt loam, shallow, 2 to 6 percent slopes, moderately eroded	r
Iowa County, Wisconsin	DIC2	Dodgeville silt loam, shallow, 6 to 12 percent slopes, moderately eroded	r
Iowa County, Wisconsin	DID2	Dodgeville silt loam, shallow, 12 to 20 percent slopes, moderately eroded	r
Iowa County, Wisconsin	DyB2	Dubuque stony silt loam, 2 to 6 percent slopes, moderately eroded	r
Iowa County, Wisconsin	DyC2	Dubuque stony silt loam, 6 to 12 percent slopes moderately eroded	r
Iowa County, Wisconsin	DyD2	Dubuque stony silt loam, 12 to 20 percent slopes, moderately eroded	r
Iowa County, Wisconsin	DyE2	Dubuque stony silt loam, 20 to 30 percent slopes, moderately eroded	r
Iowa County, Wisconsin	Et	Ettrick silt loam	w
Iowa County, Wisconsin	GoA	Gotham loamy fine sand, 0 to 2 percent slopes	p
Iowa County, Wisconsin	GoB	Gotham loamy fine sand, 2 to 6 percent slopes	p
Iowa County, Wisconsin	GoB2	Gotham loamy fine sand, 2 to 8 percent slopes, moderately eroded	p
Iowa County, Wisconsin	LDF	Landfill	+
Iowa County, Wisconsin	Lo	Loamy alluvial land	+
Iowa County, Wisconsin	Lp	Loamy alluvial land, poorly drained	w
Iowa County, Wisconsin	M-W	Miscellaneous water	+
Iowa County, Wisconsin	Ma	Marsh	w
Iowa County, Wisconsin	Mm	Millsdale silty clay loam, shale variant	w
Iowa County, Wisconsin	Mp	Mine pits and dumps	+
Iowa County, Wisconsin	NfB2	Northfield loam, 2 to 6 percent slopes, moderately eroded	r
Iowa County, Wisconsin	NfC2	Northfield loam, 6 to 12 percent slopes, moderately eroded	r
Iowa County, Wisconsin	NfD2	Northfield loam, 12 to 20 percent slopes, moderately eroded	r
Iowa County, Wisconsin	NfE2	Northfield loam, 20 to 30 percent slopes, moderately eroded	r
Iowa County, Wisconsin	NoC2	Northfield sandy loam, 6 to 12 percent slopes, moderately eroded	r
Iowa County, Wisconsin	NoD2	Northfield sandy loam, 12 to 20 percent slopes, moderately eroded	r
Iowa County, Wisconsin	NoE2	Northfield sandy loam, 20 to 30 percent slopes, moderately eroded	r
Iowa County, Wisconsin	NsD2	Northfield stony loam, 12 to 20 percent slopes, moderately eroded	r
Iowa County, Wisconsin	NsE2	Northfield stony loam, 20 to 30 percent slopes, moderately eroded	r
Iowa County, Wisconsin	Pd	Peat and muck, deep	wp
Iowa County, Wisconsin	Pe	Peat and muck, shallow	wp
Iowa County, Wisconsin	PfB2	Plainfield fine sand, 0 to 6 percent slopes, moderately eroded	p
Iowa County, Wisconsin	PgA	Plainfield loamy fine sand, 0 to 2 percent slopes	p
Iowa County, Wisconsin	PgB	Plainfield loamy fine sand, 2 to 6 percent slopes	p
Iowa County, Wisconsin	Pm	Plainfield loamy fine sand, mottled substratum variant	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Iowa County, Wisconsin	Ps	Plainfield and Sparta fine sands and dune land	p
Iowa County, Wisconsin	QUA	Quarry	r +
Iowa County, Wisconsin	Re	Riverwash	p+
Iowa County, Wisconsin	SoB2	Sogn and Dodgeville silt loams, shallow, 2 to 6 percent slopes, moderately eroded	r
Iowa County, Wisconsin	SoC2	Sogn and Dodgeville silt loams, shallow, 6 to 12 percent slopes, moderately eroded	r
Iowa County, Wisconsin	SoD2	Sogn and Dodgeville silt loams, shallow, 12 to 20 percent slopes, moderately eroded	r
Iowa County, Wisconsin	SoE2	Sogn and Dodgeville silt loams, shallow, 20 to 30 percent slopes, moderately eroded	r
Iowa County, Wisconsin	SP	Sand pit	p
Iowa County, Wisconsin	SpA	Sparta loamy fine sand, 0 to 2 percent slopes	p
Iowa County, Wisconsin	SpA2	Sparta loamy fine sand, 0 to 2 percent slopes, moderately eroded	p
Iowa County, Wisconsin	SpB	Sparta loamy fine sand, 2 to 6 percent slopes	p
Iowa County, Wisconsin	SpB2	Sparta loamy fine sand, 2 to 6 percent slopes, moderately eroded	p
Iowa County, Wisconsin	Sr	Sparta loamy fine sand, moderately well drained variant	p
Iowa County, Wisconsin	Ss	Steep stony and rocky land	+
Iowa County, Wisconsin	St	Stony alluvial land	+
Iowa County, Wisconsin	Tr	Terrace escarpments, loamy	+
Iowa County, Wisconsin	Ts	Terrace escarpments, sandy	p+
Iowa County, Wisconsin	UoE	Udorthents, loamy, steep (earthen dam)	+
Iowa County, Wisconsin	W	Water	+
Iowa County, Wisconsin	Wa	Walkkill silt loam	w
Iron County, Wisconsin	3A	Totagatic-Bowstring-Ausable complex, 0 to 2 percent slopes, frequently flooded	wp
Iron County, Wisconsin	5A	Arnheim mucky silt loam, 0 to 1 percent slopes, frequently flooded	w
Iron County, Wisconsin	7C	Beaches, 2 to 12 percent slopes	+
Iron County, Wisconsin	69B	Keweenaw-Sayner-Vilas complex, 2 to 6 percent slopes, stony	p
Iron County, Wisconsin	69C	Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony	p
Iron County, Wisconsin	69E	Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony	p
Iron County, Wisconsin	74B	Vilas loamy sand, 0 to 6 percent slopes	p
Iron County, Wisconsin	74C	Vilas loamy sand, 6 to 15 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Iron County, Wisconsin	74D	Vilas loamy sand, 15 to 30 percent slopes	p
Iron County, Wisconsin	174B	Rubicon sand, 0 to 6 percent slopes	p
Iron County, Wisconsin	174C	Rubicon sand, 6 to 15 percent slopes	p
Iron County, Wisconsin	174D	Rubicon sand, 15 to 30 percent slopes	p
Iron County, Wisconsin	192A	Worcester sandy loam, 0 to 3 percent slopes	w
Iron County, Wisconsin	193A	Minocqua muck, 0 to 2 percent slopes	w
Iron County, Wisconsin	217B	Karlin loamy fine sand, 0 to 6 percent slopes	p
Iron County, Wisconsin	217C	Karlin loamy fine sand, 6 to 15 percent slopes	p
Iron County, Wisconsin	339B	Rousseau loamy fine sand, 0 to 6 percent slopes	p
Iron County, Wisconsin	339C	Rousseau loamy fine sand, 6 to 15 percent slopes	p
Iron County, Wisconsin	339D	Rousseau loamy fine sand, 15 to 30 percent slopes	p
Iron County, Wisconsin	375A	Robago fine sandy loam, lake terrace, 0 to 3 percent slopes	w
Iron County, Wisconsin	388B	Pelkie, occasionally flooded-Dechamps, frequently flooded complex, 0 to 4 percent slopes	wp
Iron County, Wisconsin	405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	wp
Iron County, Wisconsin	407A	Seelyeville and Markey soils, 0 to 1 percent slopes	wp
Iron County, Wisconsin	408A	Lupton and Cathro soils, 0 to 1 percent slopes	wp
Iron County, Wisconsin	414A	Loxley and Beseman soils, 0 to 1 percent slopes	wp
Iron County, Wisconsin	418A	Loxley and Dawson soils, 0 to 1 percent slopes	wp
Iron County, Wisconsin	445A	Kinross muck, 0 to 2 percent slopes	w
Iron County, Wisconsin	455A	Kinross-Au Gres-Markey complex, 0 to 3 percent slopes	wp
Iron County, Wisconsin	461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	wp
Iron County, Wisconsin	475B	Rubicon-Sayner complex, 0 to 6 percent slopes	p
Iron County, Wisconsin	475C	Rubicon-Sayner complex, 6 to 15 percent slopes	p
Iron County, Wisconsin	475D	Rubicon-Sayner complex, 15 to 30 percent slopes	p
Iron County, Wisconsin	514B	Iosco loamy sand, 0 to 4 percent slopes	w
Iron County, Wisconsin	520A	Annriver silt loam, 0 to 2 percent slopes	w
Iron County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	w
Iron County, Wisconsin	571B	Pelissier gravelly sandy loam, 2 to 6 percent slopes	p
Iron County, Wisconsin	571C	Pelissier gravelly sandy loam, 6 to 15 percent slopes	p
Iron County, Wisconsin	571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	p
Iron County, Wisconsin	574B	Sayner loamy sand, 0 to 6 percent slopes	p
Iron County, Wisconsin	574C	Sayner loamy sand, 6 to 15 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Iron County, Wisconsin	574E	Sayner loamy sand, 15 to 45 percent slopes	p
Iron County, Wisconsin	582C	Padus-Pence-Keweenaw complex, 6 to 15 percent slopes, stony	p
Iron County, Wisconsin	582D	Padus-Pence-Keweenaw complex, 15 to 30 percent slopes, stony	p
Iron County, Wisconsin	591A	Croswell-Chinwhisker complex, 0 to 3 percent slopes	p
Iron County, Wisconsin	594B	Vilas-Lindquist complex, 0 to 6 percent slopes	p
Iron County, Wisconsin	594C	Vilas-Lindquist complex, 6 to 15 percent slopes	p
Iron County, Wisconsin	594D	Vilas-Lindquist complex, 15 to 30 percent slopes	p
Iron County, Wisconsin	600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	w +
Iron County, Wisconsin	639A	Neconish loamy fine sand, 0 to 3 percent slopes	p
Iron County, Wisconsin	670B	Keweenaw-Pence complex, 0 to 6 percent slopes, stony	p
Iron County, Wisconsin	670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	p
Iron County, Wisconsin	670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	p
Iron County, Wisconsin	674B	Sultz sand, 0 to 6 percent slopes	p
Iron County, Wisconsin	674C	Sultz sand, 6 to 15 percent slopes	p
Iron County, Wisconsin	674E	Sultz sand, 15 to 45 percent slopes	p
Iron County, Wisconsin	675A	Robago fine sandy loam, 0 to 3 percent slopes	w
Iron County, Wisconsin	701A	Whisklake silt loam, 0 to 3 percent slopes	w
Iron County, Wisconsin	705B	Cublake-Croswell-Ashwabay complex, 0 to 6 percent slopes	p
Iron County, Wisconsin	705C	Cublake-Croswell-Ashwabay complex, 6 to 15 percent slopes	p
Iron County, Wisconsin	755A	Moppet, occasionally flooded-Fordum, frequently flooded complex, 0 to 3 percent slopes	w
Iron County, Wisconsin	805E	Sultz-Ashwabay-Rubicon complex, 15 to 45 percent slopes	p
Iron County, Wisconsin	813E	Manistee-Kellogg-Ashwabay complex, 15 to 45 percent slopes	p
Iron County, Wisconsin	815A	Wormet sandy loam, 0 to 3 percent slopes	w
Iron County, Wisconsin	884C	Keweenaw, stony-Vilas-Cathro complex, 0 to 15 percent slopes	wp
Iron County, Wisconsin	885B	Springstead, stony-Annalake-Cathro complex, 0 to 6 percent slopes	wp
Iron County, Wisconsin	974B	Sayner-Pence-Vilas complex, 0 to 6 percent slopes	p
Iron County, Wisconsin	974C	Sayner-Pence-Vilas complex, 6 to 15 percent slopes	p
Iron County, Wisconsin	974D	Sayner-Pence-Vilas complex, 15 to 30 percent slopes	p
Iron County, Wisconsin	1385B	Cublake-Keweenaw, stony complex, 0 to 6 percent slopes	p
Iron County, Wisconsin	1884B	Springstead, stony-Markey complex, 0 to 6 percent slopes	wp
Iron County, Wisconsin	2002	Udorthents, earthen dams	+
Iron County, Wisconsin	2015	Pits	+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Iron County, Wisconsin	2025	Pits and dumps, mine	+
Iron County, Wisconsin	2030	Udorthents and Udipsamments, cut or fill	+
Iron County, Wisconsin	3114A	Saprists, aquents, and aquepts, 0 to 1 percent slopes, ponded and flooded	w
Iron County, Wisconsin	3243A	Spear silt loam, lake terrace, 0 to 3 percent slopes	w
Iron County, Wisconsin	3276A	Au Gres loamy sand, 0 to 3 percent slopes	w
Iron County, Wisconsin	3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	wp
Iron County, Wisconsin	3512D	Menominee loamy sand, 15 to 30 percent slopes	p
Iron County, Wisconsin	3826B	Allendale-Wakeley-Kinross complex, 0 to 6 percent slopes	p
Iron County, Wisconsin	5140A	Dawson, Greenwood, and Loxley soils, 0 to 1 percent slopes	wp
Iron County, Wisconsin	5141A	Lupton-Pleine-Cathro complex, 0 to 1 percent slopes	w
Iron County, Wisconsin	5146C	Amasa-Karlin complex, esker, 2 to 18 percent slopes	p
Iron County, Wisconsin	5146D	Amasa-Karlin complex, esker, 18 to 35 percent slopes	p
Iron County, Wisconsin	5146E	Amasa-Karlin complex, esker, 35 to 55 percent slopes	p
Iron County, Wisconsin	5170A	Minocqua-Pleine-Cathro complex, 0 to 2 percent slopes	wp
Iron County, Wisconsin	5172B	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 6 percent slopes	wp
Iron County, Wisconsin	5172C	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 18 percent slopes	wp
Iron County, Wisconsin	5172D	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 35 percent slopes	wp
Iron County, Wisconsin	5175C	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 18 percent slopes, rocky	wp
Iron County, Wisconsin	5175D	Gogebic, very stony-Pence, very stony-Cathro complex, 0 to 35 percent slopes, rocky	wp
Iron County, Wisconsin	5285F	Rockland-Arnheim, frequently flooded complex, 0 to 70 percent slopes	w
Iron County, Wisconsin	5369D	Dishno-Gogebic-Peshekee-Rock outcrop complex, 18 to 35 percent slopes, very stony	r
Iron County, Wisconsin	5369E	Michigamme-Schweitzer-Peshekee-Rock outcrop complex, 35 to 55 percent slopes, very stony	r
Iron County, Wisconsin	5369F	Michigamme-Schweitzer-Peshekee-Rock outcrop complex, 55 to 75 percent slopes, very stony	r
Iron County, Wisconsin	5373A	Cathro muck, drainageway, 0 to 1 percent slopes	w
Iron County, Wisconsin	5374A	Bowstring-Arnheim complex, 0 to 1 percent slopes, frequently flooded	w
Iron County, Wisconsin	5425A	Foxpaw-Gay, stony complex, 0 to 2 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Iron County, Wisconsin	5429B	Gogebic-Peshekee complex, 2 to 6 percent slopes, very stony, very rocky	r
Iron County, Wisconsin	5429C	Gogebic-Peshekee complex, 6 to 18 percent slopes, very stony, very rocky	r
Iron County, Wisconsin	5429D	Gogebic-Peshekee complex, 18 to 35 percent slopes, very stony, very rocky	r
Iron County, Wisconsin	5432C	Gogebic-Michigamme-Rock outcrop complex, 6 to 18 percent slopes, very stony	r
Iron County, Wisconsin	5432D	Gogebic-Michigamme-Rock outcrop complex, 6 to 35 percent slopes, very stony	r
Iron County, Wisconsin	5432E	Schweitzer-Michigamme-Rock outcrop complex, very stony, 18 to 55 percent slopes	r
Iron County, Wisconsin	5504A	Moquah-Arnheim complex, 0 to 3 percent slopes, frequently flooded	w
Iron County, Wisconsin	5509A	Cathro-Minocqua complex, drainageway, 0 to 1 percent slopes	w
Iron County, Wisconsin	5689B	Chabeneau-Channing-Gogebic complex, 0 to 6 percent slopes, stony	w
Iron County, Wisconsin	9050A	Fordum, Totagatic, and Bowstring soils, 0 to 1 percent slopes, frequently flooded	wp
Iron County, Wisconsin	9155A	Haplosaprists, Peats, and Mucks, 0 to 1 percent slopes	wp
Iron County, Wisconsin	M-W	Miscellaneous water	+
Iron County, Wisconsin	W	Water	+
Jackson County, Wisconsin	AbA	Absco loamy sand, 0 to 3 percent slopes	p
Jackson County, Wisconsin	AcA	Absco-Northbend complex, 0 to 3 percent slopes	p
Jackson County, Wisconsin	Ad	Adder muck, 0 to 1 percent slopes	wp
Jackson County, Wisconsin	BoB	Boone sand, 2 to 6 percent slopes	p
Jackson County, Wisconsin	BoC	Boone sand, 6 to 15 percent slopes	p
Jackson County, Wisconsin	BoF	Boone sand, 15 to 50 percent slopes	p
Jackson County, Wisconsin	BpF	Boone-Elevasil complex, 15 to 50 percent slopes	p
Jackson County, Wisconsin	Cd	Citypoint mucky peat, 0 to 1 percent slopes	wp
Jackson County, Wisconsin	Da	Dawsil mucky peat, 0 to 1 percent slopes	wp
Jackson County, Wisconsin	Eo	Elm Lake mucky sand, 0 to 2 percent slopes	wp
Jackson County, Wisconsin	Et	Ettrick silt loam, 0 to 2 percent slopes	w
Jackson County, Wisconsin	FeA	Fairchild-Elm Lake complex, 0 to 3 percent slopes	wp
Jackson County, Wisconsin	GoB	Gosil loamy sand, 0 to 6 percent slopes	p
Jackson County, Wisconsin	GoC	Gosil loamy sand, 6 to 12 percent slopes	p
Jackson County, Wisconsin	Ht	Houghton muck, 0 to 1 percent slopes	wp
Jackson County, Wisconsin	ImA	Impact sand, 0 to 3 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Jackson County, Wisconsin	IxA	Ironrun-Ponycreek complex, 0 to 3 percent slopes	wp
Jackson County, Wisconsin	IzB	Ironrun-Ponycreek-Arbutus complex, 0 to 6 percent slopes	wp
Jackson County, Wisconsin	Ka	Kalmarville silt loam, 0 to 1 percent slopes	w
Jackson County, Wisconsin	LDF	Landfill	+
Jackson County, Wisconsin	Lt	Loxley peat, 0 to 1 percent slopes	wp
Jackson County, Wisconsin	M-W	Miscellaneous water	+
Jackson County, Wisconsin	MaB	Mahtomedi loamy sand, 0 to 6 percent slopes	p
Jackson County, Wisconsin	MrA	Merrillan-Veedum complex, 0 to 3 percent slopes	w
Jackson County, Wisconsin	MxA	Moppet-Fordum complex, 0 to 3 percent slopes	w
Jackson County, Wisconsin	Ne	Newlang muck, 0 to 2 percent slopes	wp
Jackson County, Wisconsin	Pa	Palms muck, 0 to 1 percent slopes	wp
Jackson County, Wisconsin	Pt	Pits	+
Jackson County, Wisconsin	Pu	Ponycreek muck, 0 to 2 percent slopes	wp
Jackson County, Wisconsin	Pv	Ponycreek-Dawsil complex, 0 to 2 percent slopes	wp
Jackson County, Wisconsin	Pw	Psammaquents, nearly level	wp
Jackson County, Wisconsin	RkA	Rockdam sand, 0 to 3 percent slopes	p
Jackson County, Wisconsin	SpA	Sparta sand, 0 to 3 percent slopes	p
Jackson County, Wisconsin	TrB	Tarr sand, 0 to 6 percent slopes	p
Jackson County, Wisconsin	TrC	Tarr sand, 6 to 15 percent slopes	p
Jackson County, Wisconsin	TrF	Tarr sand, 15 to 45 percent slopes	p
Jackson County, Wisconsin	TtA	Tint sand, 0 to 3 percent slopes	p
Jackson County, Wisconsin	TuB	Tintson sand, 0 to 6 percent slopes	p
Jackson County, Wisconsin	UdF	Udorthents, loamy, very steep	+
Jackson County, Wisconsin	Vs	Veedum-Elm Lake mucks, 0 to 2 percent slopes	wp
Jackson County, Wisconsin	W	Water	+
Jefferson County, Wisconsin	Ad	Adrian muck	wp
Jefferson County, Wisconsin	BaA	Barry silt loam, 0 to 3 percent slopes	w
Jefferson County, Wisconsin	CrD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	p
Jefferson County, Wisconsin	CrE	Casco-Rodman complex, 20 to 45 percent slopes	p
Jefferson County, Wisconsin	CtB	Chelsea loamy fine sand, 1 to 6 percent slopes	p
Jefferson County, Wisconsin	CtC	Chelsea loamy fine sand, 6 to 20 percent slopes	p
Jefferson County, Wisconsin	Ed	Edwards muck	w
Jefferson County, Wisconsin	Ev	Elvers silt loam	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Jefferson County, Wisconsin	Fn	Fluvaquents	w+
Jefferson County, Wisconsin	Gd	Gilford sandy loam	w
Jefferson County, Wisconsin	Ht	Houghton muck	wp
Jefferson County, Wisconsin	Kb	Keowns silt loam	w
Jefferson County, Wisconsin	Mr	Milford silty clay loam	w
Jefferson County, Wisconsin	MvB	Moundville loamy sand, 1 to 6 percent slopes	p
Jefferson County, Wisconsin	Ot	Otter silt loam	w
Jefferson County, Wisconsin	Pa	Palms muck	wp
Jefferson County, Wisconsin	Pb	Palms muck, ponded	wp
Jefferson County, Wisconsin	Pg	Pits, gravel	p+
Jefferson County, Wisconsin	Sm	Sebewa silt loam	w
Jefferson County, Wisconsin	Sn	Sebewa silt loam, clayey substratum	w
Jefferson County, Wisconsin	Ud	Udorthents	+
Jefferson County, Wisconsin	W	Water	+
Jefferson County, Wisconsin	Wa	Wacousta silty clay loam	w
Juneau County, Wisconsin	AgA	Alganssee-Glendora fine sandy loams, 0 to 3 percent slopes	wp
Juneau County, Wisconsin	BpF	Boone-Plainfield-Rock outcrop complex, 12 to 60 percent slopes	rp
Juneau County, Wisconsin	Dc	Dawson muck, 0 to 1 percent slopes	wp
Juneau County, Wisconsin	EkF	Eleva-Boone-Rock outcrop complex, 30 to 60 percent slopes	rp
Juneau County, Wisconsin	EnB	Elkmound sandy loam, 1 to 6 percent slopes	r
Juneau County, Wisconsin	Et	Ettrick silt loam, 0 to 2 percent slopes	w
Juneau County, Wisconsin	FrB	Friendship sand, 1 to 6 percent slopes	p
Juneau County, Wisconsin	FsB	Friendship loamy sand, loamy substratum, 1 to 6 percent slopes	p
Juneau County, Wisconsin	LDF	Landfill	+
Juneau County, Wisconsin	Lw	Lows loam, 0 to 2 percent slopes	w
Juneau County, Wisconsin	Lx	Loxley muck, 0 to 1 percent slopes	wp
Juneau County, Wisconsin	M-W	Miscellaneous water	+
Juneau County, Wisconsin	MnA	Meehan-Newson complex, 0 to 3 percent slopes	wp
Juneau County, Wisconsin	Ne	Newson mucky loamy sand, 0 to 2 percent slopes	wp
Juneau County, Wisconsin	Ns	Newson-Dawson complex, 0 to 2 percent slopes	wp
Juneau County, Wisconsin	Pa	Palms muck, 0 to 1 percent slopes	wp
Juneau County, Wisconsin	PbA	Partridge loamy fine sand, 0 to 3 percent slopes	p
Juneau County, Wisconsin	Pc	Pits	+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Juneau County, Wisconsin	PdB	Plainbo sand, 1 to 6 percent slopes	p
Juneau County, Wisconsin	PdC	Plainbo sand, 6 to 12 percent slopes	p
Juneau County, Wisconsin	PfB	Plainfield sand, 1 to 6 percent slopes	p
Juneau County, Wisconsin	PfC	Plainfield sand, 6 to 12 percent slopes	p
Juneau County, Wisconsin	PfD	Plainfield sand, 12 to 20 percent slopes	p
Juneau County, Wisconsin	Po	Poygan silt loam, 0 to 2 percent slopes	w
Juneau County, Wisconsin	Ps	Psammaquents, nearly level	wp
Juneau County, Wisconsin	Ud	Udorthents, nearly level	+
Juneau County, Wisconsin	UoE	Udorthents, loamy, steep (earthen dam)	+
Juneau County, Wisconsin	W	Water	+
Juneau County, Wisconsin	Wa	Wautoma loamy sand, 0 to 2 percent slopes	w
Kenosha County, Wisconsin	Ac	Adrian muck	wp
Kenosha County, Wisconsin	Am	Alluvial land	+
Kenosha County, Wisconsin	AtA	Ashkum silty clay loam, 0 to 3 percent slopes	w
Kenosha County, Wisconsin	AuA	Aztalan sandy loam, 1 to 3 percent slopes	w
Kenosha County, Wisconsin	AzA	Aztalan loam, 0 to 2 percent slopes	w
Kenosha County, Wisconsin	AzB	Aztalan loam, 2 to 6 percent slopes	w
Kenosha County, Wisconsin	BP	Borrow pit	+
Kenosha County, Wisconsin	CP	Coal pile	p+
Kenosha County, Wisconsin	CrC	Casco-Rodman complex, 6 to 12 percent slopes	p
Kenosha County, Wisconsin	CrD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	p
Kenosha County, Wisconsin	CrE	Casco-Rodman complex, 20 to 35 percent slopes	p
Kenosha County, Wisconsin	Cv	Clayey land	+
Kenosha County, Wisconsin	Cw	Colwood silt loam	w
Kenosha County, Wisconsin	CyA	Conover silt loam, 1 to 3 percent slopes	w
Kenosha County, Wisconsin	DaA	Darroch fine sandy loam, neutral variant, 0 to 3 percent slopes	w
Kenosha County, Wisconsin	Dt	Drummer silt loam, gravelly substratum	w
Kenosha County, Wisconsin	EtA	Elliott silty clay loam, 0 to 2 percent slopes	w
Kenosha County, Wisconsin	EtB	Elliott silty clay loam, 2 to 6 percent slopes	w
Kenosha County, Wisconsin	Gf	Granby fine sandy loam	wp
Kenosha County, Wisconsin	Gm	Granby fine sandy loam, loamy substratum	wp
Kenosha County, Wisconsin	GnA	Granby fine sandy loam, brown subsoil variant, 0 to 3 percent slopes	w
Kenosha County, Wisconsin	GP	Gravel pit	p+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Kenosha County, Wisconsin	Ht	Houghton muck	wp
Kenosha County, Wisconsin	KaA	Kane loam, 1 to 3 percent slopes	w
Kenosha County, Wisconsin	KhA	Kane silt loam, clayey substratum, 1 to 3 percent slopes	w
Kenosha County, Wisconsin	LDF	Landfill	+
Kenosha County, Wisconsin	Lu	Loamy land	+
Kenosha County, Wisconsin	M-W	Miscellaneous water	+
Kenosha County, Wisconsin	Mf	Marsh	wp
Kenosha County, Wisconsin	MgA	Martinton silt loam, 1 to 3 percent slopes	w
Kenosha County, Wisconsin	MkA	Matherton loam, 1 to 3 percent slopes	w
Kenosha County, Wisconsin	MIA	Matherton loam, clayey substratum, 1 to 3 percent slopes	w
Kenosha County, Wisconsin	Mzc	Montgomery silty clay	w
Kenosha County, Wisconsin	MzfA	Mundelein silt loam, 1 to 3 percent slopes	w
Kenosha County, Wisconsin	Mzg	Muskego muck	wp
Kenosha County, Wisconsin	Mzk	Mussey loam	w
Kenosha County, Wisconsin	Na	Navan silt loam	w
Kenosha County, Wisconsin	Oc	Ogden muck	wp
Kenosha County, Wisconsin	Pa	Palms muck	wp
Kenosha County, Wisconsin	Ph	Pella silt loam	w
Kenosha County, Wisconsin	QUA	Quarry	r +
Kenosha County, Wisconsin	RaA	Radford silt loam, 0 to 3 percent slopes	w
Kenosha County, Wisconsin	Rt	Rollin muck	w
Kenosha County, Wisconsin	Ry	Rough broken land	+
Kenosha County, Wisconsin	Sf	Sandy and gravelly land	p
Kenosha County, Wisconsin	Sfb	Sandy lake beaches	+
Kenosha County, Wisconsin	Sg	Sawmill silt loam, calcareous variant	w
Kenosha County, Wisconsin	Sm	Sebewa silt loam	w
Kenosha County, Wisconsin	W	Water	+
Kenosha County, Wisconsin	Wa	Walkill silt loam	w
Kenosha County, Wisconsin	WmA	Wasepi sandy loam, 1 to 3 percent slopes	w
Kenosha County, Wisconsin	WnA	Wasepi sandy loam, clayey substratum, 1 to 3 percent slopes	w
Kenosha County, Wisconsin	Ww	Wet alluvial land	w
Kenosha County, Wisconsin	YaA	Yahara fine sandy loam, 1 to 3 percent slopes	w
Kewaunee County, Wisconsin	AdA	Allendale loamy fine sand, 0 to 3 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Kewaunee County, Wisconsin	Ax	Angelica silt loam	w
Kewaunee County, Wisconsin	Ba	Bach silt loam	w
Kewaunee County, Wisconsin	Bn	Bonduel loam	w
Kewaunee County, Wisconsin	Bo	Borosaprists	w
Kewaunee County, Wisconsin	Ca	Carbondale muck	wp
Kewaunee County, Wisconsin	CdB	Casco-Rodman complex, 2 to 6 percent slopes	p
Kewaunee County, Wisconsin	CdC2	Casco-Rodman complex, 6 to 12 percent slopes, eroded	p
Kewaunee County, Wisconsin	CdD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	p
Kewaunee County, Wisconsin	Cm	Cathro muck	wp
Kewaunee County, Wisconsin	FaA	Fabius loam, 0 to 3 percent slopes	w
Kewaunee County, Wisconsin	Fu	Fluvaquents	w+
Kewaunee County, Wisconsin	HsB	Hortonville-Symco silt loams, 1 to 6 percent slopes	w
Kewaunee County, Wisconsin	KuA	Kibbie silt loam, 0 to 3 percent slopes	w
Kewaunee County, Wisconsin	KvA	Kibbie variant silt loam, 0 to 3 percent slopes	w
Kewaunee County, Wisconsin	KxB	Kolberg variant silt loam, 1 to 6 percent slopes	r
Kewaunee County, Wisconsin	LDF	Landfill	+
Kewaunee County, Wisconsin	LmA	Lamartine silt loam, 0 to 3 percent slopes	w
Kewaunee County, Wisconsin	M-W	Miscellaneous water	+
Kewaunee County, Wisconsin	MeB	Manistee loamy fine sand, 2 to 6 percent slopes	p
Kewaunee County, Wisconsin	Mk	Markey muck	wp
Kewaunee County, Wisconsin	MmA	Matherton silt loam, 0 to 3 percent slopes	w
Kewaunee County, Wisconsin	MrB	Menominee loamy fine sand, loamy substratum, 1 to 6 percent	p
Kewaunee County, Wisconsin	My	Mussey loam	w
Kewaunee County, Wisconsin	NaB	Namur loam, 1 to 6 percent slopes	r
Kewaunee County, Wisconsin	NrD	Namur-Rock outcrop complex, 6 to 20 percent slopes	r
Kewaunee County, Wisconsin	OaB	Oakville loamy fine sand, 1 to 6 percent slopes	p
Kewaunee County, Wisconsin	OaC	Oakville loamy fine sand, 6 to 12 percent slopes	p
Kewaunee County, Wisconsin	Pe	Pella silt loam	w
Kewaunee County, Wisconsin	Pg	Gravel pits	p+
Kewaunee County, Wisconsin	QUA	Quarry	r +
Kewaunee County, Wisconsin	RcE	Rodman-Casco complex, 20 to 35 percent slopes	p
Kewaunee County, Wisconsin	Rs	Roscommon mucky loamy sand	wp
Kewaunee County, Wisconsin	Ru	Ruse loam	wr

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Kewaunee County, Wisconsin	ShA	Shiocton silt loam, 0 to 3 percent slopes	w
Kewaunee County, Wisconsin	SoA	Solona silt loam, 0 to 3 percent slopes	w
Kewaunee County, Wisconsin	SyA	Symco silt loam, 0 to 3 percent slopes	w
Kewaunee County, Wisconsin	Uf	Udifluvents	w
Kewaunee County, Wisconsin	UoB	Udorthents, 0 to 6 percent slopes	+
Kewaunee County, Wisconsin	UoF	Udorthents, 25 to 50 percent slopes	+
Kewaunee County, Wisconsin	W	Water	+
Kewaunee County, Wisconsin	WaA	Wainola loamy fine sand, 0 to 3 percent slopes	w
La Crosse County, Wisconsin	20A	Palms and Houghton mucks, 0 to 1 percent slopes	wp
La Crosse County, Wisconsin	21A	Palms muck, 0 to 1 percent slopes, frequently flooded	w
La Crosse County, Wisconsin	30A	Adder muck, 0 to 1 percent slopes, frequently flooded	w
La Crosse County, Wisconsin	233C	Boone sand, 6 to 15 percent slopes	p
La Crosse County, Wisconsin	501A	Finchford loamy sand, 0 to 3 percent slopes	p
La Crosse County, Wisconsin	502B2	Chelsea fine sand, 2 to 6 percent slopes, moderately eroded	p
La Crosse County, Wisconsin	502C2	Chelsea fine sand, 6 to 15 percent slopes, moderately eroded	p
La Crosse County, Wisconsin	511B	Plainfield sand, 2 to 6 percent slopes	p
La Crosse County, Wisconsin	511C	Plainfield sand, 6 to 15 percent slopes	p
La Crosse County, Wisconsin	511F	Plainfield sand, 15 to 60 percent slopes	p
La Crosse County, Wisconsin	551A	Impact sand, 0 to 3 percent slopes	p
La Crosse County, Wisconsin	561B	Tarr sand, 1 to 6 percent slopes	p
La Crosse County, Wisconsin	561C	Tarr sand, 6 to 15 percent slopes	p
La Crosse County, Wisconsin	561F	Tarr sand, 15 to 60 percent slopes	p
La Crosse County, Wisconsin	562B	Gosil loamy sand, 1 to 6 percent slopes	p
La Crosse County, Wisconsin	562C	Gosil loamy sand, 6 to 12 percent slopes	p
La Crosse County, Wisconsin	566A	Tint sand, 0 to 3 percent slopes	p
La Crosse County, Wisconsin	569A	Newlang muck, 0 to 2 percent slopes, occasionally flooded	wp
La Crosse County, Wisconsin	609A	Otter silt loam, 0 to 2 percent slopes, frequently flooded	w
La Crosse County, Wisconsin	629A	Ettrick silt loam, 0 to 2 percent slopes, frequently flooded	w
La Crosse County, Wisconsin	656A	Scotah loamy fine sand, 0 to 3 percent slopes, occasionally flooded	p
La Crosse County, Wisconsin	739A	Root loam, 0 to 2 percent slopes, frequently flooded	w
La Crosse County, Wisconsin	1145F	Gaphill-Rockbluff complex, 30 to 60 percent slopes	p
La Crosse County, Wisconsin	1155F	Brodale-Bellechester-Rock outcrop complex, 60 to 90 percent slopes	rp
La Crosse County, Wisconsin	1233F	Boone-Tarr sands, 15 to 50 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
La Crosse County, Wisconsin	1658A	Alganssee-Kalmarville complex, 0 to 3 percent slopes, frequently flooded	w
La Crosse County, Wisconsin	2002	Udorthents, earthen dams	+
La Crosse County, Wisconsin	2003A	Riverwash	+
La Crosse County, Wisconsin	2013	Pits, gravel	+
La Crosse County, Wisconsin	2014	Pits, quarry, hard bedrock	+
La Crosse County, Wisconsin	2020	Urban land, valley trains	+
La Crosse County, Wisconsin	2030	Udorthents and Udipsamments, cut or fill	+
La Crosse County, Wisconsin	2040	Udipsamments, dredge material	p+
La Crosse County, Wisconsin	2050	Landfill	+
La Crosse County, Wisconsin	M-W	Miscellaneous water	+
La Crosse County, Wisconsin	W	Water	+
Lafayette County, Wisconsin	Ad	Alluvial land	w+
Lafayette County, Wisconsin	BoD2	Boone fine sand, 6 to 20 percent slopes, moderately eroded	p
Lafayette County, Wisconsin	CaA	Calamine silt loam, 0 to 2 percent slopes	w
Lafayette County, Wisconsin	CaB	Calamine silt loam, 2 to 6 percent slopes	w
Lafayette County, Wisconsin	CaC2	Calamine silt loam, 6 to 12 percent slopes, moderately eroded	w
Lafayette County, Wisconsin	DuB	Dunbarton silt loam, 2 to 6 percent slopes	r
Lafayette County, Wisconsin	DuC2	Dunbarton silt loam, 6 to 12 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	DuD2	Dunbarton silt loam, 12 to 20 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	DuE2	Dunbarton silt loam, 20 to 30 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	DuF	Dunbarton silt loam, 30 to 45 percent slopes	r
Lafayette County, Wisconsin	EdB2	Edmund silt loam, 2 to 6 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	EdC2	Edmund silt loam, 6 to 12 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	EdD2	Edmund silt loam, 12 to 20 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	GoB2	Gotham loamy fine sand, 2 to 6 percent slopes, moderately eroded	p
Lafayette County, Wisconsin	GoC2	Gotham loamy fine sand, 6 to 20 percent slopes, moderately eroded	p
Lafayette County, Wisconsin	Hu	Houghton mucky peat	wp
Lafayette County, Wisconsin	LDF	Landfill	+
Lafayette County, Wisconsin	Ma	Marsh	w
Lafayette County, Wisconsin	Mb	Marshan silt loam	w
Lafayette County, Wisconsin	Mp	Mine pits and dumps	p+
Lafayette County, Wisconsin	NfC2	Northfield loam, 6 to 12 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	NfD2	Northfield loam, 12 to 20 percent slopes, moderately eroded	r

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Lafayette County, Wisconsin	NfE2	Northfield loam, 20 to 30 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	NoB2	Northfield sandy loam, 2 to 6 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	NoC2	Northfield sandy loam, 6 to 12 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	NoD2	Northfield sandy loam, 12 to 20 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	NoE2	Northfield sandy loam, 20 to 30 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	NoF	Northfield sandy loam, 30 to 45 percent slopes	r
Lafayette County, Wisconsin	Ow	Orion silt loam, wet variant	w
Lafayette County, Wisconsin	QUA	Quarry	r +
Lafayette County, Wisconsin	Sa	Sable silt loam	w
Lafayette County, Wisconsin	Sb	Sable silt loam, benches	w
Lafayette County, Wisconsin	SoC2	Sogn silt loam, 2 to 12 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	SoD2	Sogn silt loam, 12 to 20 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	SoE2	Sogn silt loam, 20 to 30 percent slopes, moderately eroded	r
Lafayette County, Wisconsin	SoF	Sogn silt loam, 30 to 45 percent slopes	r
Lafayette County, Wisconsin	SrE	Stony and rocky land, moderately steep	+
Lafayette County, Wisconsin	SrF	Stony and rocky land, steep	+
Lafayette County, Wisconsin	UoE	Udorthents, loamy, steep (earthen dam)	+
Lafayette County, Wisconsin	W	Water	+
Langlade County, Wisconsin	As	Au Gres loamy sand	w
Langlade County, Wisconsin	Co	Comstock silt loam	w
Langlade County, Wisconsin	Cs	Croswell loamy sand	p
Langlade County, Wisconsin	Fm	Fordum mucky silt loam	w
Langlade County, Wisconsin	HyB	Hatley silt loam, 2 to 6 percent slopes, stony	w
Langlade County, Wisconsin	Ig	Ingalls loamy sand	w
Langlade County, Wisconsin	KwD	Keweenaw sandy loam, 15 to 45 percent slopes, stony	p
Langlade County, Wisconsin	LDF	Landfill	+
Langlade County, Wisconsin	Lx	Loxley peat	wp
Langlade County, Wisconsin	M-W	Miscellaneous water	+
Langlade County, Wisconsin	MnB	Menominee loamy sand, 0 to 6 percent slopes	p
Langlade County, Wisconsin	MoB	Milladore silt loam, 0 to 4 percent slopes	w
Langlade County, Wisconsin	Ms	Minocqua, Cable, and Sherry mucks	w
Langlade County, Wisconsin	MyB	Mylrea silt loam, 0 to 4 percent slopes	w
Langlade County, Wisconsin	Os	Oesterle silt loam	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Langlade County, Wisconsin	Pt	Pits, gravel	+
Langlade County, Wisconsin	Sy	Seelyeville, Cathro, and Markey mucks	wp
Langlade County, Wisconsin	VsB	Vilas loamy sand, 0 to 6 percent slopes	p
Langlade County, Wisconsin	VsC	Vilas loamy sand, 6 to 15 percent slopes	p
Langlade County, Wisconsin	W	Water	+
Lincoln County, Wisconsin	AuA	Au Gres loamy sand, 0 to 3 percent slopes	w
Lincoln County, Wisconsin	CoA	Comstock silt loam, 0 to 3 percent slopes	w
Lincoln County, Wisconsin	CrB	Croswell loamy sand, 1 to 6 percent slopes	p
Lincoln County, Wisconsin	CsB	Croswood loamy sand, 1 to 6 percent slopes	p
Lincoln County, Wisconsin	Fh	Fordum loam, 0 to 2 percent slopes	w
Lincoln County, Wisconsin	HyB	Hatley silt loam, 0 to 4 percent slopes	w
Lincoln County, Wisconsin	KwC	Keweenaw sandy loam, 6 to 15 percent slopes	p
Lincoln County, Wisconsin	KwD	Keweenaw sandy loam, 15 to 35 percent slopes	p
Lincoln County, Wisconsin	Lo	Loxley and Dawson peats, 0 to 1 percent slopes	wp
Lincoln County, Wisconsin	Lu	Lupton, Cathro, and Markey mucks, 0 to 1 percent slopes	wp
Lincoln County, Wisconsin	MxB	Moodig sandy loam, 0 to 4 percent slopes	w
Lincoln County, Wisconsin	OsA	Ossmer silt loam, 0 to 3 percent slopes	w
Lincoln County, Wisconsin	Pt	Gravel pit	p+
Lincoln County, Wisconsin	VsB	Vilas-Sayner loamy sands, 1 to 6 percent slopes	p
Lincoln County, Wisconsin	VsC	Vilas-Sayner loamy sands, 6 to 15 percent slopes	p
Lincoln County, Wisconsin	VsD	Vilas-Sayner loamy sands, 15 to 35 percent slopes	p
Lincoln County, Wisconsin	W	Water	+
Lincoln County, Wisconsin	WoA	Worcester sandy loam, 0 to 3 percent slopes	w
Manitowoc County, Wisconsin	Ac	Adrian muck	wp
Manitowoc County, Wisconsin	As	Aquents, sloping	+
Manitowoc County, Wisconsin	Bu	Brookston silt loam	w
Manitowoc County, Wisconsin	CnB	Channahon loam, 2 to 6 percent slopes	r
Manitowoc County, Wisconsin	CnC	Channahon loam, 6 to 12 percent slopes	r
Manitowoc County, Wisconsin	Du	Dune land	p+
Manitowoc County, Wisconsin	Fu	Fluvaquents	w+
Manitowoc County, Wisconsin	Gb	Granby fine sandy loam	wp
Manitowoc County, Wisconsin	Hu	Houghton muck	wp
Manitowoc County, Wisconsin	Ke	Keowns very fine sandy loam	w

County	MUSYM	Map Unit Name	Restriction
Manitowoc County, Wisconsin	LmA	Lamartine silt loam, 0 to 3 percent slopes	w
Manitowoc County, Wisconsin	M-W	Miscellaneous water	+
Manitowoc County, Wisconsin	MuA	Mundelein silt loam, 0 to 3 percent slopes	w
Manitowoc County, Wisconsin	OaB	Oakville loamy fine sand, 2 to 6 percent slopes	p
Manitowoc County, Wisconsin	OaC	Oakville loamy fine sand, 6 to 12 percent slopes	p
Manitowoc County, Wisconsin	OgB	Oakville-Granby complex, 0 to 4 percent slopes	wp
Manitowoc County, Wisconsin	Pa	Palms muck	wp
Manitowoc County, Wisconsin	Pe	Pella silt loam	w
Manitowoc County, Wisconsin	Pg	Pits, gravel	p+
Manitowoc County, Wisconsin	Ph	Pits, quarries	r +
Manitowoc County, Wisconsin	PIB	Plainfield loamy sand, 2 to 6 percent slopes	p
Manitowoc County, Wisconsin	PIC	Plainfield loamy sand, 6 to 12 percent slopes	p
Manitowoc County, Wisconsin	PID	Plainfield loamy sand, 12 to 20 percent slopes	p
Manitowoc County, Wisconsin	ShA	Shiocton very fine sandy loam, 0 to 3 percent slopes	w
Manitowoc County, Wisconsin	SyA	Symco silt loam, 0 to 3 percent slopes	w
Manitowoc County, Wisconsin	TeA	Tedrow loamy fine sand, 0 to 3 percent slopes	w
Manitowoc County, Wisconsin	Ud	Udorhents	+
Manitowoc County, Wisconsin	W	Water	+
Manitowoc County, Wisconsin	WaA	Wasepi sandy loam, 0 to 3 percent slopes	w
Manitowoc County, Wisconsin	Wt	Willette muck	p
Marathon County, Wisconsin	Ad	Altdorf mucky silt loam, 0 to 2 percent slopes	w
Marathon County, Wisconsin	CbA	Cable silt loam, 0 to 3 percent slopes, stony	w
Marathon County, Wisconsin	Ch	Cathro muck, 0 to 1 percent slopes	wp
Marathon County, Wisconsin	Da	Dancy sandy loam, 0 to 2 percent slopes	w
Marathon County, Wisconsin	DoA	Dolph silt loam, 0 to 3 percent slopes	w
Marathon County, Wisconsin	Fh	Fordum silt loam, 0 to 1 percent slopes	w
Marathon County, Wisconsin	GcB	Graycalm loamy sand, 2 to 6 percent slopes	p
Marathon County, Wisconsin	Gm	Graycalm loamy sand, moderately well drained, 0 to 2 percent slopes	p
Marathon County, Wisconsin	Gr	Greenwood peat, 0 to 1 percent slopes	wp
Marathon County, Wisconsin	HtB	Hatley silt loam, 1 to 6 percent slopes	w
Marathon County, Wisconsin	HyB	Hatley cobbly silt loam, 1 to 6 percent slopes, bouldery	w
Marathon County, Wisconsin	LDF	Landfill	+
Marathon County, Wisconsin	MbB	Mahtomedi loamy sand, 0 to 6 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Marathon County, Wisconsin	MbC	Mahtomedi loamy sand, 6 to 15 percent slopes	p
Marathon County, Wisconsin	MbE	Mahtomedi loamy sand, 15 to 45 percent slopes	p
Marathon County, Wisconsin	McA	Mahtomedi loamy sand, moderately well drained, 0 to 3 percent slopes	p
Marathon County, Wisconsin	MgA	Meadland loam, 0 to 3 percent slopes	w
Marathon County, Wisconsin	MhA	Meadland loam, 0 to 3 percent slopes, stony	w
Marathon County, Wisconsin	Mm	Meehan loamy sand, 0 to 2 percent slopes	w
Marathon County, Wisconsin	Mn	Minocqua sandy loam, 0 to 2 percent slopes	w
Marathon County, Wisconsin	MyB	Mylrea silt loam, 1 to 6 percent slopes	w
Marathon County, Wisconsin	MzB	Mylrea silt loam, 1 to 6 percent slopes, stony	w
Marathon County, Wisconsin	Ne	Newson mucky loamy sand, 0 to 1 percent slopes	wp
Marathon County, Wisconsin	Oe	Oesterle loam, 0 to 2 percent slopes	w
Marathon County, Wisconsin	Pg	Pits, gravel	+
Marathon County, Wisconsin	Ph	Pits, quarries	r +
Marathon County, Wisconsin	RcB	Rietbrock silt loam, 1 to 8 percent slopes	w
Marathon County, Wisconsin	ReB	Rietbrock silt loam, 1 to 8 percent slopes, stony	w
Marathon County, Wisconsin	RhA	Rockers loamy sand, 0 to 3 percent slopes	w
Marathon County, Wisconsin	Se	Seelyeville muck, 0 to 1 percent slopes	wp
Marathon County, Wisconsin	ShA	Sherry silt loam, 0 to 3 percent slopes	w
Marathon County, Wisconsin	St	Sturgeon silt loam, 0 to 2 percent slopes	w
Marathon County, Wisconsin	UoB	Udorthents, loamy, gently sloping	+
Marathon County, Wisconsin	UoE	Udorthents, loamy, steep, (earthen dam)	+
Marathon County, Wisconsin	W	Water	+
Marinette County, Wisconsin	AkC	Alpena gravelly sandy loam, 6 to 12 percent slopes	p
Marinette County, Wisconsin	AkE	Alpena gravelly sandy loam, 12 to 35 percent slopes	p
Marinette County, Wisconsin	Ar	Arnheim silt loam, 0 to 1 percent slopes	w
Marinette County, Wisconsin	AuA	Au Gres loamy sand, 0 to 3 percent slopes	w
Marinette County, Wisconsin	BaA	Banat sandy loam, 0 to 3 percent slopes	w
Marinette County, Wisconsin	BnA	Bonduel loam, 0 to 3 percent slopes	w
Marinette County, Wisconsin	Bs	Brevort muck, 0 to 2 percent slopes	w
Marinette County, Wisconsin	Bv	Bruce fine sandy loam, 0 to 2 percent slopes	w
Marinette County, Wisconsin	ChA	Charlevoix fine sandy loam, 0 to 3 percent slopes	w
Marinette County, Wisconsin	CmB	Charlevoix-Emmet fine sandy loams, 1 to 6 percent slopes	w
Marinette County, Wisconsin	CtB	Croswell loamy sand, 1 to 6 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Marinette County, Wisconsin	De	Deford mucky fine sand, 0 to 2 percent slopes	wp
Marinette County, Wisconsin	EaC	Emmert-Pence-Sarona complex, 6 to 15 percent slopes	p
Marinette County, Wisconsin	EaD	Emmert-Pence-Sarona complex, 15 to 35 percent slopes	p
Marinette County, Wisconsin	Ey	Ensley loam, 0 to 2 percent slopes	w
Marinette County, Wisconsin	Fw	Forada mucky loam, 0 to 1 percent slopes	w
Marinette County, Wisconsin	GaA	Gaastra silt loam, 0 to 3 percent slopes	w
Marinette County, Wisconsin	IsA	Iosco loamy fine sand, 0 to 3 percent slopes	w
Marinette County, Wisconsin	IxC	Ishpeming-Rock outcrop complex, 4 to 15 percent slopes	rp
Marinette County, Wisconsin	KaB	Karlin loamy fine sand, 2 to 6 percent slopes	p
Marinette County, Wisconsin	KaC	Karlin loamy fine sand, 6 to 15 percent slopes	p
Marinette County, Wisconsin	KeB	Keweenaw loamy sand, 1 to 6 percent slopes	p
Marinette County, Wisconsin	KeC	Keweenaw loamy sand, 6 to 15 percent slopes	p
Marinette County, Wisconsin	KeD	Keweenaw loamy sand, 15 to 25 percent slopes	p
Marinette County, Wisconsin	LDF	Landfill	+
Marinette County, Wisconsin	Ls	Loxley and Dawson peats, 0 to 1 percent slopes	wp
Marinette County, Wisconsin	M-W	Miscellaneous water	+
Marinette County, Wisconsin	McB	Mancelona loamy sand, 0 to 6 percent slopes	p
Marinette County, Wisconsin	McC	Mancelona loamy sand, 6 to 12 percent slopes	p
Marinette County, Wisconsin	McD	Mancelona loamy sand, 12 to 20 percent slopes	p
Marinette County, Wisconsin	MeB	Manistee loamy sand, 2 to 6 percent slopes	p
Marinette County, Wisconsin	MhB	Menahga sand, 0 to 6 percent slopes	p
Marinette County, Wisconsin	MhC	Menahga sand, 6 to 15 percent slopes	p
Marinette County, Wisconsin	MhD	Menahga sand, 15 to 25 percent slopes	p
Marinette County, Wisconsin	MmB	Menahga-Mancelona-Menominee complex, 2 to 6 percent slopes	p
Marinette County, Wisconsin	MmC	Menahga-Mancelona-Menominee complex, 6 to 15 percent slopes	p
Marinette County, Wisconsin	MmD	Menahga-Mancelona-Menominee complex, 15 to 25 percent slopes	p
Marinette County, Wisconsin	MoB	Menominee loamy sand, 2 to 6 percent slopes	p
Marinette County, Wisconsin	MoC	Menominee loamy sand, 6 to 12 percent slopes	p
Marinette County, Wisconsin	MoD	Menominee loamy sand, 12 to 20 percent slopes	p
Marinette County, Wisconsin	MrC	Michigamme-Rock outcrop complex, 4 to 15 percent slopes	r
Marinette County, Wisconsin	MsA	Monico fine sandy loam, 0 to 3 percent slopes	w
Marinette County, Wisconsin	Nh	Nahma muck, 0 to 2 percent slopes	w
Marinette County, Wisconsin	Pn	Pinconning loamy sand, 0 to 2 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Marinette County, Wisconsin	Pt	Pits	p+
Marinette County, Wisconsin	Rc	Roscommon mucky loamy sand, 0 to 2 percent slopes	wp
Marinette County, Wisconsin	Rm	Roscommon-Rock outcrop complex, 0 to 2 percent slopes	wrp
Marinette County, Wisconsin	RsB	Rousseau loamy fine sand, 1 to 6 percent slopes	p
Marinette County, Wisconsin	Sa	Saprists and Psammaquents, ponded	w
Marinette County, Wisconsin	ScB	Sayner loamy sand, 1 to 6 percent slopes	p
Marinette County, Wisconsin	ScC	Sayner loamy sand, 6 to 15 percent slopes	p
Marinette County, Wisconsin	Sd	Seelyeville and Markey mucks, 0 to 1 percent slopes	wp
Marinette County, Wisconsin	SeA	Selkirk silt loam, 0 to 3 percent slopes	w
Marinette County, Wisconsin	SfB	Shawano loamy fine sand, 2 to 6 percent slopes	p
Marinette County, Wisconsin	SfC	Shawano loamy fine sand, 6 to 12 percent slopes	p
Marinette County, Wisconsin	SfD	Shawano loamy fine sand, 12 to 30 percent slopes	p
Marinette County, Wisconsin	SuB	Summerville fine sandy loam, 1 to 6 percent slopes	r
Marinette County, Wisconsin	SuC	Summerville fine sandy loam, 6 to 12 percent slopes	r
Marinette County, Wisconsin	Ud	Udorthents, loamy, nearly level	+
Marinette County, Wisconsin	UoE	Udorthents, loamy, steep (earthen dam)	+
Marinette County, Wisconsin	Ur	Urban land	+
Marinette County, Wisconsin	W	Water	+
Marinette County, Wisconsin	WaA	Wainola loamy fine sand, 0 to 3 percent slopes	w
Marinette County, Wisconsin	WrA	Worcester fine sandy loam, 0 to 3 percent slopes	w
Marquette County, Wisconsin	Ac	Adrian mucky peat, deep	p
Marquette County, Wisconsin	Ad	Adrian mucky peat, shallow	p
Marquette County, Wisconsin	Ae	Adrian mucky peat, deep, stratified subsoil variant	p
Marquette County, Wisconsin	Ak	Adrian mucky peat, shallow, stratified subsoil variant	p
Marquette County, Wisconsin	Am	Alluvial land	+
Marquette County, Wisconsin	An	Alluvial land, wet	w
Marquette County, Wisconsin	Co	Colwood fine sandy loam	w
Marquette County, Wisconsin	GIA	Gotham loamy fine sand, 0 to 2 percent slopes	p
Marquette County, Wisconsin	GIB	Gotham loamy fine sand, 2 to 6 percent slopes	p
Marquette County, Wisconsin	GIC	Gotham loamy fine sand, 6 to 12 percent slopes	p
Marquette County, Wisconsin	GID	Gotham loamy fine sand, 12 to 20 percent slopes	p
Marquette County, Wisconsin	GmA	Gotham loamy fine sand, loamy substratum, 0 to 2 percent slopes	p
Marquette County, Wisconsin	GmB	Gotham loamy fine sand, loamy substratum, 2 to 6 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Marquette County, Wisconsin	GmC2	Gotham loamy fine sand, loamy substratum, 6 to 12 percent slopes, eroded	p
Marquette County, Wisconsin	GmD2	Gotham loamy fine sand, loamy substratum, 12 to 20 percent slopes, eroded	p
Marquette County, Wisconsin	GnA	Gotham fine sandy loam, 0 to 2 percent slopes	p
Marquette County, Wisconsin	GnB	Gotham fine sandy loam, 2 to 6 percent slopes	p
Marquette County, Wisconsin	GoA	Gotham fine sandy loam, loamy substratum, 1 to 3 percent slopes	p
Marquette County, Wisconsin	GP	Gravel pit	p+
Marquette County, Wisconsin	Gr	Granby loamy fine sand	wp
Marquette County, Wisconsin	Gs	Granby fine sandy loam	wp
Marquette County, Wisconsin	Gt	Granby fine sandy loam, loamy substratum	wp
Marquette County, Wisconsin	Hm	Houghton mucky peat	wp
Marquette County, Wisconsin	Hp	Houghton peat, acid variant	wp
Marquette County, Wisconsin	Ke	Keowns fine sandy loam	w
Marquette County, Wisconsin	M-W	Miscellaneous water	+
Marquette County, Wisconsin	Ma	Marsh	wp
Marquette County, Wisconsin	MtA	Mosel fine sandy loam, 0 to 3 percent slopes	w
Marquette County, Wisconsin	MuA	Mosel loam, 0 to 3 percent slopes	w
Marquette County, Wisconsin	MvA	Moundville loamy fine sand, 0 to 3 percent slopes	p
Marquette County, Wisconsin	MwA	Moundville fine sandy loam, 0 to 3 percent slopes	p
Marquette County, Wisconsin	MxA	Mundelein loam, 0 to 3 percent slopes	w
Marquette County, Wisconsin	MyA	Mundelein silt loam, 0 to 3 percent slopes	w
Marquette County, Wisconsin	Pa	Palms mucky peat, deep	wp
Marquette County, Wisconsin	Pc	Palms mucky peat, shallow	p
Marquette County, Wisconsin	PfC2	Plainfield sand, 0 to 12 percent slopes, eroded	p
Marquette County, Wisconsin	PfD2	Plainfield sand, 12 to 20 percent slopes, eroded	p
Marquette County, Wisconsin	PIA	Plainfield loamy fine sand, 0 to 2 percent slopes	p
Marquette County, Wisconsin	PIB	Plainfield loamy fine sand, 2 to 6 percent slopes	p
Marquette County, Wisconsin	PIC	Plainfield loamy fine sand, 6 to 12 percent slopes	p
Marquette County, Wisconsin	PID2	Plainfield loamy fine sand, 12 to 20 percent slopes, eroded	p
Marquette County, Wisconsin	PnB	Plainfield-Wyocena complex, 2 to 6 percent slopes	p
Marquette County, Wisconsin	PnC	Plainfield-Wyocena complex, 6 to 12 percent slopes	p
Marquette County, Wisconsin	PnE	Plainfield-Wyocena complex, 12 to 30 percent slopes	p
Marquette County, Wisconsin	Po	Poygan fine sandy loam	w
Marquette County, Wisconsin	Ps	Poygan silty clay loam	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Marquette County, Wisconsin	QUA	Quarry	r +
Marquette County, Wisconsin	Ro	Rollin mucky peat	w
Marquette County, Wisconsin	StF	Steep sandy land	p
Marquette County, Wisconsin	TdA	Tedrow loamy fine sand, 0 to 3 percent slopes	w
Marquette County, Wisconsin	TeA	Tedrow loamy fine sand, loamy substratum, 0 to 3 percent slopes	w
Marquette County, Wisconsin	TfA	Tedrow fine sandy loam, 0 to 3 percent slopes	w
Marquette County, Wisconsin	TIA	Tedrow fine sandy loam, loamy substratum, 0 to 3 percent slopes	w
Marquette County, Wisconsin	W	Water	w +
Menominee County, Wisconsin	AuA	Au Gres loamy sand, 0 to 3 percent slopes	w
Menominee County, Wisconsin	CeB	Cress sandy loam, 0 to 6 percent slopes	p
Menominee County, Wisconsin	CeC	Cress sandy loam, 6 to 15 percent slopes	p
Menominee County, Wisconsin	CeD	Cress sandy loam, 15 to 35 percent slopes	p
Menominee County, Wisconsin	CrB	Cromwell sandy loam, 0 to 6 percent slopes	p
Menominee County, Wisconsin	CrC	Cromwell sandy loam, 6 to 15 percent slopes	p
Menominee County, Wisconsin	CrD	Cromwell sandy loam, 15 to 35 percent slopes	p
Menominee County, Wisconsin	CsA	Croswell loamy sand, 0 to 3 percent slopes	p
Menominee County, Wisconsin	GaB	Grayling loamy sand, 0 to 6 percent slopes	p
Menominee County, Wisconsin	GaC	Grayling loamy sand, 6 to 15 percent slopes	p
Menominee County, Wisconsin	GaD	Grayling loamy sand, 15 to 35 percent slopes	p
Menominee County, Wisconsin	GyB	Grayling sand, 0 to 6 percent slopes	p
Menominee County, Wisconsin	GyC	Grayling sand, 6 to 15 percent slopes	p
Menominee County, Wisconsin	GyD	Grayling sand, 15 to 35 percent slopes	p
Menominee County, Wisconsin	IgA	Ingalls loamy sand, 0 to 3 percent slopes	w
Menominee County, Wisconsin	IsB	Iosco loamy sand, 0 to 4 percent slopes	w
Menominee County, Wisconsin	IxB	Ishpeming-Rock outcrop complex, 0 to 6 percent slopes	rp
Menominee County, Wisconsin	IxC	Ishpeming-Rock outcrop complex, 6 to 15 percent slopes	rp
Menominee County, Wisconsin	KaB	Karlin sandy loam, 0 to 6 percent slopes	p
Menominee County, Wisconsin	KaC	Karlin sandy loam, 6 to 15 percent slopes	p
Menominee County, Wisconsin	KaD	Karlin sandy loam, 15 to 35 percent slopes	p
Menominee County, Wisconsin	LaB	Lablatz sandy loam, 0 to 4 percent slopes	w
Menominee County, Wisconsin	LDF	Landfill	+
Menominee County, Wisconsin	LoA	Loxley peat, 0 to 1 percent slopes	wp
Menominee County, Wisconsin	LuA	Lupton, Markey, and Cathro mucks, 0 to 1 percent slopes	wp

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Menominee County, Wisconsin	M-W	Miscellaneous water	+
Menominee County, Wisconsin	MaB	Mahtomedi loamy sand, 0 to 6 percent slopes	p
Menominee County, Wisconsin	MaC	Mahtomedi loamy sand, 6 to 15 percent slopes	p
Menominee County, Wisconsin	MaD	Mahtomedi loamy sand, 15 to 35 percent slopes	p
Menominee County, Wisconsin	MoC	Menominee loamy fine sand, 6 to 15 percent slopes	p
Menominee County, Wisconsin	MoD	Menominee loamy fine sand, 15 to 35 percent slopes	p
Menominee County, Wisconsin	MqB	Mequithy-Rock outcrop complex, 0 to 6 percent slopes	r
Menominee County, Wisconsin	MqC	Mequithy-Rock outcrop complex, 6 to 15 percent slopes	r
Menominee County, Wisconsin	MuA	Minocqua muck, 0 to 2 percent slopes	w
Menominee County, Wisconsin	MwB	Moodig fine sandy loam, 0 to 4 percent slopes, very bouldery	w
Menominee County, Wisconsin	MzB	Moshawquit loamy sand, 2 to 6 percent slopes	p
Menominee County, Wisconsin	MzC	Moshawquit loamy sand, 6 to 15 percent slopes	p
Menominee County, Wisconsin	NeA	Neconish fine sand, 0 to 3 percent slopes	p
Menominee County, Wisconsin	Pt	Pits, gravel	p+
Menominee County, Wisconsin	RaB	Rabe loamy sand, 2 to 6 percent slopes	p
Menominee County, Wisconsin	RaC	Rabe loamy sand, 6 to 15 percent slopes	p
Menominee County, Wisconsin	RaD	Rabe loamy sand, 15 to 35 percent slopes	p
Menominee County, Wisconsin	RbA	Robago fine sandy loam, 0 to 3 percent slopes	w
Menominee County, Wisconsin	RcA	Roscommon muck, 0 to 2 percent slopes	wp
Menominee County, Wisconsin	RsB	Rousseau fine sand, 0 to 6 percent slopes	p
Menominee County, Wisconsin	RsC	Rousseau fine sand, 6 to 15 percent slopes	p
Menominee County, Wisconsin	RsD	Rousseau fine sand, 15 to 35 percent slopes	p
Menominee County, Wisconsin	SfB	Shawano fine sand, 0 to 6 percent slopes	p
Menominee County, Wisconsin	SfC	Shawano fine sand, 6 to 15 percent slopes	p
Menominee County, Wisconsin	SfD	Shawano fine sand, 15 to 35 percent slopes	p
Menominee County, Wisconsin	ToB	Tourtillotte loamy sand, 0 to 6 percent slopes	p
Menominee County, Wisconsin	ToC	Tourtillotte loamy sand, 6 to 15 percent slopes	p
Menominee County, Wisconsin	UdD	Udipsamments, moderately steep or steep (earthen dam)	p
Menominee County, Wisconsin	VsB	Vilas loamy sand, 0 to 6 percent slopes	p
Menominee County, Wisconsin	VsC	Vilas loamy sand, 6 to 15 percent slopes	p
Menominee County, Wisconsin	VsD	Vilas loamy sand, 15 to 35 percent slopes	p
Menominee County, Wisconsin	W	Water	+
Menominee County, Wisconsin	WaA	Wainola loamy fine sand, 0 to 3 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Menominee County, Wisconsin	WkB	Wayka-Rock outcrop complex, 0 to 4 percent slopes	r
Menominee County, Wisconsin	WrA	Worcester fine sandy loam, 0 to 3 percent slopes	w
Menominee County, Wisconsin	WtA	Wormet fine sandy loam, 0 to 3 percent slopes	w
Menominee County, Wisconsin	WuA	Wurtsmith sand, 0 to 3 percent slopes	p
Milwaukee County, Wisconsin	Ac	Adrian muck	wp
Milwaukee County, Wisconsin	Am	Alluvial land	+
Milwaukee County, Wisconsin	AsA	Ashkum silty clay loam, 0 to 3 percent slopes	w
Milwaukee County, Wisconsin	BP	Borrow pit	+
Milwaukee County, Wisconsin	BsA	Brookston silt loam, 0 to 3 percent slopes	w
Milwaukee County, Wisconsin	CP	Coal pit	+
Milwaukee County, Wisconsin	CrC2	Casco-Rodman complex, 6 to 12 percent slopes, eroded	p
Milwaukee County, Wisconsin	CrD	Casco-Rodman complex, 12-20 percent slopes	p
Milwaukee County, Wisconsin	CrE	Casco-Rodman complex, 20 to 30 percent slopes	p
Milwaukee County, Wisconsin	CrF	Casco-Rodman complex, 30 to 45 percent slopes	p
Milwaukee County, Wisconsin	CtB	Chelsea fine sand, 1 to 6 percent slopes	p
Milwaukee County, Wisconsin	CtD	Chelsea fine sand, 6 to 20 percent slopes	p
Milwaukee County, Wisconsin	Cv	Clayey land	+
Milwaukee County, Wisconsin	Cw	Colwood silt loam	w
Milwaukee County, Wisconsin	Dt	Drummer silt loam, gravelly substratum	w
Milwaukee County, Wisconsin	Gd	Gilford loam	w
Milwaukee County, Wisconsin	Gf	Granby fine sandy loam	wp
Milwaukee County, Wisconsin	GP	Gravel pit	p+
Milwaukee County, Wisconsin	HtA	Houghton muck, 0 to 2 percent slopes	wp
Milwaukee County, Wisconsin	HtB	Houghton muck, 2 to 6 percent slopes	wp
Milwaukee County, Wisconsin	LDF	Landfill	+
Milwaukee County, Wisconsin	Lu	Loamy land	+
Milwaukee County, Wisconsin	M-W	Miscellaneous water	+
Milwaukee County, Wisconsin	Mf	Marsh	wp
Milwaukee County, Wisconsin	Mzb	Montgomery silty clay loam	w
Milwaukee County, Wisconsin	Mzg	Muskego muck	wp
Milwaukee County, Wisconsin	Mzk	Mussey loam	w
Milwaukee County, Wisconsin	Na	Navan silt loam	w
Milwaukee County, Wisconsin	Oc	Ogden muck	wp

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Milwaukee County, Wisconsin	Pa	Palms muck	wp
Milwaukee County, Wisconsin	Ph	Pella silt loam	w
Milwaukee County, Wisconsin	Pm	Pella silt loam, moderately shallow variant	w
Milwaukee County, Wisconsin	QUA	Quarry	r +
Milwaukee County, Wisconsin	RkB	Ritchey silt loam, 1 to 6 percent slopes	r
Milwaukee County, Wisconsin	RkC2	Ritchey silt loam, 6 to 12 percent slopes, eroded	r
Milwaukee County, Wisconsin	RkE	Ritchey silt loam, 12 to 30 percent slopes	r
Milwaukee County, Wisconsin	Ru	Rollin muck, deep	w
Milwaukee County, Wisconsin	Rv	Rollin muck, shallow	w
Milwaukee County, Wisconsin	Ry	Rough broken land	+
Milwaukee County, Wisconsin	Sf	Sandy and gravelly land	+
Milwaukee County, Wisconsin	SfB	Sandy lake beaches	+
Milwaukee County, Wisconsin	Sg	Sawmill silt loam, calcareous variant	w
Milwaukee County, Wisconsin	Sm	Sebewa silt loam	w
Milwaukee County, Wisconsin	UA	Unmapped area	+
Milwaukee County, Wisconsin	W	Water	+
Milwaukee County, Wisconsin	Wa	Walkkill silt loam	w
Milwaukee County, Wisconsin	Ww	Wet alluvial land	w
Monroe County, Wisconsin	AbA	Abscota loamy sand, 0 to 3 percent slopes	p
Monroe County, Wisconsin	BoC	Boone sand, 6 to 12 percent slopes	p
Monroe County, Wisconsin	BoF	Boone sand, 12 to 45 percent slopes	p
Monroe County, Wisconsin	BpF	Boone-Rock outcrop complex, 30 to 70 percent slopes	rp
Monroe County, Wisconsin	Dc	Dawson peat	wp
Monroe County, Wisconsin	Et	Ettrick silt loam	w
Monroe County, Wisconsin	Hu	Houghton muck	wp
Monroe County, Wisconsin	ImA	Impact sand, 0 to 2 percent slopes	p
Monroe County, Wisconsin	ImB	Impact sand, 2 to 6 percent slopes	p
Monroe County, Wisconsin	IpA	Impact sand, moderately well drained, 0 to 3 percent slopes	p
Monroe County, Wisconsin	Ka	Kato silt loam	w
Monroe County, Wisconsin	LDF	Landfill	+
Monroe County, Wisconsin	Lw	Lows sandy loam	w
Monroe County, Wisconsin	Lx	Loxley mucky peat	wp
Monroe County, Wisconsin	M-W	Miscellaneous water	+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Monroe County, Wisconsin	Mb	Menasha silty clay loam	w
Monroe County, Wisconsin	Ne	Newson loamy sand	wp
Monroe County, Wisconsin	Pa	Palms muck	wp
Monroe County, Wisconsin	Pd	Pits	+
Monroe County, Wisconsin	Pm	Psammaquents, nearly level	wp
Monroe County, Wisconsin	Ps	Psammets, nearly level	+
Monroe County, Wisconsin	TrB	Tarr sand, 0 to 6 percent slopes	p
Monroe County, Wisconsin	TrC	Tarr sand, 6 to 12 percent slopes	p
Monroe County, Wisconsin	TrD	Tarr sand, 12 to 20 percent slopes	p
Monroe County, Wisconsin	TrE	Tarr sand, 20 to 45 percent slopes	p
Monroe County, Wisconsin	TsA	Tarr sand, moderately well drained, 0 to 3 percent slopes	p
Monroe County, Wisconsin	W	Water	+
Monroe County, Wisconsin	Wa	Wautoma sand	w
Oconto County, Wisconsin	AaE	Alpena gravelly sandy loam, 20 to 35 percent slopes	p
Oconto County, Wisconsin	Bs	Brevort mucky loamy sand, 0 to 2 percent slopes	w
Oconto County, Wisconsin	Co	Cormant loamy fine sand, 0 to 1 percent slopes	wp
Oconto County, Wisconsin	Es	Ensley mucky loam, 0 to 2 percent slopes	w
Oconto County, Wisconsin	KeB	Keweenaw loamy fine sand, 2 to 6 percent slopes	p
Oconto County, Wisconsin	KeC	Keweenaw loamy fine sand, 6 to 15 percent slopes	p
Oconto County, Wisconsin	KeD	Keweenaw loamy fine sand, 15 to 35 percent slopes	p
Oconto County, Wisconsin	KvB	Kiva sandy loam, 2 to 6 percent slopes	p
Oconto County, Wisconsin	KvC	Kiva sandy loam, 6 to 15 percent slopes	p
Oconto County, Wisconsin	KvD	Kiva sandy loam, 15 to 35 percent slopes	p
Oconto County, Wisconsin	LDF	Landfill	+
Oconto County, Wisconsin	Lx	Loxley mucky peat, 0 to 1 percent slopes	wp
Oconto County, Wisconsin	M-W	Miscellaneous water	+
Oconto County, Wisconsin	McB	Mancelona loamy sand, 1 to 6 percent slopes	p
Oconto County, Wisconsin	McC	Mancelona loamy sand, 6 to 15 percent slopes	p
Oconto County, Wisconsin	MnB	Menahga sand, 0 to 6 percent slopes	p
Oconto County, Wisconsin	MnC	Menahga sand, 6 to 15 percent slopes	p
Oconto County, Wisconsin	MnD	Menahga sand, 15 to 35 percent slopes	p
Oconto County, Wisconsin	MoB	Menominee loamy fine sand, 2 to 6 percent slopes	p
Oconto County, Wisconsin	MoC	Menominee loamy fine sand, 6 to 12 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Oconto County, Wisconsin	MoD	Menominee loamy fine sand, 12 to 20 percent slopes	p
Oconto County, Wisconsin	Mu	Minocqua mucky fine sandy loam, 0 to 2 percent slopes	w
Oconto County, Wisconsin	OvC	Onaway-Kiva-Menahga complex, 4 to 15 percent slopes	p
Oconto County, Wisconsin	OvD	Onaway-Kiva-Menahga complex, 15 to 35 percent slopes	p
Oconto County, Wisconsin	PeA	Pelkie loamy fine sand, 1 to 3 percent slopes	p
Oconto County, Wisconsin	PsD	Peshekee-Rock outcrop complex, 4 to 30 percent slopes	r
Oconto County, Wisconsin	Pt	Pits	p+
Oconto County, Wisconsin	RsB	Rousseau fine sand, 1 to 6 percent slopes	p
Oconto County, Wisconsin	Sb	Saprists and Aquents, ponded	w
Oconto County, Wisconsin	Sd	Seelyeville and Markey mucks, 0 to 1 percent slopes	wp
Oconto County, Wisconsin	SfB	Shawano fine sand, 2 to 6 percent slopes	p
Oconto County, Wisconsin	SfC	Shawano fine sand, 6 to 12 percent slopes	p
Oconto County, Wisconsin	SfD	Shawano fine sand, 12 to 30 percent slopes	p
Oconto County, Wisconsin	SuB	Summerville fine sandy loam, 2 to 8 percent slopes	r
Oconto County, Wisconsin	SuE	Summerville fine sandy loam, 20 to 45 percent slopes	r
Oconto County, Wisconsin	W	Water	+
Oconto County, Wisconsin	Wd	Waupaca very fine sandy loam, 0 to 2 percent slopes	w
Oconto County, Wisconsin	Wf	Winterfield fine sandy loam, 0 to 2 percent slopes	p
Oneida County, Wisconsin	Au	Au Gres loamy sand, 0 to 2 percent slopes	w
Oneida County, Wisconsin	CaA	Cable muck, 0 to 3 percent slopes, stony	w
Oneida County, Wisconsin	Cb	Carbondale, Lupton, and Markey mucks, 0 to 1 percent slopes	wp
Oneida County, Wisconsin	CrA	Croswell sand, 0 to 3 percent slopes	p
Oneida County, Wisconsin	CsA	Croswell loamy sand, loamy substratum, 0 to 3 percent slopes	p
Oneida County, Wisconsin	DAM	Dams, large	+
Oneida County, Wisconsin	EmE	Emmert very gravelly sand, 20 to 45 percent slopes	p
Oneida County, Wisconsin	Fh	Fordum mucky very fine sandy loam, 0 to 2 percent slopes	w
Oneida County, Wisconsin	Gr	Greenwood, Loxley, and Dawson peats, 0 to 1 percent slopes	wp
Oneida County, Wisconsin	KaB	Karlin loamy fine sand, 0 to 6 percent slopes	p
Oneida County, Wisconsin	KeB	Keweenaw sandy loam, 1 to 6 percent slopes, stony	p
Oneida County, Wisconsin	KeC	Keweenaw sandy loam, 6 to 15 percent slopes, stony	p
Oneida County, Wisconsin	KeD	Keweenaw sandy loam, 15 to 25 percent slopes, stony	p
Oneida County, Wisconsin	KnB	Keweenaw-Vilas complex, 1 to 6 percent slopes, stony	p
Oneida County, Wisconsin	KnC	Keweenaw-Vilas complex, 6 to 15 percent slopes, stony	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Oneida County, Wisconsin	KrD	Keweenaw-Sayner complex, 15 to 30 percent slopes, stony	p
Oneida County, Wisconsin	Ks	Kinross muck, 0 to 2 percent slopes	wp
Oneida County, Wisconsin	Mc	Minocqua silt loam, 0 to 2 percent slopes	w
Oneida County, Wisconsin	MoB	Monico loam, 1 to 6 percent slopes, stony	w
Oneida County, Wisconsin	PrB	Pequaming loamy sand, 1 to 3 percent slopes, stony	wp
Oneida County, Wisconsin	Pt	Pits, gravel	p+
Oneida County, Wisconsin	RsB	Rousseau loamy fine sand, 0 to 6 percent slopes	p
Oneida County, Wisconsin	RsC	Rousseau loamy fine sand, 6 to 15 percent slopes	p
Oneida County, Wisconsin	SaB	Sayner loamy sand, 0 to 6 percent slopes	p
Oneida County, Wisconsin	SaC	Sayner loamy sand, 6 to 15 percent slopes	p
Oneida County, Wisconsin	SaD	Sayner loamy sand, 15 to 45 percent slopes	p
Oneida County, Wisconsin	UdB	Udorthents, nearly level and gently sloping	+
Oneida County, Wisconsin	VsB	Vilas loamy sand, 0 to 6 percent slopes	p
Oneida County, Wisconsin	VsC	Vilas loamy sand, 6 to 15 percent slopes	p
Oneida County, Wisconsin	VsD	Vilas loamy sand, 15 to 25 percent slopes	p
Oneida County, Wisconsin	W	Water	+
Oneida County, Wisconsin	WoA	Worcester sandy loam, 0 to 3 percent slopes	w
Outagamie County, Wisconsin	AdA	Allendale loamy fine sand, 0 to 3 percent slopes	w
Outagamie County, Wisconsin	Ax	Angelica silt loam	w
Outagamie County, Wisconsin	BnA	Bonduel silt loam, 0 to 3 percent slopes	w
Outagamie County, Wisconsin	Ca	Carbondale muck	wp
Outagamie County, Wisconsin	Cm	Cathro muck	wp
Outagamie County, Wisconsin	CnB	Channahon silt loam, 2 to 6 percent slopes	r
Outagamie County, Wisconsin	De	Deford loamy fine sand	wp
Outagamie County, Wisconsin	Fu	Fluvaquents	w+
Outagamie County, Wisconsin	Gp	Gravel pits	p+
Outagamie County, Wisconsin	HtB	Hortonville-Symco silt loams, 2 to 6 percent slopes	w
Outagamie County, Wisconsin	Ke	Keowns silt loam	w
Outagamie County, Wisconsin	LDF	Landfill	+
Outagamie County, Wisconsin	Ln	Limestone quarries	rp+
Outagamie County, Wisconsin	Lo	Lobo peat	w
Outagamie County, Wisconsin	M-W	Miscellaneous water	+
Outagamie County, Wisconsin	MeB	Manistee loamy fine sand, 2 to 6 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Outagamie County, Wisconsin	MeC2	Manistee loamy fine sand, 6 to 12 percent slopes, eroded	p
Outagamie County, Wisconsin	MfB	Manistee fine sandy loam, 2 to 6 percent slopes	p
Outagamie County, Wisconsin	Mk	Markey muck	wp
Outagamie County, Wisconsin	MsB	Menominee loamy fine sand, loamy substratum, 2 to 6 percent slopes	p
Outagamie County, Wisconsin	MsC2	Menominee loamy fine sand, loamy substratum, 6 to 12 percent slopes, eroded	p
Outagamie County, Wisconsin	MuA	Mundelein silt loam, 0 to 3 percent slopes	w
Outagamie County, Wisconsin	NaB	Namur silt loam, 1 to 6 percent slopes	r
Outagamie County, Wisconsin	Pe	Pella silt loam	w
Outagamie County, Wisconsin	Ra	Rock outcrop	r +
Outagamie County, Wisconsin	Rd	Rondeau muck	wp
Outagamie County, Wisconsin	RoB	Rousseau loamy fine sand, 2 to 6 percent slopes	p
Outagamie County, Wisconsin	SeC	Shawano fine sand, rolling	p
Outagamie County, Wisconsin	SeD	Shawano fine sand, hilly	p
Outagamie County, Wisconsin	ShA	Shiocton silt loam, 0 to 3 percent slopes	w
Outagamie County, Wisconsin	SkA	Shiocton silt loam, clayey substratum, 0 to 3 percent slopes	w
Outagamie County, Wisconsin	SnB	Shiocton-Nichols complex, 2 to 6 percent slopes	w
Outagamie County, Wisconsin	SoA	Solona silt loam, 1 to 3 percent slopes	w
Outagamie County, Wisconsin	SP	Sand pit	p
Outagamie County, Wisconsin	Su	Suamico muck	wp
Outagamie County, Wisconsin	SyA	Symco silt loam, 1 to 3 percent slopes	w
Outagamie County, Wisconsin	SzA	Symco variant, 0 to 3 percent slopes	w
Outagamie County, Wisconsin	Uf	Udifluvents	w
Outagamie County, Wisconsin	Uo	Udorthents	+
Outagamie County, Wisconsin	W	Water	+
Outagamie County, Wisconsin	WaA	Wainola loamy fine sand, 0 to 3 percent slopes	w
Outagamie County, Wisconsin	Wb	Will silt loam	w
Outagamie County, Wisconsin	ZtA	Zittau silty clay loam, 0 to 3 percent slopes	w
Ozaukee County, Wisconsin	Ak	Adrian mucky peat	wp+
Ozaukee County, Wisconsin	Am	Alluvial land	+
Ozaukee County, Wisconsin	As	Ashkum silt loam	w
Ozaukee County, Wisconsin	AzA	Aztalan loam, 1 to 3 percent slopes	w
Ozaukee County, Wisconsin	BsA	Brookston silt loam, 0 to 3 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Ozaukee County, Wisconsin	CrD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	p
Ozaukee County, Wisconsin	CrE2	Casco-Rodman complex, 20 to 35 percent slopes, eroded	p
Ozaukee County, Wisconsin	Cv	Clayey land	+
Ozaukee County, Wisconsin	Cw	Colwood silt loam	w
Ozaukee County, Wisconsin	DaA	Darroch fine sandy loam, neutral variant, 0 to 3 percent slopes	w
Ozaukee County, Wisconsin	Ge	Granby loamy sand, loamy substratum	wp
Ozaukee County, Wisconsin	GP	Gravel pit	p+
Ozaukee County, Wisconsin	Hu	Houghton mucky peat	wp
Ozaukee County, Wisconsin	Km	Keowns silt loam	w
Ozaukee County, Wisconsin	KyA	Knowles silt loam, mottled subsoil variant, 0 to 2 percent slopes	w
Ozaukee County, Wisconsin	LDF	Landfill	+
Ozaukee County, Wisconsin	Lu	Loamy land	+
Ozaukee County, Wisconsin	M-W	Miscellaneous water	+
Ozaukee County, Wisconsin	MaA	Manawa silt loam, 1 to 3 percent slopes	w
Ozaukee County, Wisconsin	Mf	Marsh	wp
Ozaukee County, Wisconsin	MgA	Martinton silt loam, 1 to 3 percent slopes	w
Ozaukee County, Wisconsin	MkA	Matherton loam, 0 to 2 percent slopes	w
Ozaukee County, Wisconsin	MmA	Matherton silt loam, 1 to 3 percent slopes	w
Ozaukee County, Wisconsin	MtA	Mequon silt loam, 1 to 3 percent slopes	w
Ozaukee County, Wisconsin	Mzg	Muskego muck	wp
Ozaukee County, Wisconsin	Mzk	Mussey loam	w
Ozaukee County, Wisconsin	Na	Navan silt loam	w
Ozaukee County, Wisconsin	NnA	Nenno silt loam, 1 to 3 percent slopes	w
Ozaukee County, Wisconsin	Od	Ogden mucky peat	wp
Ozaukee County, Wisconsin	Pc	Palms mucky peat	wp
Ozaukee County, Wisconsin	Ph	Pella silt loam	w
Ozaukee County, Wisconsin	Py	Poygan silty clay loam	w
Ozaukee County, Wisconsin	QUA	Quarry	r +
Ozaukee County, Wisconsin	RaA	Radford silt loam, 0 to 3 percent slopes	w
Ozaukee County, Wisconsin	RkB	Ritchey silt loam, 0 to 6 percent slopes	r
Ozaukee County, Wisconsin	RkD2	Ritchey silt loam, 6 to 20 percent slopes, eroded	r
Ozaukee County, Wisconsin	Rw	Rollin mucky peat	w
Ozaukee County, Wisconsin	Ry	Rough broken land	+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Ozaukee County, Wisconsin	Sf	Sandy and gravelly land	+
Ozaukee County, Wisconsin	Sfb	Sandy lake beaches	+
Ozaukee County, Wisconsin	Sm	Sebewa silt loam	w
Ozaukee County, Wisconsin	SP	Sand pit	p
Ozaukee County, Wisconsin	UL	Urban land	+
Ozaukee County, Wisconsin	W	Water	+
Ozaukee County, Wisconsin	WmA	Wasepi sandy loam, 1 to 3 percent slopes	w
Ozaukee County, Wisconsin	Ww	Wet alluvial land	w +
Ozaukee County, Wisconsin	YhA	Yahara very fine sandy loam, 1 to 3 percent slopes	w
Pepin County, Wisconsin	11A	Markey muck, flooded, 0 to 1 percent slopes	w
Pepin County, Wisconsin	20A	Palms and Houghton mucks, 0 to 1 percent slopes	wp
Pepin County, Wisconsin	21A	Palms muck, flooded, 0 to 1 percent slopes	w
Pepin County, Wisconsin	40A	Markey and Seelyeville mucks, 0 to 1 percent slopes	wp
Pepin County, Wisconsin	233C	Boone sand, 6 to 15 percent slopes	p
Pepin County, Wisconsin	265B	Garne loamy sand, 2 to 6 percent slopes	p
Pepin County, Wisconsin	265C	Garne loamy sand, 6 to 12 percent slopes	p
Pepin County, Wisconsin	429A	Lows loam, 0 to 2 percent slopes	w
Pepin County, Wisconsin	501A	Finchford loamy sand, 0 to 3 percent slopes	p
Pepin County, Wisconsin	501B	Finchford loamy sand, 2 to 6 percent slopes	p
Pepin County, Wisconsin	502B2	Chelsea fine sand, 2 to 6 percent slopes, eroded	p
Pepin County, Wisconsin	502C2	Chelsea fine sand, 6 to 15 percent slopes, eroded	p
Pepin County, Wisconsin	506A	Komro loamy sand, 0 to 3 percent slopes	p
Pepin County, Wisconsin	510B	Boplain sand, 0 to 6 percent slopes	p
Pepin County, Wisconsin	510C	Boplain sand, 6 to 15 percent slopes	p
Pepin County, Wisconsin	510F	Boplain sand, 15 to 60 percent slopes	p
Pepin County, Wisconsin	511A	Plainfield sand, 0 to 3 percent slopes	p
Pepin County, Wisconsin	511B	Plainfield sand, 2 to 6 percent slopes	p
Pepin County, Wisconsin	511C	Plainfield sand, 6 to 15 percent slopes	p
Pepin County, Wisconsin	511F	Plainfield sand, 15 to 60 percent slopes	p
Pepin County, Wisconsin	512B	Drammen loamy sand, 1 to 6 percent slopes	p
Pepin County, Wisconsin	512C	Drammen loamy sand, 6 to 12 percent slopes	p
Pepin County, Wisconsin	512D	Drammen loamy sand, 12 to 20 percent slopes	p
Pepin County, Wisconsin	516A	Aldo sand, 0 to 3 percent slopes	p

County	MUSYM	Map Unit Name	Restriction
Pepin County, Wisconsin	546A	Prissel loamy sand, 0 to 3 percent slopes	p
Pepin County, Wisconsin	546B	Prissel loamy sand, 2 to 6 percent slopes	p
Pepin County, Wisconsin	546F	Prissel loamy sand, 15 to 60 percent slopes	p
Pepin County, Wisconsin	561B	Tarr sand, 1 to 6 percent slopes	p
Pepin County, Wisconsin	566A	Tint sand, 0 to 3 percent slopes	p
Pepin County, Wisconsin	589A	Newson mucky loamy sand, 0 to 2 percent slopes	wp
Pepin County, Wisconsin	629A	Etrick silt loam, 0 to 2 percent slopes	w
Pepin County, Wisconsin	656A	Scotah loamy fine sand, 0 to 3 percent slopes	p
Pepin County, Wisconsin	1145F	Gaphill-Rockbluff complex, 30 to 60 percent slopes	p
Pepin County, Wisconsin	1155F	Brodale-Bellechester-Rock outcrop complex, 60 to 90 percent slopes	rp
Pepin County, Wisconsin	1224F	Boone-Elevasil complex, 15 to 50 percent slopes	p
Pepin County, Wisconsin	1648A	Northbend-Etrick silt loams, 0 to 3 percent slopes	w
Pepin County, Wisconsin	1658A	Alganssee-Kalmarville complex, 0 to 3 percent slopes	w
Pepin County, Wisconsin	2003A	Riverwash, nearly level	+
Pepin County, Wisconsin	2013	Pits, gravel	+
Pepin County, Wisconsin	2014	Pits, quarry, hard bedrock	+
Pepin County, Wisconsin	2040	Udipsamments, dredge material	p+
Pepin County, Wisconsin	2050	Landfill	+
Pepin County, Wisconsin	M-W	Miscellaneous water	+
Pepin County, Wisconsin	W	Water	+
Pierce County, Wisconsin	162C	Northfield silt loam, meteorite crater, 6 to 12 percent slopes	r
Pierce County, Wisconsin	162D	Northfield silt loam, meteorite crater, 12 to 20 percent slopes	r
Pierce County, Wisconsin	162F	Northfield silt loam, meteorite crater, 20 to 45 percent slopes	r
Pierce County, Wisconsin	230C	Boone loamy fine sand, till plain, 6 to 15 percent slopes	p
Pierce County, Wisconsin	230F	Boone loamy fine sand, till plain, 15 to 50 percent slopes	p
Pierce County, Wisconsin	489A	Marshan silt loam, 0 to 2 percent slopes	w
Pierce County, Wisconsin	501A	Finchford loamy sand, 0 to 3 percent slopes	p
Pierce County, Wisconsin	501B	Finchford loamy sand, 2 to 6 percent slopes	p
Pierce County, Wisconsin	502B2	Chelsea fine sand, 2 to 6 percent slopes, moderately eroded	p
Pierce County, Wisconsin	502C2	Chelsea fine sand, 6 to 15 percent slopes, moderately eroded	p
Pierce County, Wisconsin	506A	Komro loamy sand, 0 to 3 percent slopes	p
Pierce County, Wisconsin	511A	Plainfield sand, 0 to 3 percent slopes	p
Pierce County, Wisconsin	511B	Plainfield sand, 2 to 6 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Pierce County, Wisconsin	511C	Plainfield sand, 6 to 15 percent slopes	p
Pierce County, Wisconsin	511F	Plainfield sand, 15 to 60 percent slopes	p
Pierce County, Wisconsin	512B	Drammen loamy sand, 1 to 6 percent slopes	p
Pierce County, Wisconsin	512C	Drammen loamy sand, 6 to 12 percent slopes	p
Pierce County, Wisconsin	512D	Drammen loamy sand, 12 to 20 percent slopes	p
Pierce County, Wisconsin	546B	Prissel loamy sand, 2 to 6 percent slopes	p
Pierce County, Wisconsin	546C	Prissel loamy sand, 6 to 15 percent slopes	p
Pierce County, Wisconsin	546F	Prissel loamy sand, 15 to 60 percent slopes	p
Pierce County, Wisconsin	629A	Ettrick silt loam, 0 to 2 percent slopes, frequently flooded	w
Pierce County, Wisconsin	656A	Scotah loamy fine sand, 0 to 3 percent slopes, occasionally flooded	p
Pierce County, Wisconsin	819A	Clyde silt loam, 0 to 3 percent slopes	w
Pierce County, Wisconsin	1105F	Dorerton, very stony-Boone-Whalan complex, 20 to 60 percent slopes	p
Pierce County, Wisconsin	1145F	Gaphill-Rockbluff complex, 30 to 60 percent slopes	p
Pierce County, Wisconsin	1155F	Brodale-Bellechester-Rock outcrop complex, 60 to 90 percent slopes	rp
Pierce County, Wisconsin	1608A	Scotah-Orion-Riverwash complex, 0 to 2 percent slopes, frequently flooded	p
Pierce County, Wisconsin	1628A	Orion-Coland complex, 0 to 2 percent slopes, occasionally flooded	w
Pierce County, Wisconsin	1648A	Northbend-Ettrick silt loams, 0 to 3 percent slopes, frequently flooded	w
Pierce County, Wisconsin	1658A	Alganssee-Kalmarville complex, 0 to 3 percent slopes, frequently flooded	w
Pierce County, Wisconsin	1816F	Lilah-Wykoff-Boone complex, 20 to 35 percent slopes	p
Pierce County, Wisconsin	1841D	Lilah-Wykoff complex, 12 to 20 percent slopes	p
Pierce County, Wisconsin	2002	Udorthents, earthen dams	+
Pierce County, Wisconsin	2013	Pits, gravel	+
Pierce County, Wisconsin	2014	Pits, quarry, hard bedrock	+
Pierce County, Wisconsin	2016	Pits, quarry, soft bedrock	+
Pierce County, Wisconsin	2050	Landfill	+
Pierce County, Wisconsin	M-W	Miscellaneous water	+
Pierce County, Wisconsin	W	Water	+
Polk County, Wisconsin	Ag	Alstad loam, 0 to 3 percent slopes	w
Polk County, Wisconsin	AoB	Amery complex, 1 to 6 percent slopes	p
Polk County, Wisconsin	AoC	Amery complex, 6 to 12 percent slopes	p
Polk County, Wisconsin	AoD	Amery complex, 12 to 20 percent slopes	p
Polk County, Wisconsin	AoE	Amery complex, 20 to 30 percent slopes	p
Polk County, Wisconsin	ArC	Amery-Rock outcrop complex, 2 to 12 percent slopes	r

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Polk County, Wisconsin	ArD	Amery-Rock outcrop complex, 12 to 45 percent slopes	r
Polk County, Wisconsin	Bf	Bluffton loam	w
Polk County, Wisconsin	Cc	Cathro muck	wp
Polk County, Wisconsin	CmA	Comstock silt loam, 0 to 3 percent slopes	w
Polk County, Wisconsin	CpA	Comstock variant loam, 0 to 3 percent slopes	w
Polk County, Wisconsin	CrA	Cromwell sandy loam, 0 to 2 percent slopes	p
Polk County, Wisconsin	CrB	Cromwell sandy loam, 2 to 6 percent slopes	p
Polk County, Wisconsin	CrC	Cromwell sandy loam, 6 to 12 percent slopes	p
Polk County, Wisconsin	CrD	Cromwell sandy loam, 12 to 25 percent slopes	p
Polk County, Wisconsin	CsA	Cromwell variant sandy loam, 0 to 3 percent slopes	w
Polk County, Wisconsin	CtA	Croswell loamy sand, 0 to 3 percent slopes	p
Polk County, Wisconsin	CxB	Cushing complex, 2 to 6 percent slopes	p
Polk County, Wisconsin	CxC2	Cushing complex, 6 to 12 percent slopes, eroded	p
Polk County, Wisconsin	CxD2	Cushing complex, 12 to 20 percent slopes, eroded	p
Polk County, Wisconsin	DvA	Dakota variant silt loam, 0 to 3 percent slopes	w
Polk County, Wisconsin	EmD	Emmert gravelly sandy loam, 12 to 35 percent slopes	p
Polk County, Wisconsin	Fa	Fluvaquents	+
Polk County, Wisconsin	Fe	Fluvaquents, wet	w
Polk County, Wisconsin	HrB	Hubbard loamy sand, 0 to 6 percent slopes	p
Polk County, Wisconsin	LnA	Lino loamy fine sand, 0 to 3 percent slopes	w
Polk County, Wisconsin	M-W	Miscellaneous water	+
Polk County, Wisconsin	Mk	Markey muck	wp
Polk County, Wisconsin	MnB	Menahga loamy sand, 1 to 6 percent slopes	p
Polk County, Wisconsin	MnC	Menahga loamy sand, 6 to 12 percent slopes	p
Polk County, Wisconsin	MnD	Menahga loamy sand, 12 to 25 percent slopes	p
Polk County, Wisconsin	Ns	Newson loamy fine sand	wp
Polk County, Wisconsin	NyA	Nymore fine sand, 0 to 3 percent slopes	p
Polk County, Wisconsin	OgB	Omega fine sand, 2 to 6 percent slopes	p
Polk County, Wisconsin	OgC	Omega fine sand, 6 to 12 percent slopes	p
Polk County, Wisconsin	OgD	Omega fine sand, 12 to 20 percent slopes	p
Polk County, Wisconsin	Pg	Pits, gravel	p+
Polk County, Wisconsin	PxA	Poskin silt loam, 0 to 3 percent slopes	w
Polk County, Wisconsin	QUA	Quarry	r +

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Polk County, Wisconsin	Rf	Rifle muck	wp
Polk County, Wisconsin	RpB	Rosholt-Cromwell complex, 2 to 6 percent slopes	p
Polk County, Wisconsin	RpC	Rosholt-Cromwell complex, 6 to 12 percent slopes	p
Polk County, Wisconsin	RpD	Rosholt-Cromwell complex, 12 to 20 percent slopes	p
Polk County, Wisconsin	RpE	Rosholt-Cromwell complex, 20 to 30 percent slopes	p
Polk County, Wisconsin	Se	Saprists and Aquents	wp
Polk County, Wisconsin	Sm	Seelyeville muck	wp
Polk County, Wisconsin	Us	Udorthents, sandy	p
Polk County, Wisconsin	Uy	Udorthents, loamy	+
Polk County, Wisconsin	W	Water	+
Polk County, Wisconsin	Wv	Warman variant sandy loam	w
Portage County, Wisconsin	Ab	Alluvial land, wet	w
Portage County, Wisconsin	Af	Altdorf silt loam	w
Portage County, Wisconsin	Ca	Cathro muck	wp
Portage County, Wisconsin	CoB	Coloma loamy sand, 2 to 6 percent slopes	p
Portage County, Wisconsin	CoC	Coloma loamy sand, 6 to 12 percent slopes	p
Portage County, Wisconsin	Da	Dancy sandy loam	w
Portage County, Wisconsin	DoA	Dolph silt loam, 1 to 3 percent slopes	w
Portage County, Wisconsin	FrA	Friendship loamy sand, 0 to 3 percent slopes	p
Portage County, Wisconsin	GP	Gravel pit	p+
Portage County, Wisconsin	KeA	Kert silt loam, 1 to 3 percent slopes	w
Portage County, Wisconsin	LDF	Landfill	+
Portage County, Wisconsin	LeA	Leola loamy sand, 0 to 3 percent slopes	w
Portage County, Wisconsin	Lu	Lupton muck	wp
Portage County, Wisconsin	Ma	Markey muck	wp
Portage County, Wisconsin	Mb	Markey muck, shallow	wp
Portage County, Wisconsin	Mc	Marsh	w
Portage County, Wisconsin	MeA	Meadland loam, 1 to 3 percent slopes	w
Portage County, Wisconsin	MnA	Meehan loamy sand, 0 to 3 percent slopes	w
Portage County, Wisconsin	MoA	Meehan loamy sand, sandstone substratum, 0 to 3 percent slopes	w
Portage County, Wisconsin	MpA	Meehan loamy sand, red surface, 0 to 3 percent slopes	w
Portage County, Wisconsin	Mr	Meehan fine sandy loam, gravelly variant	w
Portage County, Wisconsin	Oe	Oesterle sandy loam	w

County	MUSYM	Map Unit Name	Restriction
Portage County, Wisconsin	Ov	Oesterle loam, silty subsoil variant	w
Portage County, Wisconsin	PbB	Plainbo loamy sand, 2 to 6 percent slopes	p
Portage County, Wisconsin	PfA	Plainfield loamy sand, 0 to 2 percent slopes	p
Portage County, Wisconsin	PfB	Plainfield loamy sand, 2 to 6 percent slopes	p
Portage County, Wisconsin	PfC	Plainfield loamy sand, 6 to 12 percent slopes	p
Portage County, Wisconsin	PgB	Plainfield loamy sand, granite substratum, 2 to 6 percent slopes	p
Portage County, Wisconsin	Ph	Plainfield and Kranski soils	p
Portage County, Wisconsin	PkB	Plainfield sandy loam, gravelly variant, 2 to 6 percent slopes	p
Portage County, Wisconsin	PoA	Point sandy loam, 1 to 3 percent slopes	w
Portage County, Wisconsin	RfA	Richford loamy sand, 0 to 2 percent slopes	p
Portage County, Wisconsin	RfB	Richford loamy sand, 2 to 6 percent slopes	p
Portage County, Wisconsin	RfC	Richford loamy sand, 6 to 12 percent slopes	p
Portage County, Wisconsin	RgB	Richford loamy fine sand, 2 to 6 percent slopes	p
Portage County, Wisconsin	RhA	Rockers loamy sand, 1 to 3 percent slopes	w
Portage County, Wisconsin	Rk	Rock land	r +
Portage County, Wisconsin	Rm	Roscommon muck	wp
Portage County, Wisconsin	Rn	Roscommon-Meehan complex, 0 to 3 percent slopes	wp
Portage County, Wisconsin	Ro	Roscommon sandy loam, loamy variant	w
Portage County, Wisconsin	Rp	Roscommon sandy loam, loamy variant, loamy substratum	w
Portage County, Wisconsin	RuD	Rosholt complex, 12 to 20 percent slopes	p
Portage County, Wisconsin	RuE	Rosholt complex, 20 to 40 percent slopes	p
Portage County, Wisconsin	Se	Seelyeville muck	wp
Portage County, Wisconsin	Sh	Sherry silt loam	w
Portage County, Wisconsin	Vs	Vesper silt loam	w
Portage County, Wisconsin	W	Water	+
Price County, Wisconsin	22A	Comstock silt loam, 0 to 3 percent slopes	w
Price County, Wisconsin	192A	Worcester sandy loam, 0 to 3 percent slopes	w
Price County, Wisconsin	193A	Minocqua muck, 0 to 2 percent slopes	w
Price County, Wisconsin	217B	Karlin loamy fine sand, 0 to 6 percent slopes	p
Price County, Wisconsin	217C	Karlin loamy fine sand, 6 to 15 percent slopes	p
Price County, Wisconsin	405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	wp
Price County, Wisconsin	407A	Seelyeville and Markey soils, 0 to 1 percent slopes	wp
Price County, Wisconsin	408A	Lupton and Cathro soils, 0 to 1 percent slopes	wp

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Price County, Wisconsin	414A	Loxley and Beseman soils, 0 to 1 percent slopes	wp
Price County, Wisconsin	418A	Loxley and Dawson soils, 0 to 1 percent slopes	wp
Price County, Wisconsin	425B	Karlin sandy loam, 0 to 6 percent slopes	p
Price County, Wisconsin	425C	Karlin sandy loam, 6 to 15 percent slopes	p
Price County, Wisconsin	425D	Karlin sandy loam, 15 to 30 percent slopes	p
Price County, Wisconsin	441C	Freeon, very stony-Cathro complex, 0 to 15 percent slopes	wp
Price County, Wisconsin	445A	Kinross muck, 0 to 2 percent slopes	w
Price County, Wisconsin	461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	wp
Price County, Wisconsin	475D	Rubicon-Sayner complex, 15 to 30 percent slopes	p
Price County, Wisconsin	520A	Annriver silt loam, 0 to 2 percent slopes	w
Price County, Wisconsin	537D	Newot, very stony-Newood, very stony-Cathro complex, 0 to 35 percent slopes	wp
Price County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	w
Price County, Wisconsin	571B	Pelissier gravelly sandy loam, 2 to 6 percent slopes	p
Price County, Wisconsin	571C	Pelissier gravelly sandy loam, 6 to 15 percent slopes	p
Price County, Wisconsin	571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	p
Price County, Wisconsin	591A	Croswell-Chinwhisker complex, 0 to 3 percent slopes	p
Price County, Wisconsin	594B	Vilas-Lindquist complex, 0 to 6 percent slopes	p
Price County, Wisconsin	594C	Vilas-Lindquist complex, 6 to 15 percent slopes	p
Price County, Wisconsin	594D	Vilas-Lindquist complex, 15 to 30 percent slopes	p
Price County, Wisconsin	600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	w +
Price County, Wisconsin	624A	Ossmer silt loam, 0 to 3 percent slopes	w
Price County, Wisconsin	670B	Keweenaw-Pence complex, 0 to 6 percent slopes, stony	p
Price County, Wisconsin	670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	p
Price County, Wisconsin	670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	p
Price County, Wisconsin	675A	Robago fine sandy loam, 0 to 3 percent slopes	w
Price County, Wisconsin	701A	Whisklake silt loam, 0 to 3 percent slopes	w
Price County, Wisconsin	755A	Moppet, occasionally flooded-Fordum, frequently flooded complex, 0 to 3 percent slopes	w
Price County, Wisconsin	815A	Wormet sandy loam, 0 to 3 percent slopes	w
Price County, Wisconsin	974B	Sayner-Pence-Vilas complex, 0 to 6 percent slopes	p
Price County, Wisconsin	974C	Sayner-Pence-Vilas complex, 6 to 15 percent slopes	p
Price County, Wisconsin	974D	Sayner-Pence-Vilas complex, 15 to 30 percent slopes	p

County	MUSYM	Map Unit Name	Restriction
Price County, Wisconsin	2015	Pits	+
Price County, Wisconsin	2030	Udorthents and udipsamments, cut or fill	+
Price County, Wisconsin	2050	Landfill	+
Price County, Wisconsin	3114A	Saprists, Aquepts, and Aquepts, 0 to 1 percent slopes, ponded, flooded	w
Price County, Wisconsin	3276A	Au Gres loamy sand, 0 to 3 percent slopes	w
Price County, Wisconsin	3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	wp
Price County, Wisconsin	3556C	Newood, very stony-Magnor, very stony-Cathro complex, 0 to 15 percent slopes	wp
Price County, Wisconsin	3569C	Newood, very stony-Pesabic, very stony-Cathro complex, 0 to 15 percent slopes	wp
Price County, Wisconsin	9012B	Sayner-Lindquist complex, 0 to 6 percent slopes	p
Price County, Wisconsin	9012C	Sayner-Lindquist complex, 6 to 15 percent slopes	p
Price County, Wisconsin	9012D	Sayner-Lindquist complex, 15 to 30 percent slopes	p
Price County, Wisconsin	9050A	Fordum, Totagatic, and Bowstring soils, 0 to 1 percent slopes, frequently flooded	wp
Price County, Wisconsin	9052A	Cathro-Capitola, very stony-Lupton complex, 0 to 1 percent slopes	p
Price County, Wisconsin	9060D	Pelissier sandy loam, 20 to 45 percent slopes	p
Price County, Wisconsin	9113B	Padus-Karlin complex, 0 to 6 percent slopes	p
Price County, Wisconsin	9113C	Padus-Karlin complex, 6 to 15 percent slopes	p
Price County, Wisconsin	9113D	Padus-Karlin complex, 15 to 30 percent slopes	p
Price County, Wisconsin	9155A	Haplosaprists, Peats, and Mucks, 0 to 1 percent slopes	wp
Price County, Wisconsin	M-W	Miscellaneous water	+
Price County, Wisconsin	W	Water	+
Racine County, Wisconsin	Ac	Adrian muck	wp
Racine County, Wisconsin	Am	Alluvial land	+
Racine County, Wisconsin	AtA	Ashkum silty clay loam, 0 to 3 percent slopes	w
Racine County, Wisconsin	AuA	Aztalan sandy loam, 1 to 3 percent slopes	w
Racine County, Wisconsin	AzA	Aztalan loam, 0 to 2 percent slopes	w
Racine County, Wisconsin	AzB	Aztalan loam, 2 to 6 percent slopes	w
Racine County, Wisconsin	BP	Borrow pit	+
Racine County, Wisconsin	CP	Coal pile	p+
Racine County, Wisconsin	CrC	Casco-Rodman complex, 6 to 12 percent slopes	p
Racine County, Wisconsin	CrD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Racine County, Wisconsin	CrE	Casco-Rodman complex, 20 to 35 percent slopes	p
Racine County, Wisconsin	Cv	Clayey land	+
Racine County, Wisconsin	Cw	Colwood silt loam	w
Racine County, Wisconsin	CyA	Conover silt loam, 1 to 3 percent slopes	w
Racine County, Wisconsin	DaA	Darroch fine sandy loam, neutral variant, 0 to 3 percent slopes	w
Racine County, Wisconsin	Dt	Drummer silt loam, gravelly substratum	w
Racine County, Wisconsin	EtA	Elliott silty clay loam, 0 to 2 percent slopes	w
Racine County, Wisconsin	EtB	Elliott silty clay loam, 2 to 6 percent slopes	w
Racine County, Wisconsin	Gf	Granby fine sandy loam	wp
Racine County, Wisconsin	Gm	Granby fine sandy loam, loamy substratum	wp
Racine County, Wisconsin	GnA	Granby fine sandy loam, brown subsoil variant, 0 to 3 percent slopes	w
Racine County, Wisconsin	GP	Gravel pit	p+
Racine County, Wisconsin	Ht	Houghton muck	wp
Racine County, Wisconsin	KaA	Kane loam, 1 to 3 percent slopes	w
Racine County, Wisconsin	KhA	Kane silt loam, clayey substratum, 1 to 3 percent slopes	w
Racine County, Wisconsin	LDF	Landfill	+
Racine County, Wisconsin	Lu	Loamy land	+
Racine County, Wisconsin	M-W	Miscellaneous water	+
Racine County, Wisconsin	Mf	Marsh	wp
Racine County, Wisconsin	MgA	Martinton silt loam, 1 to 3 percent slopes	w
Racine County, Wisconsin	MkA	Matherton loam, 1 to 3 percent slopes	w
Racine County, Wisconsin	MIA	Matherton loam, clayey substratum, 1 to 3 percent slopes	w
Racine County, Wisconsin	Mzc	Montgomery silty clay	w
Racine County, Wisconsin	MzfA	Mundelein silt loam, 1 to 3 percent slopes	w
Racine County, Wisconsin	Mzg	Muskego muck	wp
Racine County, Wisconsin	Mzk	Mussey loam	w
Racine County, Wisconsin	Na	Navan silt loam	w
Racine County, Wisconsin	Oc	Ogden muck	wp
Racine County, Wisconsin	Pa	Palms muck	wp
Racine County, Wisconsin	Ph	Pella silt loam	w
Racine County, Wisconsin	QUA	Quarry	r +
Racine County, Wisconsin	RaA	Radford silt loam, 0 to 3 percent slopes	w
Racine County, Wisconsin	Rt	Rollin muck	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Racine County, Wisconsin	Ry	Rough broken land	+
Racine County, Wisconsin	Sf	Sandy and gravelly land	p
Racine County, Wisconsin	Sfb	Sandy lake beaches	+
Racine County, Wisconsin	Sg	Sawmill silt loam, calcareous variant	w
Racine County, Wisconsin	Sm	Sebewa silt loam	w
Racine County, Wisconsin	W	Water	+
Racine County, Wisconsin	Wa	Walkkill silt loam	w
Racine County, Wisconsin	WmA	Wasepi sandy loam, 1 to 3 percent slopes	w
Racine County, Wisconsin	WnA	Wasepi sandy loam, clayey substratum, 1 to 3 percent slopes	w
Racine County, Wisconsin	Ww	Wet alluvial land	w
Racine County, Wisconsin	YaA	Yahara fine sandy loam, 1 to 3 percent slopes	w
Richland County, Wisconsin	20A	Palms and Houghton mucks, 0 to 1 percent slopes	wp
Richland County, Wisconsin	21A	Palms muck, 0 to 1 percent slopes, frequently flooded	w
Richland County, Wisconsin	284C2	Gillingham loamy fine sand, 6 to 12 percent slopes, moderately eroded	p
Richland County, Wisconsin	284D2	Gillingham loamy fine sand, 12 to 20 percent slopes, moderately eroded	p
Richland County, Wisconsin	293B2	Muscoda loamy fine sand, 1 to 6 percent slopes, moderately eroded	p
Richland County, Wisconsin	293C2	Muscoda loamy fine sand, 6 to 12 percent slopes, moderately eroded	p
Richland County, Wisconsin	293D2	Muscoda loamy fine sand, 12 to 20 percent slopes, moderately eroded	p
Richland County, Wisconsin	502B2	Chelsea fine sand, 2 to 6 percent slopes, moderately eroded	p
Richland County, Wisconsin	502C2	Chelsea fine sand, 6 to 15 percent slopes, moderately eroded	p
Richland County, Wisconsin	504A	Sparta loamy fine sand, 0 to 3 percent slopes	p
Richland County, Wisconsin	506A	Komro loamy sand, 0 to 3 percent slopes	p
Richland County, Wisconsin	511C	Plainfield sand, 6 to 15 percent slopes	p
Richland County, Wisconsin	511F	Plainfield sand, 15 to 60 percent slopes	p
Richland County, Wisconsin	572B2	Windward loamy fine sand, 2 to 6 percent slopes, moderately eroded	p
Richland County, Wisconsin	572C2	Windward loamy fine sand, 6 to 12 percent slopes, moderately eroded	p
Richland County, Wisconsin	629A	Ettrick silt loam, 0 to 2 percent slopes, frequently flooded	w
Richland County, Wisconsin	656A	Scotah loamy fine sand, 0 to 3 percent slopes, occasionally flooded	p
Richland County, Wisconsin	1145F	Gaphill-Rockbluff complex, 30 to 60 percent slopes	p
Richland County, Wisconsin	1155F	Brodale-Bellechester-Rock outcrop complex, 60 to 90 percent slopes	rp
Richland County, Wisconsin	1505C2	Sparta-Blownout land complex, 0 to 15 percent slopes	p
Richland County, Wisconsin	1648A	Northbend-Ettrick silt loams, 0 to 3 percent slopes, frequently flooded	w
Richland County, Wisconsin	1658A	Alganssee-Kalmarville complex, 0 to 3 percent slopes, frequently flooded	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Richland County, Wisconsin	2002	Udorthents, earthen dams	+
Richland County, Wisconsin	2003A	Riverwash, nearly level	+
Richland County, Wisconsin	2013	Pits, gravel	+
Richland County, Wisconsin	2014	Pits, quarry, hard bedrock	+
Richland County, Wisconsin	2030	Udorthents and Udipsamments, cut or fill	+
Richland County, Wisconsin	2050	Landfill	+
Richland County, Wisconsin	M-W	Miscellaneous water	+
Richland County, Wisconsin	W	Water	+
Rock County, Wisconsin	Ad	Adrian muck	wp
Rock County, Wisconsin	Aw	Alluvial land, wet	w
Rock County, Wisconsin	AzA	Aztalan silt loam, 0 to 3 percent slopes	w
Rock County, Wisconsin	BP	Borrow pit	+
Rock County, Wisconsin	Br	Brookston silt loam	w
Rock County, Wisconsin	Co	Colwood silt loam	w
Rock County, Wisconsin	Da	Darroch loam	w
Rock County, Wisconsin	DcA	Dickman sandy loam, 0 to 2 percent slopes	p
Rock County, Wisconsin	DcB	Dickman sandy loam, 2 to 6 percent slopes	p
Rock County, Wisconsin	DcC2	Dickman sandy loam, 6 to 12 percent slopes, eroded	p
Rock County, Wisconsin	EdB2	Edmund loam, 2 to 6 percent slopes, eroded	r
Rock County, Wisconsin	EdC2	Edmund loam, 6 to 12 percent slopes, eroded	r
Rock County, Wisconsin	EdD2	Edmund loam, 12 to 20 percent slopes, eroded	r
Rock County, Wisconsin	EdE	Edmund loam, 20 to 35 percent slopes	r
Rock County, Wisconsin	EIA	Elburn silt loam, 0 to 3 percent slopes	w
Rock County, Wisconsin	EmA	Elburn silt loam, gravelly substratum, 0 to 3 percent slopes	w
Rock County, Wisconsin	EoA	Elburn silt loam, overwash, 0 to 3 percent slopes	w
Rock County, Wisconsin	GoA	Gotham loamy sand, 0 to 2 percent slopes	p
Rock County, Wisconsin	GoB	Gotham loamy sand, 2 to 6 percent slopes	p
Rock County, Wisconsin	GoC2	Gotham loamy sand, 6 to 12 percent slopes, eroded	p
Rock County, Wisconsin	GoD	Gotham loamy sand, 12 to 20 percent slopes	p
Rock County, Wisconsin	GP	Gravel pit	p+
Rock County, Wisconsin	Ha	Hayfield loam	w
Rock County, Wisconsin	Ho	Houghton muck	wp
Rock County, Wisconsin	LkA	Locke loam, 0 to 3 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Rock County, Wisconsin	M-W	Miscellaneous water	+
Rock County, Wisconsin	Ma	Mahalasville silt loam	w
Rock County, Wisconsin	Mb	Mahalasville silt loam, overwash	w
Rock County, Wisconsin	Mc	Marsh	wp
Rock County, Wisconsin	Md	Marshan loam	w
Rock County, Wisconsin	Me	Maumee loamy sand	wp
Rock County, Wisconsin	Mf	Millington silt loam	w
Rock County, Wisconsin	Na	Navan silt loam	w
Rock County, Wisconsin	Ot	Otter silt loam	w
Rock County, Wisconsin	Pa	Palms muck	wp
Rock County, Wisconsin	QUA	Quarry	r +
Rock County, Wisconsin	Ro	Rock land	r
Rock County, Wisconsin	RrC2	Rodman-Lorenzo complex, 6 to 12 percent slopes, eroded	p
Rock County, Wisconsin	RrE	Rodman-Lorenzo complex, 20 to 30 percent slopes	p
Rock County, Wisconsin	RrF	Rodman-Lorenzo complex, 30 to 45 percent slopes	p
Rock County, Wisconsin	Rs	Rollin muck	w
Rock County, Wisconsin	Se	Sebewa silt loam	w
Rock County, Wisconsin	SoB	Sogn loam, 2 to 6 percent slopes	r
Rock County, Wisconsin	SoC2	Sogn loam, 6 to 12 percent slopes, eroded	r
Rock County, Wisconsin	SoD	Sogn loam, 12 to 20 percent slopes	r
Rock County, Wisconsin	SoF	Sogn loam, 30 to 45 percent slopes	r
Rock County, Wisconsin	W	Water	+
Rock County, Wisconsin	Wb	Watseka loamy fine sand	w
Rock County, Wisconsin	WcA	Wauconda silt loam, 0 to 3 percent slopes	w
Rusk County, Wisconsin	1B	Humaquepts-Fluvaquents complex, 0 to 4 percent slopes, very stony, frequently flooded	w
Rusk County, Wisconsin	22A	Comstock silt loam, 0 to 3 percent slopes	w
Rusk County, Wisconsin	24A	Poskin silt loam, 0 to 3 percent slopes	w
Rusk County, Wisconsin	160A	Oesterle sandy loam, 0 to 2 percent slopes	w
Rusk County, Wisconsin	192A	Worcester sandy loam, 0 to 3 percent slopes	w
Rusk County, Wisconsin	193A	Minocqua muck, 0 to 2 percent slopes	w
Rusk County, Wisconsin	315A	Rib silt loam, 0 to 2 percent slopes	w
Rusk County, Wisconsin	324A	Maplehurst silt loam, 0 to 3 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Rusk County, Wisconsin	383B	Mahtomedi loamy sand, 0 to 6 percent slopes	p
Rusk County, Wisconsin	383C	Mahtomedi loamy sand, 6 to 12 percent slopes	p
Rusk County, Wisconsin	383D	Mahtomedi loamy sand, 12 to 30 percent slopes	p
Rusk County, Wisconsin	406A	Loxley mucky peat, 0 to 1 percent slopes	wp
Rusk County, Wisconsin	407A	Seelyeville and Markey soils, 0 to 1 percent slopes	wp
Rusk County, Wisconsin	408A	Lupton and Cathro soils, 0 to 1 percent slopes	wp
Rusk County, Wisconsin	412A	Rifle and Tacoosh soils, 0 to 1 percent slopes	wp
Rusk County, Wisconsin	414A	Loxley and Beseman soils, 0 to 1 percent slopes	wp
Rusk County, Wisconsin	415A	Greenwood mucky peat, 0 to 1 percent slopes	wp
Rusk County, Wisconsin	425B	Karlin sandy loam, 0 to 6 percent slopes	p
Rusk County, Wisconsin	425C	Karlin sandy loam, 6 to 15 percent slopes	p
Rusk County, Wisconsin	439B	Graycalm-Menahga complex, 0 to 6 percent slopes	p
Rusk County, Wisconsin	439C	Graycalm-Menahga complex, 6 to 12 percent slopes	p
Rusk County, Wisconsin	439D	Graycalm-Menahga complex, 12 to 30 percent slopes	p
Rusk County, Wisconsin	461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	wp
Rusk County, Wisconsin	520A	Annriver silt loam, 0 to 2 percent slopes	w
Rusk County, Wisconsin	532B	Aquepts and Saprists, 0 to 6 percent slopes, extremely bouldery	w +
Rusk County, Wisconsin	537D	Newot, very stony-Newood, very stony-Cathro complex, 0 to 35 percent slopes	wp
Rusk County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	w
Rusk County, Wisconsin	571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	p
Rusk County, Wisconsin	574C	Sayner loamy sand, 6 to 15 percent slopes	p
Rusk County, Wisconsin	574E	Sayner loamy sand, 15 to 45 percent slopes	p
Rusk County, Wisconsin	591A	Croswell-Chinwhisker complex, 0 to 3 percent slopes	p
Rusk County, Wisconsin	594B	Vilas-Lindquist complex, 0 to 6 percent slopes	p
Rusk County, Wisconsin	594C	Vilas-Lindquist complex, 6 to 15 percent slopes	p
Rusk County, Wisconsin	600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	w +
Rusk County, Wisconsin	615B	Cress sandy loam, 0 to 6 percent slopes	p
Rusk County, Wisconsin	615C	Cress sandy loam, 6 to 12 percent slopes	p
Rusk County, Wisconsin	624A	Ossmer silt loam, 0 to 3 percent slopes	w
Rusk County, Wisconsin	675A	Robago fine sandy loam, 0 to 3 percent slopes	w
Rusk County, Wisconsin	700B	Menahga loamy sand, 0 to 6 percent slopes	p
Rusk County, Wisconsin	700C	Menahga loamy sand, 6 to 12 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Rusk County, Wisconsin	746D	Pence-Sconsin-Tawas complex, 0 to 25 percent slopes	wp
Rusk County, Wisconsin	755A	Moppet,occasionally flooded-Fordum, frequently flooded complex, 0 to 3 percent slopes	w
Rusk County, Wisconsin	815A	Wormet sandy loam, 0 to 3 percent slopes	w
Rusk County, Wisconsin	934A	Glenflora silt loam, 0 to 2 percent slopes	w
Rusk County, Wisconsin	2000	Rubble land	+
Rusk County, Wisconsin	2002	Udorthents, earthen dams	+
Rusk County, Wisconsin	2015	Pits	+
Rusk County, Wisconsin	2030	Udorthents and udipsamments, cut or fill	+
Rusk County, Wisconsin	2050	Landfill	+
Rusk County, Wisconsin	3114A	Saprists, Aquepts, and Aquepts, 0 to 1 percent slopes, ponded, flooded	w
Rusk County, Wisconsin	3125A	Meehan loamy sand, 0 to 2 percent slopes	wp
Rusk County, Wisconsin	3126A	Wurtsmith loamy sand, 0 to 3 percent slopes	p
Rusk County, Wisconsin	3276A	Au Gres loamy sand, 0 to 3 percent slopes	w
Rusk County, Wisconsin	3446A	Newson muck, 0 to 2 percent slopes	w
Rusk County, Wisconsin	3556C	Newood, very stony-Magnor, very stony-Cathro complex, 0 to 15 percent slopes	wp
Rusk County, Wisconsin	3569C	Newood, very stony-Pesabic, very stony-Cathro complex, 0 to 15 percent slopes	wp
Rusk County, Wisconsin	9052A	Cathro-Capitola, very stony-Lupton complex, 0 to 1 percent slopes	p
Rusk County, Wisconsin	M-W	Miscellaneous water	+
Rusk County, Wisconsin	W	Water	+
Sauk County, Wisconsin	Ad	Adrian muck	wp
Sauk County, Wisconsin	BoB	Boone sand, 2 to 6 percent slopes	p
Sauk County, Wisconsin	BoC	Boone sand, 6 to 12 percent slopes	p
Sauk County, Wisconsin	BoD	Boone sand, 12 to 30 percent slopes	p
Sauk County, Wisconsin	BrA	Brems loamy sand, 0 to 3 percent slopes	p
Sauk County, Wisconsin	Co	Colwood loam	w
Sauk County, Wisconsin	DAM	Dam, concrete	+
Sauk County, Wisconsin	EnB	Elkmound sandy loam, 2 to 6 percent slopes	r
Sauk County, Wisconsin	EnC	Elkmound sandy loam, 6 to 12 percent slopes	r
Sauk County, Wisconsin	EnD	Elkmound sandy loam, 12 to 20 percent slopes	r
Sauk County, Wisconsin	Et	Ettrick silt loam	w

County	MUSYM	Map Unit Name	Restriction
Sauk County, Wisconsin	Fu	Fluvaquents	+
Sauk County, Wisconsin	Fw	Fluvaquents, wet	w
Sauk County, Wisconsin	GoB	Gotham loamy sand, 1 to 6 percent slopes	p
Sauk County, Wisconsin	GoC	Gotham loamy sand, 6 to 12 percent slopes	p
Sauk County, Wisconsin	GoD	Gotham loamy sand, 12 to 25 percent slopes	p
Sauk County, Wisconsin	Gr	Granby loamy sand	wp
Sauk County, Wisconsin	Gv	Granby variant, loamy sand	w
Sauk County, Wisconsin	Ho	Houghton muck	wp
Sauk County, Wisconsin	LDF	Landfill	+
Sauk County, Wisconsin	M-W	Miscellaneous water	+
Sauk County, Wisconsin	Mc	Marshan loam	w
Sauk County, Wisconsin	NrE	Norden and Eleva soils and rock outcrop, 12 to 60 percent slopes	r
Sauk County, Wisconsin	Os	Ossian silt loam	w
Sauk County, Wisconsin	Pa	Palms muck	wp
Sauk County, Wisconsin	Pd	Pits, gravel	p+
Sauk County, Wisconsin	Pe	Pits, quarries	r +
Sauk County, Wisconsin	PfB	Plainfield loamy sand, 1 to 6 percent slopes	p
Sauk County, Wisconsin	PfC	Plainfield loamy sand, 6 to 12 percent slopes	p
Sauk County, Wisconsin	PfD	Plainfield loamy sand, 12 to 30 percent slopes	p
Sauk County, Wisconsin	Rt	Rock outcrop, quartzite	r +
Sauk County, Wisconsin	Se	Saprists and Aquents	wp
Sauk County, Wisconsin	SpB	Sparta loamy sand, 1 to 6 percent slopes	p
Sauk County, Wisconsin	SpC	Sparta loamy sand, 6 to 12 percent slopes	p
Sauk County, Wisconsin	St	Sparta variant loamy sand	p
Sauk County, Wisconsin	UoE	Udorthents, loamy, steep (earthen dam)	+
Sauk County, Wisconsin	W	Water	+
Sawyer County, Wisconsin	1B	Humaquepts-Fluvaquents complex, 0 to 4 percent slopes, very stony, frequently flooded	w
Sawyer County, Wisconsin	3A	Totagatic-Bowstring-Ausable complex, 0 to 2 percent slopes, frequently flooded	wp
Sawyer County, Wisconsin	22A	Comstock silt loam, 0 to 3 percent slopes	w
Sawyer County, Wisconsin	24A	Poskin silt loam, 0 to 3 percent slopes	w
Sawyer County, Wisconsin	69B	Keweenaw-Sayner-Vilas complex, 2 to 6 percent slopes, stony	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Sawyer County, Wisconsin	69C	Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony	p
Sawyer County, Wisconsin	69E	Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony	p
Sawyer County, Wisconsin	160A	Oesterle sandy loam, 0 to 2 percent slopes	w
Sawyer County, Wisconsin	192A	Worcester sandy loam, 0 to 3 percent slopes	w
Sawyer County, Wisconsin	193A	Minocqua muck, 0 to 2 percent slopes	w
Sawyer County, Wisconsin	217B	Karlin loamy fine sand, 0 to 6 percent slopes	p
Sawyer County, Wisconsin	217C	Karlin loamy fine sand, 6 to 15 percent slopes	p
Sawyer County, Wisconsin	380D	Cress-Rosholt complex, 12 to 25 percent slopes	p
Sawyer County, Wisconsin	383B	Mahtomedi loamy sand, 0 to 6 percent slopes	p
Sawyer County, Wisconsin	383C	Mahtomedi loamy sand, 6 to 12 percent slopes	p
Sawyer County, Wisconsin	383D	Mahtomedi loamy sand, 12 to 30 percent slopes	p
Sawyer County, Wisconsin	405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	wp
Sawyer County, Wisconsin	406A	Loxley mucky peat, 0 to 1 percent slopes	wp
Sawyer County, Wisconsin	407A	Seelyeville and Markey soils, 0 to 1 percent slopes	wp
Sawyer County, Wisconsin	408A	Lupton and Cathro soils, 0 to 1 percent slopes	wp
Sawyer County, Wisconsin	412A	Rifle and Tacoosh soils, 0 to 1 percent slopes	wp
Sawyer County, Wisconsin	414A	Loxley and Beseman soils, 0 to 1 percent slopes	wp
Sawyer County, Wisconsin	415A	Greenwood mucky peat, 0 to 1 percent slopes	wp
Sawyer County, Wisconsin	425B	Karlin sandy loam, 0 to 6 percent slopes	p
Sawyer County, Wisconsin	425C	Karlin sandy loam, 6 to 15 percent slopes	p
Sawyer County, Wisconsin	439B	Graycalm-Menahga complex, 0 to 6 percent slopes	p
Sawyer County, Wisconsin	439C	Graycalm-Menahga complex, 6 to 12 percent slopes	p
Sawyer County, Wisconsin	439D	Graycalm-Menahga complex, 12 to 30 percent slopes	p
Sawyer County, Wisconsin	441C	Freeon, very stony-Cathro complex, 0 to 15 percent slopes	wp
Sawyer County, Wisconsin	442C	Haugen, very stony-Greenwood complex, 0 to 15 percent slopes	wp
Sawyer County, Wisconsin	443D	Amery, very stony-Greenwood complex, 0 to 35 percent slopes	wp
Sawyer County, Wisconsin	445A	Kinross muck, 0 to 2 percent slopes	w
Sawyer County, Wisconsin	461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	wp
Sawyer County, Wisconsin	520A	Annriver silt loam, 0 to 2 percent slopes	w
Sawyer County, Wisconsin	532B	Aquepts and Saprists, 0 to 6 percent slopes, extremely bouldery	w +
Sawyer County, Wisconsin	537D	Newot, very stony-Newood, very stony-Cathro complex, 0 to 35 percent slopes	wp
Sawyer County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Sawyer County, Wisconsin	571C	Pelissier gravelly sandy loam, 6 to 15 percent slopes	p
Sawyer County, Wisconsin	571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	p
Sawyer County, Wisconsin	574B	Sayner loamy sand, 0 to 6 percent slopes	p
Sawyer County, Wisconsin	574C	Sayner loamy sand, 6 to 15 percent slopes	p
Sawyer County, Wisconsin	574E	Sayner loamy sand, 15 to 45 percent slopes	p
Sawyer County, Wisconsin	582B	Padus-Pence-Keweenaw complex, 0 to 6 percent slopes, stony	p
Sawyer County, Wisconsin	582C	Padus-Pence-Keweenaw complex, 6 to 15 percent slopes, stony	p
Sawyer County, Wisconsin	582D	Padus-Pence-Keweenaw complex, 15 to 30 percent slopes, stony	p
Sawyer County, Wisconsin	591A	Croswell-Chinwhisker complex, 0 to 3 percent slopes	p
Sawyer County, Wisconsin	594B	Vilas-Lindquist complex, 0 to 6 percent slopes	p
Sawyer County, Wisconsin	594C	Vilas-Lindquist complex, 6 to 15 percent slopes	p
Sawyer County, Wisconsin	594D	Vilas-Lindquist complex, 15 to 30 percent slopes	p
Sawyer County, Wisconsin	600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	w +
Sawyer County, Wisconsin	615B	Cress sandy loam, 0 to 6 percent slopes	p
Sawyer County, Wisconsin	615C	Cress sandy loam, 6 to 12 percent slopes	p
Sawyer County, Wisconsin	615D	Cress sandy loam, 12 to 30 percent slopes	p
Sawyer County, Wisconsin	624A	Ossmer silt loam, 0 to 3 percent slopes	w
Sawyer County, Wisconsin	670B	Keweenaw-Pence complex, 0 to 6 percent slopes, stony	p
Sawyer County, Wisconsin	670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	p
Sawyer County, Wisconsin	670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	p
Sawyer County, Wisconsin	675A	Robago fine sandy loam, 0 to 3 percent slopes	w
Sawyer County, Wisconsin	755A	Moppet, occasionally flooded-Fordum, frequently flooded complex, 0 to 3 percent slopes	w
Sawyer County, Wisconsin	771A	Lenroot loamy sand, 0 to 3 percent slopes	p
Sawyer County, Wisconsin	815A	Wormet sandy loam, 0 to 3 percent slopes	w
Sawyer County, Wisconsin	874E	Keweenaw, stony-Rubicon complex, 20 to 45 percent slopes	p
Sawyer County, Wisconsin	925C	Rock outcrop-Ishpeming complex, 0 to 15 percent slopes	rp+
Sawyer County, Wisconsin	943D	Stanberry, very stony-Greenwood complex, 0 to 35 percent slopes	wp
Sawyer County, Wisconsin	970C	Keweenaw, stony-Pence, stony-Greenwood complex, 0 to 15 percent slopes	wp
Sawyer County, Wisconsin	970E	Keweenaw, stony-Pence, stony-Greenwood complex, 0 to 45 percent slopes	wp
Sawyer County, Wisconsin	974C	Sayner-Pence-Vilas complex, 6 to 15 percent slopes	p
Sawyer County, Wisconsin	974D	Sayner-Pence-Vilas complex, 15 to 30 percent slopes	p
Sawyer County, Wisconsin	1070D	Fremstadt, stony-Cress complex, 15 to 30 percent slopes	p

County	MUSYM	Map Unit Name	Restriction
Sawyer County, Wisconsin	2002	Udorthents, earthen dams	+
Sawyer County, Wisconsin	2015	Pits	+
Sawyer County, Wisconsin	2030	Udorthents and Udipsamments, cut or fill	+
Sawyer County, Wisconsin	2050	Landfill	+
Sawyer County, Wisconsin	3114A	Sapristis, Aquepts, and Aquepts, 0 to 1 percent slopes, ponded, flooded	w
Sawyer County, Wisconsin	3125A	Meehan loamy sand, 0 to 2 percent slopes	wp
Sawyer County, Wisconsin	3126A	Wurtsmith loamy sand, 0 to 3 percent slopes	p
Sawyer County, Wisconsin	3276A	Au Gres loamy sand, 0 to 3 percent slopes	w
Sawyer County, Wisconsin	3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	wp
Sawyer County, Wisconsin	3446A	Newson muck, 0 to 2 percent slopes	w
Sawyer County, Wisconsin	3556C	Newood, very stony-Magnor, very stony-Cathro complex, 0 to 15 percent slopes	wp
Sawyer County, Wisconsin	9012B	Sayner-Lindquist complex, 0 to 6 percent slopes	p
Sawyer County, Wisconsin	9012C	Sayner-Lindquist complex, 6 to 15 percent slopes	p
Sawyer County, Wisconsin	9012D	Sayner-Lindquist complex, 15 to 30 percent slopes	p
Sawyer County, Wisconsin	9050A	Fordum, Totagatic, and Bowstring soils, 0 to 1 percent slopes, frequently flooded	wp
Sawyer County, Wisconsin	9113B	Padus-Karlin complex, 0 to 6 percent slopes	p
Sawyer County, Wisconsin	9113C	Padus-Karlin complex, 6 to 15 percent slopes	p
Sawyer County, Wisconsin	9113D	Padus-Karlin complex, 15 to 30 percent slopes	p
Sawyer County, Wisconsin	9155A	Haplosapristis, Peats, and Mucks, 0 to 1 percent slopes	wp
Sawyer County, Wisconsin	M-W	Miscellaneous water	+
Sawyer County, Wisconsin	W	Water	+
Shawano County, Wisconsin	Ah	Angelica silt loam	w
Shawano County, Wisconsin	AuA	Au Gres loamy sand, 0 to 3 percent slopes	w
Shawano County, Wisconsin	AxA	Au Gres variant loamy fine sand, 0 to 3 percent slopes	w
Shawano County, Wisconsin	Ba	Bach silt loam	w
Shawano County, Wisconsin	Bs	Brevort mucky loamy sand	w
Shawano County, Wisconsin	Co	Cormant mucky loamy fine sand	wp
Shawano County, Wisconsin	CrB	Cromwell sandy loam, 1 to 6 percent slopes	p
Shawano County, Wisconsin	CrC	Cromwell sandy loam, 6 to 12 percent slopes	p
Shawano County, Wisconsin	CrD	Cromwell sandy loam, 12 to 20 percent slopes	p
Shawano County, Wisconsin	CtA	Croswell loamy sand, 0 to 3 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Shawano County, Wisconsin	Dp	Dumps	+
Shawano County, Wisconsin	Fu	Fordum loam	w
Shawano County, Wisconsin	IsA	Iosco loamy sand, 0 to 3 percent slopes	w
Shawano County, Wisconsin	Lx	Loxley mucky peat	wp
Shawano County, Wisconsin	M-W	Miscellaneous water	+
Shawano County, Wisconsin	MaA	Mahtomedi-Menahga loamy sands, 0 to 2 percent slopes	p
Shawano County, Wisconsin	MaB	Mahtomedi-Menahga loamy sands, 2 to 6 percent slopes	p
Shawano County, Wisconsin	MaC	Mahtomedi-Menahga loamy sands, 6 to 12 percent slopes	p
Shawano County, Wisconsin	MaD	Mahtomedi-Menahga loamy sands, 12 to 30 percent slopes	p
Shawano County, Wisconsin	Mk	Markey and Cathro mucks	wp
Shawano County, Wisconsin	MnA	Menahga loamy sand, 0 to 2 percent slopes	p
Shawano County, Wisconsin	MnB	Menahga loamy sand, 2 to 6 percent slopes	p
Shawano County, Wisconsin	MnC	Menahga loamy sand, 6 to 12 percent slopes	p
Shawano County, Wisconsin	MnD	Menahga loamy sand, 12 to 30 percent slopes	p
Shawano County, Wisconsin	MsB	Menominee loamy sand, 1 to 6 percent slopes	p
Shawano County, Wisconsin	MsC	Menominee loamy sand, 6 to 12 percent slopes	p
Shawano County, Wisconsin	MsD	Menominee loamy sand, 12 to 20 percent slopes	p
Shawano County, Wisconsin	Mu	Minocqua silt loam	w
Shawano County, Wisconsin	ObA	Oesterle loam, 0 to 3 percent slopes	w
Shawano County, Wisconsin	Pt	Pits	p+
Shawano County, Wisconsin	RmD	Rock outcrop-Rosholt variant complex, 2 to 35 percent slopes	r
Shawano County, Wisconsin	RrD	Rosholt-Rock outcrop complex, 2 to 35 percent slopes	r
Shawano County, Wisconsin	RsA	Rousseau loamy fine sand, 0 to 2 percent slopes	p
Shawano County, Wisconsin	RsB	Rousseau loamy fine sand, 2 to 6 percent slopes	p
Shawano County, Wisconsin	RuB	Rubicon sand, 1 to 6 percent slopes	p
Shawano County, Wisconsin	RuC	Rubicon sand, 6 to 12 percent slopes	p
Shawano County, Wisconsin	RuD	Rubicon sand, 12 to 20 percent slopes	p
Shawano County, Wisconsin	Sb	Saprists, ponded	w
Shawano County, Wisconsin	Sd	Seelyeville muck	wp
Shawano County, Wisconsin	SfB	Shawano loamy fine sand, 1 to 6 percent slopes	p
Shawano County, Wisconsin	SfC	Shawano loamy fine sand, 6 to 12 percent slopes	p
Shawano County, Wisconsin	SfD	Shawano loamy fine sand, 12 to 20 percent slopes	p
Shawano County, Wisconsin	SgB	Shawano-Briggsville complex, 2 to 6 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Shawano County, Wisconsin	SgC	Shawano-Briggsville complex, 6 to 12 percent slopes	p
Shawano County, Wisconsin	ShA	Shiocton silt loam, 0 to 3 percent slopes	w
Shawano County, Wisconsin	SkA	Shiocton variant silt loam, 0 to 3 percent slopes	w
Shawano County, Wisconsin	SoA	Solona loam, 0 to 3 percent slopes	w
Shawano County, Wisconsin	SyB	Solona-Onaway complex, 1 to 6 percent slopes	w
Shawano County, Wisconsin	W	Water	+
Shawano County, Wisconsin	WaA	Wainola fine sand, 0 to 3 percent slopes	w
Shawano County, Wisconsin	Wh	Wheatley loamy fine sand	wp
Sheboygan County, Wisconsin	Ag	Adrian muck	wp
Sheboygan County, Wisconsin	Ak	Adrian-Granby-Oakville complex	wp
Sheboygan County, Wisconsin	Am	Alluvial land	+
Sheboygan County, Wisconsin	An	Alluvial land, wet	wp
Sheboygan County, Wisconsin	Ba	Barry silt loam	w
Sheboygan County, Wisconsin	Bd	Beaches, sandy	p
Sheboygan County, Wisconsin	Bk	Boots muck	wp
Sheboygan County, Wisconsin	CrC	Casco-Rodman complex, 6 to 12 percent slopes	p
Sheboygan County, Wisconsin	CrD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	p
Sheboygan County, Wisconsin	CrE	Casco-Rodman complex, 20 to 30 percent slopes	p
Sheboygan County, Wisconsin	CrF	Casco-Rodman complex, 30 to 45 percent slopes	p
Sheboygan County, Wisconsin	Cw	Colwood silt loam	w
Sheboygan County, Wisconsin	Cx	Cut and fill land, sandy and gravelly	p
Sheboygan County, Wisconsin	Cy	Cut and fill land, loamy	+
Sheboygan County, Wisconsin	Cz	Cut and fill land, clayey	+
Sheboygan County, Wisconsin	Dn	Dune land	p+
Sheboygan County, Wisconsin	Ed	Edwards muck	w
Sheboygan County, Wisconsin	Ev	Elvers silt loam	w
Sheboygan County, Wisconsin	Gb	Granby loamy fine sand	wp
Sheboygan County, Wisconsin	Gg	Granby silt loam, gravelly variant	wp
Sheboygan County, Wisconsin	Gp	Gravel pit	p+
Sheboygan County, Wisconsin	Hu	Houghton muck	wp
Sheboygan County, Wisconsin	KIA	Kendall silt loam, 0 to 3 percent slopes	w
Sheboygan County, Wisconsin	KuA	Kibbie silt loam, 0 to 3 percent slopes	w
Sheboygan County, Wisconsin	LDF	Landfill	+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Sheboygan County, Wisconsin	LmA	Lamartine silt loam, 0 to 3 percent slopes	w
Sheboygan County, Wisconsin	Lo	Loamy land, seeped	w+
Sheboygan County, Wisconsin	M-W	Miscellaneous water	+
Sheboygan County, Wisconsin	Ma	Made land	+
Sheboygan County, Wisconsin	MbA	Manawa silt loam, 0 to 3 percent slopes	w
Sheboygan County, Wisconsin	Mf	Marsh	wp
Sheboygan County, Wisconsin	MgA	Martinton silt loam, 0 to 3 percent slopes	w
Sheboygan County, Wisconsin	MkA	Matherton silt loam, 0 to 3 percent slopes	w
Sheboygan County, Wisconsin	Mo	Montgomery silty clay loam	w
Sheboygan County, Wisconsin	Mz	Muskego muck	wp
Sheboygan County, Wisconsin	Na	Navan loam	w
Sheboygan County, Wisconsin	NnA	Neeno silt loam, 0 to 2 percent slopes	w
Sheboygan County, Wisconsin	NnB	Neeno silt loam, 2 to 6 percent slopes	w
Sheboygan County, Wisconsin	OaB	Oakville loamy fine sand, 0 to 6 percent slopes	p
Sheboygan County, Wisconsin	OaC	Oakville loamy fine sand, 6 to 12 percent slopes	p
Sheboygan County, Wisconsin	Ot	Otter silt loam	w
Sheboygan County, Wisconsin	Pa	Palms muck	wp
Sheboygan County, Wisconsin	Ph	Pella silt loam	w
Sheboygan County, Wisconsin	Ry	Rough broken land	+
Sheboygan County, Wisconsin	Sm	Sebawa silt loam	w
Sheboygan County, Wisconsin	Sw	Stony land, wet	w
Sheboygan County, Wisconsin	W	Water	+
Sheboygan County, Wisconsin	Wa	Wasepi sandy loam	w
Sheboygan County, Wisconsin	We	Willette muck	p
Sheboygan County, Wisconsin	YhA	Yahara very fine sandy loam, 0 to 3 percent slopes	w
St. Croix County, Wisconsin	AnC2	Amery-Cromwell sandy loams, 6 to 12 percent slopes, eroded	p
St. Croix County, Wisconsin	AnD2	Amery-Cromwell sandy loams, 12 to 25 percent slopes, eroded	p
St. Croix County, Wisconsin	BnB	Boone loamy fine sand, 2 to 6 percent slopes	p
St. Croix County, Wisconsin	BnC	Boone loamy fine sand, 6 to 12 percent slopes	p
St. Croix County, Wisconsin	BnD	Boone loamy fine sand, 12 to 20 percent slopes	p
St. Croix County, Wisconsin	CyA	Clyde silt loam, 0 to 3 percent slopes	w
St. Croix County, Wisconsin	Cz	Cut and fill areas	+
St. Croix County, Wisconsin	DAM	Dams, large	+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
St. Croix County, Wisconsin	DkB	Dickman sandy loam, 2 to 6 percent slopes	p
St. Croix County, Wisconsin	Du	Duelm loamy sand	wp
St. Croix County, Wisconsin	EmE	Emmert loamy sand, 12 to 35 percent slopes	p
St. Croix County, Wisconsin	FdA	Floyd silt loam, 0 to 3 percent slopes	w
St. Croix County, Wisconsin	Fe	Fluvaquents	+
St. Croix County, Wisconsin	Fm	Fluvaquents, wet	w
St. Croix County, Wisconsin	GoB	Gotham loamy fine sand, 2 to 6 percent slopes	p
St. Croix County, Wisconsin	GoC	Gotham loamy fine sand, 6 to 12 percent slopes	p
St. Croix County, Wisconsin	Gp	Gravel pits	p+
St. Croix County, Wisconsin	HaA	Halder silt loam, 0 to 3 percent slopes	w
St. Croix County, Wisconsin	HrB	Hubbard loamy sand, 0 to 6 percent slopes	p
St. Croix County, Wisconsin	HsB	Hubbard loamy sand, loamy substratum, 0 to 6 percent slopes	p
St. Croix County, Wisconsin	HsC	Hubbard loamy sand, loamy substratum, 6 to 12 percent slopes	p
St. Croix County, Wisconsin	LcA	Lawler silt loam, 0 to 3 percent slopes	w
St. Croix County, Wisconsin	PmB	Plainfield loamy sand, 2 to 6 percent slopes	p
St. Croix County, Wisconsin	PmC	Plainfield loamy sand, 6 to 12 percent slopes	p
St. Croix County, Wisconsin	PmD	Plainfield loamy sand, 12 to 20 percent slopes	p
St. Croix County, Wisconsin	QUA	Quarry	r +
St. Croix County, Wisconsin	RhA	Rib silt loam, 0 to 3 percent slopes	w
St. Croix County, Wisconsin	RnB	Ritchey silt loam, 2 to 6 percent slopes	r
St. Croix County, Wisconsin	RnC2	Ritchey silt loam, 6 to 12 percent slopes, eroded	r
St. Croix County, Wisconsin	RnD2	Ritchey silt loam, 12 to 20 percent slopes, eroded	r
St. Croix County, Wisconsin	RoE	Ritchey soils and rock outcrop, 20 to 35 percent slopes	r
St. Croix County, Wisconsin	Se	Saprists and aquents	w
St. Croix County, Wisconsin	Sm	Seelyeville muck	wp
St. Croix County, Wisconsin	SrA	Skyberg silt loam, 0 to 3 percent slopes	w
St. Croix County, Wisconsin	Ud	Udifluvents	+
St. Croix County, Wisconsin	W	Water	+
Taylor County, Wisconsin	22A	Comstock silt loam, 0 to 3 percent slopes	w
Taylor County, Wisconsin	24A	Poskin silt loam, 0 to 3 percent slopes	w
Taylor County, Wisconsin	192A	Worcester sandy loam, 0 to 3 percent slopes	w
Taylor County, Wisconsin	193A	Minocqua muck, 0 to 2 percent slopes	w
Taylor County, Wisconsin	315A	Rib silt loam, 0 to 2 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Taylor County, Wisconsin	324A	Maplehurst silt loam, 0 to 3 percent slopes	w
Taylor County, Wisconsin	408A	Lupton and Cathro soils, 0 to 1 percent slopes	wp
Taylor County, Wisconsin	414A	Loxley and Beseman soils, 0 to 1 percent slopes	wp
Taylor County, Wisconsin	537D	Newot, very stony-Newood, very stony-Cathro complex, 0 to 35 percent slopes	wp
Taylor County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes	w
Taylor County, Wisconsin	571E	Pelissier gravelly sandy loam, 15 to 45 percent slopes	p
Taylor County, Wisconsin	624A	Ossmer silt loam, 0 to 3 percent slopes	w
Taylor County, Wisconsin	755A	Moppet-Fordum complex, 0 to 3 percent slopes	w
Taylor County, Wisconsin	2015	Pits	+
Taylor County, Wisconsin	3556C	Newood, very stony-Magnor, very stony-Cathro complex, 0 to 15 percent slopes	wp
Taylor County, Wisconsin	3569C	Newood, very stony-Pesabic, very stony-Cathro complex, 0 to 15 percent slopes	wp
Taylor County, Wisconsin	9052A	Cathro-Capitola, very stony-Lupton complex, 0 to 1 percent slopes	p
Taylor County, Wisconsin	9055A	Loxley peat, 0 to 1 percent slopes	wp
Taylor County, Wisconsin	9060D	Pelissier sandy loam, 20 to 45 percent slopes	p
Taylor County, Wisconsin	9089B	Newood, very stony-Lupton complex, 0 to 10 percent slopes	wp
Taylor County, Wisconsin	9090C	Newood, very stony-Newot, very stony-Lupton complex, 0 to 30 percent slopes	wp
Taylor County, Wisconsin	9096C	Newot, very stony-Pesabic, very stony-Lupton complex, 0 to 30 percent slopes	wp
Taylor County, Wisconsin	9098A	Oesterle loam, 0 to 3 percent slopes	w
Taylor County, Wisconsin	9197C	Pelissier very cobbly sandy loam, 10 to 30 percent slopes	p
Taylor County, Wisconsin	M-W	Miscellaneous water	+
Taylor County, Wisconsin	W	Water	+
Trempealeau County, Wisconsin	BnB	Boone loamy sand, 2 to 6 percent slopes	p
Trempealeau County, Wisconsin	BnC2	Boone loamy sand, 6 to 12 percent slopes, eroded	p
Trempealeau County, Wisconsin	BnE2	Boone loamy sand, 12 to 30 percent slopes, eroded	p
Trempealeau County, Wisconsin	BP	Borrow pit	+
Trempealeau County, Wisconsin	EnF	Eleva-Boone complex, 20 to 45 percent slopes	p
Trempealeau County, Wisconsin	Er	Ettrick silt loam	w
Trempealeau County, Wisconsin	Et	Ettrick silt loam, clayey subsoil variant	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Trempealeau County, Wisconsin	GoA	Gotham loamy fine sand, 0 to 2 percent slopes	p
Trempealeau County, Wisconsin	GoB	Gotham loamy fine sand, 2 to 6 percent slopes	p
Trempealeau County, Wisconsin	GoC	Gotham loamy fine sand, 6 to 12 percent slopes	p
Trempealeau County, Wisconsin	GoD2	Gotham loamy fine sand, 12 to 20 percent slopes, eroded	p
Trempealeau County, Wisconsin	GpD	Gotham-Sparta loamy fine sands, 12 to 20 percent slopes	p
Trempealeau County, Wisconsin	Gu	Gullied land	+
Trempealeau County, Wisconsin	Ho	Houghton muck	wp
Trempealeau County, Wisconsin	Ka	Kato loam, sandy loam variant	w
Trempealeau County, Wisconsin	KcA	Kato silt loam, 0 to 3 percent slopes	w
Trempealeau County, Wisconsin	Lv	Loamy alluvial land	+
Trempealeau County, Wisconsin	M-W	Miscellaneous water	+
Trempealeau County, Wisconsin	Ma	Marsh	wp
Trempealeau County, Wisconsin	Pa	Palms muck	wp
Trempealeau County, Wisconsin	QUA	Quarry	r +
Trempealeau County, Wisconsin	Sa	Sandy alluvial land	p+
Trempealeau County, Wisconsin	Sd	Sandy terrace escarpments	p+
Trempealeau County, Wisconsin	SP	Sand pit	p
Trempealeau County, Wisconsin	SpA	Sparta loamy sand, 0 to 2 percent slopes	p
Trempealeau County, Wisconsin	SpB	Sparta loamy sand, 2 to 6 percent slopes	p
Trempealeau County, Wisconsin	SpC	Sparta loamy sand, 6 to 12 percent slopes	p
Trempealeau County, Wisconsin	St	Stony and rocky land	+
Trempealeau County, Wisconsin	TrA	Trempe loamy sand, 0 to 2 percent slopes	p
Trempealeau County, Wisconsin	TrB	Trempe loamy sand, 2 to 6 percent slopes	p
Trempealeau County, Wisconsin	Ud	Udorthents, dike	+
Trempealeau County, Wisconsin	W	Water	+
Trempealeau County, Wisconsin	WaA	Walkill silt loam, 0 to 3 percent slopes	w
Trempealeau County, Wisconsin	We	Wet alluvial land	w
Vernon County, Wisconsin	Ad	Alluvial land, frequently flooded	+
Vernon County, Wisconsin	Al	Alluvial land, wet, frequently flooded	w
Vernon County, Wisconsin	BsE	Boone loamy sand, 12 to 30 percent slopes	p
Vernon County, Wisconsin	BsF	Boone loamy sand, 30 to 45 percent slopes	p
Vernon County, Wisconsin	DvD2	Dunbarton and Sogn stony soils, 12 to 20 percent slopes, moderately eroded	r
Vernon County, Wisconsin	DvE2	Dunbarton and Sogn stony soils, 20 to 30 percent slopes, moderately eroded	r

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Vernon County, Wisconsin	Et	Ettrick silt loam, frequently flooded	w
Vernon County, Wisconsin	Gu	Gullied land	+
Vernon County, Wisconsin	Hu	Houghton muck, frequently flooded	wp
Vernon County, Wisconsin	LDF	Landfill	+
Vernon County, Wisconsin	M-W	Miscellaneous water	+
Vernon County, Wisconsin	Ma	Marsh, frequently flooded	w
Vernon County, Wisconsin	Ow	Orion silt loam, wet variant, frequently flooded	w
Vernon County, Wisconsin	QUA	Quarry	r +
Vernon County, Wisconsin	SaA	Sparta loamy sand, 0 to 2 percent slopes	p
Vernon County, Wisconsin	SaB2	Sparta loamy sand, 2 to 6 percent slopes, moderately eroded	p
Vernon County, Wisconsin	SaC2	Sparta loamy sand, 6 to 12 percent slopes, moderately eroded	p
Vernon County, Wisconsin	ScB	Stony colluvial land, gently sloping, frequently flooded	+
Vernon County, Wisconsin	ScC	Stony colluvial land, sloping, frequently flooded	p
Vernon County, Wisconsin	SkE	Stony rock land, moderately steep	r
Vernon County, Wisconsin	SKF	Stony rock land, steep	r
Vernon County, Wisconsin	SP	Sand pit	p
Vernon County, Wisconsin	Tr	Terrace escarpments, loamy	+
Vernon County, Wisconsin	Ts	Terrace escarpments, sandy	+
Vernon County, Wisconsin	Ud	Udorthents, nearly level	+
Vernon County, Wisconsin	UoE	Udorthents, loamy, steep (earthen dam)	+
Vernon County, Wisconsin	W	Water	+
Vilas County, Wisconsin	Au	Au Gres sand, 0 to 2 percent slopes	w
Vilas County, Wisconsin	CaA	Cable silt loam, 0 to 3 percent slopes	w
Vilas County, Wisconsin	CrA	Croswell sand, 0 to 3 percent slopes	p
Vilas County, Wisconsin	CsA	Croswell sand, loamy substratum, 0 to 3 percent slopes	p
Vilas County, Wisconsin	Fh	Fluvaquents, sandy, nearly level	wp
Vilas County, Wisconsin	Ga	Gaastra silt loam, 0 to 2 percent slopes	w
Vilas County, Wisconsin	Hp	Histosols, ponded	wp
Vilas County, Wisconsin	KaB	Karlin loamy fine sand, 0 to 6 percent slopes	p
Vilas County, Wisconsin	KaC	Karlin loamy fine sand, 6 to 15 percent slopes	p
Vilas County, Wisconsin	KbB	Keweenaw sandy loam, 0 to 6 percent slopes	p
Vilas County, Wisconsin	KbC	Keweenaw sandy loam, 6 to 15 percent slopes	p
Vilas County, Wisconsin	KbD	Keweenaw sandy loam, 15 to 30 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Vilas County, Wisconsin	KeB	Keweenaw-Karlin complex, 0 to 6 percent slopes	p
Vilas County, Wisconsin	KeC	Keweenaw-Karlin complex, 6 to 15 percent slopes	p
Vilas County, Wisconsin	KnD	Keweenaw-Sayner complex, 15 to 30 percent slopes	p
Vilas County, Wisconsin	Kr	Kinross mucky sand, 0 to 2 percent slopes	wp
Vilas County, Wisconsin	Lo	Loxley and Dawson peats, 0 to 1 percent slopes	wp
Vilas County, Wisconsin	MoA	Monico silt loam, 0 to 3 percent slopes	w
Vilas County, Wisconsin	Pt	Pits, gravel	p+
Vilas County, Wisconsin	RoB	Rubicon sand, 0 to 6 percent slopes	p
Vilas County, Wisconsin	RoC	Rubicon sand, 6 to 15 percent slopes	p
Vilas County, Wisconsin	RoD	Rubicon sand, 15 to 30 percent slopes	p
Vilas County, Wisconsin	SaB	Sayner-Rubicon complex, 0 to 6 percent slopes	p
Vilas County, Wisconsin	SaC	Sayner-Rubicon complex, 6 to 15 percent slopes	p
Vilas County, Wisconsin	SaD	Sayner-Rubicon complex, 15 to 35 percent slopes	p
Vilas County, Wisconsin	Se	Seelyeville and Markey mucks, 0 to 1 percent slopes	wp
Vilas County, Wisconsin	W	Water	+
Vilas County, Wisconsin	Wv	Worcester variant sandy loam, 0 to 2 percent slopes	w
Walworth County, Wisconsin	Ac	Adrian muck	wp
Walworth County, Wisconsin	Am	Alluvial land	+
Walworth County, Wisconsin	AzA	Aztalan loam, 1 to 3 percent slopes	w
Walworth County, Wisconsin	BP	Borrow pit	+
Walworth County, Wisconsin	CrD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	p
Walworth County, Wisconsin	CrE2	Casco-Rodman complex, 20 to 30 percent slopes, eroded	p
Walworth County, Wisconsin	CtB	Chelsea fine sand, 1 to 6 percent slopes	p
Walworth County, Wisconsin	CtE	Chelsea fine sand, 6 to 30 percent slopes	p
Walworth County, Wisconsin	Cw	Colwood silt loam	w
Walworth County, Wisconsin	CyA	Conover silt loam, 1 to 3 percent slopes	w
Walworth County, Wisconsin	Dt	Drummer silt loam, gravelly substratum	w
Walworth County, Wisconsin	EbA	Elburn silt loam, 1 to 3 percent slopes	w
Walworth County, Wisconsin	EgA	Elburn silt loam, gravelly substratum, 1 to 3 percent slopes	w
Walworth County, Wisconsin	GP	Gravel pit	p+
Walworth County, Wisconsin	Ht	Houghton muck	wp
Walworth County, Wisconsin	KIA	Kendall silt loam, 1 to 3 percent slopes	w
Walworth County, Wisconsin	LDF	Landfill	+

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Walworth County, Wisconsin	LzD2	Lorenzo-Rodman complex, 12 to 20 percent slopes, eroded	p
Walworth County, Wisconsin	M-W	Miscellaneous water	+
Walworth County, Wisconsin	MDL	Made land	+
Walworth County, Wisconsin	Mf	Marsh	wp
Walworth County, Wisconsin	MgA	Martinton silt loam, 1 to 3 percent slopes	w
Walworth County, Wisconsin	MmA	Matherton silt loam, 1 to 3 percent slopes	w
Walworth County, Wisconsin	MzfA	Mundelein silt loam, 1 to 3 percent slopes	w
Walworth County, Wisconsin	Na	Navan silt loam	w
Walworth County, Wisconsin	Pa	Palms muck	wp
Walworth County, Wisconsin	Ph	Pella silt loam	w
Walworth County, Wisconsin	QUA	Quarry	r +
Walworth County, Wisconsin	RaA	Radford silt loam, 0 to 3 percent slopes	w
Walworth County, Wisconsin	RsF	Rodman-Casco complex, 30 to 45 percent slopes	p
Walworth County, Wisconsin	Ru	Rollin muck, deep	w
Walworth County, Wisconsin	Rv	Rollin muck, shallow	w
Walworth County, Wisconsin	Sfb	Sandy lake beaches	p
Walworth County, Wisconsin	Sm	Sebewa silt loam	w
Walworth County, Wisconsin	W	Water	+
Walworth County, Wisconsin	Wa	Walkill silt loam	w
Walworth County, Wisconsin	Ww	Wet alluvial land	w
Washburn County, Wisconsin	3A	Totagatic-bowstring-ausable complex, 0 to 2 percent slopes, frequently flooded	wp
Washburn County, Wisconsin	22A	Comstock silt loam, 0 to 3 percent slopes	w
Washburn County, Wisconsin	24A	Poskin silt loam, 0 to 3 percent slopes	w
Washburn County, Wisconsin	64A	Totagatic-Winterfield complex, 0 to 2 percent slopes, frequently flooded	wp
Washburn County, Wisconsin	69B	Keweenaw-Sayner-Vilas complex, 2 to 6 percent slopes, stony	p
Washburn County, Wisconsin	69C	Keweenaw-Sayner-Vilas complex, 6 to 15 percent slopes, stony	p
Washburn County, Wisconsin	69E	Keweenaw-Sayner-Vilas complex, 15 to 45 percent slopes, stony	p
Washburn County, Wisconsin	74B	Vilas loamy sand, 0 to 6 percent slopes	p
Washburn County, Wisconsin	74C	Vilas loamy sand, 6 to 15 percent slopes	p
Washburn County, Wisconsin	74D	Vilas loamy sand, 15 to 30 percent slopes	p
Washburn County, Wisconsin	100B	Menahga sand, 0 to 6 percent slopes	p
Washburn County, Wisconsin	100C	Menahga sand, 6 to 12 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Washburn County, Wisconsin	100D	Menahga sand, 12 to 30 percent slopes	p
Washburn County, Wisconsin	160A	Oesterle sandy loam, 0 to 2 percent slopes	w
Washburn County, Wisconsin	192A	Worcester sandy loam, 0 to 3 percent slopes	w
Washburn County, Wisconsin	193A	Minocqua muck, 0 to 2 percent slopes	w
Washburn County, Wisconsin	315A	Rib silt loam, 0 to 2 percent slopes	w
Washburn County, Wisconsin	368B	Mahtomedi-Cress complex, 2 to 6 percent slopes	p
Washburn County, Wisconsin	368C	Mahtomedi-Cress complex, 6 to 12 percent slopes	p
Washburn County, Wisconsin	368D	Mahtomedi-Cress complex, 12 to 25 percent slopes	p
Washburn County, Wisconsin	371A	Croswell loamy sand, 0 to 3 percent slopes	p
Washburn County, Wisconsin	380B	Cress-Rosholt complex, 2 to 6 percent slopes	p
Washburn County, Wisconsin	380C	Cress-Rosholt complex, 6 to 12 percent slopes	p
Washburn County, Wisconsin	380D	Cress-Rosholt complex, 12 to 25 percent slopes	p
Washburn County, Wisconsin	383B	Mahtomedi loamy sand, 0 to 6 percent slopes	p
Washburn County, Wisconsin	383C	Mahtomedi loamy sand, 6 to 12 percent slopes	p
Washburn County, Wisconsin	383D	Mahtomedi loamy sand, 12 to 30 percent slopes	p
Washburn County, Wisconsin	396B	Friendship-Wurtsmith-Grayling complex, 0 to 6 percent slopes	p
Washburn County, Wisconsin	397A	Perchlake loamy fine sand, 0 to 2 percent slopes	w
Washburn County, Wisconsin	399B	Grayling sand, 0 to 6 percent slopes	p
Washburn County, Wisconsin	399C	Grayling sand, 6 to 12 percent slopes	p
Washburn County, Wisconsin	399D	Grayling sand, 12 to 30 percent slopes	p
Washburn County, Wisconsin	405A	Lupton, Cathro, and Tawas soils, 0 to 1 percent slopes	wp
Washburn County, Wisconsin	406A	Loxley mucky peat, 0 to 1 percent slopes	wp
Washburn County, Wisconsin	407A	Seelyeville and Markey soils, 0 to 1 percent slopes	wp
Washburn County, Wisconsin	410A	Seelyeville and Cathro soils, 0 to 1 percent slopes	wp
Washburn County, Wisconsin	412A	Rifle and Tacoosh soils, 0 to 1 percent slopes	wp
Washburn County, Wisconsin	415A	Greenwood mucky peat, 0 to 1 percent slopes	wp
Washburn County, Wisconsin	439B	Graycalm-Menahga complex, 0 to 6 percent slopes	p
Washburn County, Wisconsin	439C	Graycalm-Menahga complex, 6 to 12 percent slopes	p
Washburn County, Wisconsin	439D	Graycalm-Menahga complex, 12 to 30 percent slopes	p
Washburn County, Wisconsin	441C	Freeon, very stony-Cathro complex, 0 to 15 percent slopes	wp
Washburn County, Wisconsin	442C	Haugen, very stony-Greenwood complex, 0 to 15 percent slopes	wp
Washburn County, Wisconsin	443D	Amery, very stony-Greenwood complex, 0 to 35 percent slopes	wp
Washburn County, Wisconsin	461A	Bowstring muck, 0 to 1 percent slopes, frequently flooded	wp

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Washburn County, Wisconsin	484A	Greenwood and Beseman soils, 0 to 1 percent slopes	wp
Washburn County, Wisconsin	495B	Karlsborg-Grettum-Perida complex, 1 to 6 percent slopes	p
Washburn County, Wisconsin	495C	Karlsborg-Grettum-Perida complex, 6 to 12 percent slopes	p
Washburn County, Wisconsin	495D	Karlsborg-Grettum-Perida complex, 12 to 30 percent slopes	p
Washburn County, Wisconsin	524E	Rock outcrop-Frogcreek-Metonga complex, 2 to 45 percent slopes, very stony	r+
Washburn County, Wisconsin	544F	Menahga and Mahtomedi soils, 30 to 45 percent slopes	p
Washburn County, Wisconsin	555A	Fordum silt loam, 0 to 2 percent slopes, frequently flooded	w
Washburn County, Wisconsin	574B	Sayner loamy sand, 0 to 6 percent slopes	p
Washburn County, Wisconsin	574C	Sayner loamy sand, 6 to 15 percent slopes	p
Washburn County, Wisconsin	574E	Sayner loamy sand, 15 to 45 percent slopes	p
Washburn County, Wisconsin	600A	Haplosaprists and Psammaquents, 0 to 2 percent slopes	w +
Washburn County, Wisconsin	615B	Cress sandy loam, 0 to 6 percent slopes	p
Washburn County, Wisconsin	615C	Cress sandy loam, 6 to 12 percent slopes	p
Washburn County, Wisconsin	615D	Cress sandy loam, 12 to 30 percent slopes	p
Washburn County, Wisconsin	624A	Ossmer silt loam, 0 to 3 percent slopes	w
Washburn County, Wisconsin	670C	Keweenaw-Pence complex, 6 to 15 percent slopes, stony	p
Washburn County, Wisconsin	670E	Keweenaw-Pence complex, 15 to 45 percent slopes, stony	p
Washburn County, Wisconsin	671B	Spoonerhill, stony-Spoonerhill complex, 2 to 6 percent slopes	p
Washburn County, Wisconsin	706A	Winterfield-Totagatic complex, 0 to 2 percent slopes, frequently flooded	wp
Washburn County, Wisconsin	724A	Rib-Rock outcrop complex, 0 to 2 percent slopes	wr
Washburn County, Wisconsin	726B	Sissabagama loamy sand, 0 to 6 percent slopes	p
Washburn County, Wisconsin	771A	Lenroot loamy sand, 0 to 3 percent slopes	p
Washburn County, Wisconsin	943D	Stanberry, very stony-Greenwood complex, 0 to 35 percent slopes	wp
Washburn County, Wisconsin	970C	Keweenaw, stony-Pence, stony-Greenwood complex, 0 to 15 percent slopes	wp
Washburn County, Wisconsin	970E	Keweenaw, stony-Pence, stony-Greenwood complex, 0 to 45 percent slopes	wp
Washburn County, Wisconsin	1070C	Fremstadt, stony-Cress complex, 6 to 15 percent slopes	p
Washburn County, Wisconsin	1070D	Fremstadt, stony-Cress complex, 15 to 30 percent slopes	p
Washburn County, Wisconsin	1080B	Spoonerhill-Spoonerhill, stony-Cress complex, 1 to 6 percent slopes	p
Washburn County, Wisconsin	2015	Pits	+
Washburn County, Wisconsin	2050	Landfill	+
Washburn County, Wisconsin	3125A	Meehan loamy sand, 0 to 2 percent slopes	wp
Washburn County, Wisconsin	3126A	Wurtsmith loamy sand, 0 to 3 percent slopes	p

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Washburn County, Wisconsin	3276A	Au Gres loamy sand, 0 to 3 percent slopes	w
Washburn County, Wisconsin	3403A	Loxley, Beseman, and Dawson soils, 0 to 1 percent slopes	wp
Washburn County, Wisconsin	3446A	Newson muck, 0 to 2 percent slopes	w
Washburn County, Wisconsin	3629B	Perida loamy sand, 0 to 4 percent slopes	p
Washburn County, Wisconsin	M-W	Miscellaneous water	+
Washburn County, Wisconsin	W	Water	+
Washington County, Wisconsin	Ak	Adrian mucky peat	wp
Washington County, Wisconsin	Am	Alluvial land	+
Washington County, Wisconsin	AtA	Ashkum silty clay loam, 0 to 3 percent slopes	w
Washington County, Wisconsin	AzA	Aztalan loam, 0 to 2 percent slopes	w
Washington County, Wisconsin	AzB	Aztalan loam, 2 to 6 percent slopes	w
Washington County, Wisconsin	BsA	Brookston silt loam, 0 to 3 percent slopes	w
Washington County, Wisconsin	CrC2	Casco-Rodman complex, 6 to 12 percent slopes, eroded	p
Washington County, Wisconsin	CrD2	Casco-Rodman complex, 12 to 20 percent slopes, eroded	p
Washington County, Wisconsin	CrE	Casco-Rodman complex, 20 to 35 percent slopes	p
Washington County, Wisconsin	Cw	Colwood silt loam	w
Washington County, Wisconsin	DaA	Darroch fine sandy loam, neutral variant, 0 to 3 percent slopes	w
Washington County, Wisconsin	Dt	Drummer silt loam, gravelly substratum	w
Washington County, Wisconsin	GfA	Granby fine sandy loam, 0 to 3 percent slopes	wp
Washington County, Wisconsin	GP	Gravel pit	p+
Washington County, Wisconsin	Hu	Houghton mucky peat	wp
Washington County, Wisconsin	Hv	Houghton peat, acid variant	wp
Washington County, Wisconsin	KIA	Kendall silt loam, 1 to 3 percent slopes	w
Washington County, Wisconsin	Km	Keowns silt loam	w
Washington County, Wisconsin	LDF	Landfill	+
Washington County, Wisconsin	LmA	Lamartine silt loam, 1 to 3 percent slopes	w
Washington County, Wisconsin	Lu	Loamy land	+
Washington County, Wisconsin	M-W	Miscellaneous water	+
Washington County, Wisconsin	Mf	Marsh	wp
Washington County, Wisconsin	MgA	Martinton silt loam, 1 to 3 percent slopes	w
Washington County, Wisconsin	MmA	Matherton silt loam, 1 to 3 percent slopes	w
Washington County, Wisconsin	MtA	Mequon silt loam, 1 to 3 percent slopes	w
Washington County, Wisconsin	Mzb	Montgomery silty clay loam	w

County	MUSYM	Map Unit Name	Restriction
Washington County, Wisconsin	MzfA	Mundelein silt loam, 1 to 3 percent slopes	w
Washington County, Wisconsin	MzkA	Mussey loam, 0 to 3 percent slopes	w
Washington County, Wisconsin	NnA	Neeno silt loam, 1 to 3 percent slopes	w
Washington County, Wisconsin	Ot	Otter silt loam	w
Washington County, Wisconsin	Pc	Palms mucky peat	wp
Washington County, Wisconsin	Ph	Pella silt loam	w
Washington County, Wisconsin	QUA	Quarry	r +
Washington County, Wisconsin	RaA	Radford silt loam, 0 to 3 percent slopes	w
Washington County, Wisconsin	RkB	Ritchey silt loam, 2 to 6 percent slopes	r
Washington County, Wisconsin	RkC2	Ritchey silt loam, 6 to 12 percent slopes, eroded	r
Washington County, Wisconsin	Sf	Sandy and gravelly land	+
Washington County, Wisconsin	Sm	Sebewa silt loam	w
Washington County, Wisconsin	SP	Sand pit	p
Washington County, Wisconsin	VsA	Virgil silt loam, gravelly substratum, 0 to 3 percent slopes	w
Washington County, Wisconsin	W	Water	+
Washington County, Wisconsin	Wa	Walkkill silt loam	w
Washington County, Wisconsin	WmA	Wasepi sandy loam, 1 to 3 percent slopes	w
Washington County, Wisconsin	Ww	Wet alluvial land	w
Washington County, Wisconsin	YrA	Yahara silt loam, 1 to 3 percent slopes	w
Waukesha County, Wisconsin	Ac	Adrian muck	wp
Waukesha County, Wisconsin	Am	Alluvial land	+
Waukesha County, Wisconsin	AsA	Ashkum silty clay loam, 0 to 3 percent slopes	w
Waukesha County, Wisconsin	BP	Borrow pit	+
Waukesha County, Wisconsin	BsA	Brookston silt loam, 0 to 3 percent slopes	w
Waukesha County, Wisconsin	CP	Coal pit	+
Waukesha County, Wisconsin	CrC2	Casco-Rodman complex, 6 to 12 percent slopes, eroded	p
Waukesha County, Wisconsin	CrD	Casco-Rodman complex, 12-20 percent slopes	p
Waukesha County, Wisconsin	CrE	Casco-Rodman complex, 20 to 30 percent slopes	p
Waukesha County, Wisconsin	CrF	Casco-Rodman complex, 30 to 45 percent slopes	p
Waukesha County, Wisconsin	CtB	Chelsea fine sand, 1 to 6 percent slopes	p
Waukesha County, Wisconsin	CtD	Chelsea fine sand, 6 to 20 percent slopes	p
Waukesha County, Wisconsin	Cv	Clayey land	+
Waukesha County, Wisconsin	Cw	Colwood silt loam	w

County	MUSYM	Map Unit Name	Restriction
Waukesha County, Wisconsin	Dt	Drummer silt loam, gravelly substratum	w
Waukesha County, Wisconsin	Gd	Gilford loam	w
Waukesha County, Wisconsin	Gf	Granby fine sandy loam	wp
Waukesha County, Wisconsin	GP	Gravel pit	p+
Waukesha County, Wisconsin	HtA	Houghton muck, 0 to 2 percent slopes	wp
Waukesha County, Wisconsin	HtB	Houghton muck, 2 to 6 percent slopes	wp
Waukesha County, Wisconsin	LDF	Landfill	+
Waukesha County, Wisconsin	Lu	Loamy land	+
Waukesha County, Wisconsin	M-W	Miscellaneous water	+
Waukesha County, Wisconsin	Mf	Marsh	wp
Waukesha County, Wisconsin	Mzb	Montgomery silty clay loam	w
Waukesha County, Wisconsin	Mzg	Muskego muck	wp
Waukesha County, Wisconsin	Mzk	Mussey loam	w
Waukesha County, Wisconsin	Na	Navan silt loam	w
Waukesha County, Wisconsin	Oc	Ogden muck	wp
Waukesha County, Wisconsin	Pa	Palms muck	wp
Waukesha County, Wisconsin	Ph	Pella silt loam	w
Waukesha County, Wisconsin	Pm	Pella silt loam, moderately shallow variant	w
Waukesha County, Wisconsin	QUA	Quarry	r +
Waukesha County, Wisconsin	RkB	Ritchey silt loam, 1 to 6 percent slopes	r
Waukesha County, Wisconsin	RkC2	Ritchey silt loam, 6 to 12 percent slopes, eroded	r
Waukesha County, Wisconsin	RkE	Ritchey silt loam, 12 to 30 percent slopes	r
Waukesha County, Wisconsin	Ru	Rollin muck, deep	w
Waukesha County, Wisconsin	Rv	Rollin muck, shallow	w
Waukesha County, Wisconsin	Ry	Rough broken land	+
Waukesha County, Wisconsin	Sf	Sandy and gravelly land	+
Waukesha County, Wisconsin	SfB	Sandy lake beaches	+
Waukesha County, Wisconsin	Sg	Sawmill silt loam, calcareous variant	w
Waukesha County, Wisconsin	Sm	Sebewa silt loam	w
Waukesha County, Wisconsin	UA	Unmapped area	+
Waukesha County, Wisconsin	W	Water	+
Waukesha County, Wisconsin	Wa	Walkkill silt loam	w
Waukesha County, Wisconsin	Ww	Wet alluvial land	w

County	MUSYM	Map Unit Name	Restriction
Waupaca County, Wisconsin	Ax	Angelica silt loam	w
Waupaca County, Wisconsin	Cm	Cathro and Markey mucks	wp
Waupaca County, Wisconsin	EcC	Elderon-Rosholt complex, 6 to 12 percent slopes	p
Waupaca County, Wisconsin	EcD	Elderon-Rosholt complex, 12 to 30 percent slopes	p
Waupaca County, Wisconsin	Fa	Fordum loam	w
Waupaca County, Wisconsin	LDF	Landfill	+
Waupaca County, Wisconsin	Lx	Loxley mucky peat	wp
Waupaca County, Wisconsin	M-W	Miscellaneous water	+
Waupaca County, Wisconsin	Mh	Meehan loamy sand	w
Waupaca County, Wisconsin	MIA	Meehan loamy sand, loamy substratum, 0 to 3 percent slopes	w
Waupaca County, Wisconsin	Mp	Menasha silty clay	w
Waupaca County, Wisconsin	Ms	Minocqua mucky fine sandy loam	w
Waupaca County, Wisconsin	OeA	Oesterle sandy loam, 0 to 3 percent slopes	w
Waupaca County, Wisconsin	Pe	Pits, gravel	p+
Waupaca County, Wisconsin	PfA	Plainfield loamy sand, 0 to 2 percent slopes	p
Waupaca County, Wisconsin	PfB	Plainfield loamy sand, 2 to 6 percent slopes	p
Waupaca County, Wisconsin	PfC	Plainfield loamy sand, 6 to 12 percent slopes	p
Waupaca County, Wisconsin	PfD	Plainfield loamy sand, 12 to 30 percent slopes	p
Waupaca County, Wisconsin	PIB	Plainfield loamy sand, loamy substratum, 2 to 6 percent slopes	p
Waupaca County, Wisconsin	PmA	Plainfield loamy sand, wet substratum, 0 to 3 percent slopes	p
Waupaca County, Wisconsin	QUA	Quarry	r +
Waupaca County, Wisconsin	RfA	Richford loamy sand, 0 to 2 percent slopes	p
Waupaca County, Wisconsin	RfB	Richford loamy sand, 2 to 6 percent slopes	p
Waupaca County, Wisconsin	RfC	Richford loamy sand, 6 to 12 percent slopes	p
Waupaca County, Wisconsin	Rm	Roscommon loamy sand	wp
Waupaca County, Wisconsin	RrB	Rosholt-Rock outcrop complex, 2 to 10 percent slopes	r
Waupaca County, Wisconsin	RsA	Rousseau loamy fine sand, 0 to 3 percent slopes	p
Waupaca County, Wisconsin	Sb	Seelyeville muck	wp
Waupaca County, Wisconsin	SfB	Shawano loamy fine sand, 2 to 6 percent slopes	p
Waupaca County, Wisconsin	SfC	Shawano loamy fine sand, 6 to 12 percent slopes	p
Waupaca County, Wisconsin	SfD	Shawano loamy fine sand, 12 to 20 percent slopes	p
Waupaca County, Wisconsin	SyA	Symco loam, 0 to 3 percent slopes	w
Waupaca County, Wisconsin	UdC	Udipsamments, undulating	p

County	MUSYM	Map Unit Name	Restriction
Waupaca County, Wisconsin	W	Water	+
Waupaca County, Wisconsin	Wa	Wainola loamy fine sand	w
Waushara County, Wisconsin	Ad	Adrian muck, 0 to 1 percent slopes	wp
Waushara County, Wisconsin	BzD	Boyer-Mecosta complex, 12 to 20 percent slopes	p
Waushara County, Wisconsin	CoB	Coloma loamy sand, 2 to 6 percent slopes	p
Waushara County, Wisconsin	CoC	Coloma loamy sand, 6 to 12 percent slopes	p
Waushara County, Wisconsin	CoD	Coloma loamy sand, 12 to 30 percent slopes	p
Waushara County, Wisconsin	FkA	Fisk loamy sand, 0 to 3 percent slopes	w
Waushara County, Wisconsin	Hu	Houghton muck, 0 to 1 percent slopes	wp
Waushara County, Wisconsin	Hw	Houghton muck, ponded, 0 to 1 percent slopes	w
Waushara County, Wisconsin	Ke	Keowns silt loam, 0 to 2 percent slopes	w
Waushara County, Wisconsin	Ks	Kingsville loamy sand, 0 to 2 percent slopes	wp
Waushara County, Wisconsin	LDF	Landfill	+
Waushara County, Wisconsin	Le	Leola loamy sand, 0 to 2 percent slopes	w
Waushara County, Wisconsin	M-W	Miscellaneous water	+
Waushara County, Wisconsin	MbA	Manawa silt loam, 0 to 3 percent slopes	w
Waushara County, Wisconsin	MoA	Meehan loamy sand, 0 to 3 percent slopes	w
Waushara County, Wisconsin	MrA	Morocco fine sand, 0 to 3 percent slopes	w
Waushara County, Wisconsin	Pa	Palms muck, 0 to 1 percent slopes	wp
Waushara County, Wisconsin	Pe	Pits, gravel	p+
Waushara County, Wisconsin	PfA	Plainfield sand, 0 to 2 percent slopes	p
Waushara County, Wisconsin	PfB	Plainfield sand, 2 to 6 percent slopes	p
Waushara County, Wisconsin	PfC	Plainfield sand, 6 to 12 percent slopes	p
Waushara County, Wisconsin	PfD	Plainfield sand, 12 to 30 percent slopes	p
Waushara County, Wisconsin	PIB	Plainfield sand, loamy substratum, 2 to 6 percent slopes	p
Waushara County, Wisconsin	PmA	Plainfield sand, wet substratum, 0 to 3 percent slopes	p
Waushara County, Wisconsin	Py	Poygan silty clay loam, 0 to 2 percent slopes	w
Waushara County, Wisconsin	RfA	Richford loamy sand, 0 to 2 percent slopes	p
Waushara County, Wisconsin	RfB	Richford loamy sand, 2 to 6 percent slopes	p
Waushara County, Wisconsin	RfC	Richford loamy sand, 6 to 12 percent slopes	p
Waushara County, Wisconsin	RfD	Richford loamy sand, 12 to 20 percent slopes	p
Waushara County, Wisconsin	Sp	Sparta loamy sand, 0 to 2 percent slopes	p
Waushara County, Wisconsin	SwA	Symco loamy fine sand, 0 to 3 percent slopes	w

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Waushara County, Wisconsin	SyA	Symco silt loam, 0 to 3 percent slopes	w
Waushara County, Wisconsin	W	Water	+
Waushara County, Wisconsin	Wm	Willette muck, 0 to 1 percent slopes	wp
Waushara County, Wisconsin	YaA	Yahara very fine sandy loam, 0 to 3 percent slopes	w
Waushara County, Wisconsin	ZtA	Zittau clay, 0 to 3 percent slopes	w
Waushara County, Wisconsin	ZvA	Zittau variant clay, 0 to 3 percent slopes	w
Winnebago County, Wisconsin	Ak	Adrian muck	wp
Winnebago County, Wisconsin	AtA	Atterberry silt loam, 0 to 3 percent slopes	w
Winnebago County, Wisconsin	BrB	Brems fine sand, 1 to 4 percent slopes	wp
Winnebago County, Wisconsin	Ed	Edwards muck	w
Winnebago County, Wisconsin	FkA	Fisk loamy fine sand, 0 to 3 percent slopes	w
Winnebago County, Wisconsin	Fn	Fluvaquents	w+
Winnebago County, Wisconsin	Hu	Houghton muck	wp
Winnebago County, Wisconsin	Hw	Houghton muck, ponded	w
Winnebago County, Wisconsin	Ke	Keowns silt loam	w
Winnebago County, Wisconsin	Ks	Kingsville mucky loamy fine sand	wp
Winnebago County, Wisconsin	LDF	Landfill	+
Winnebago County, Wisconsin	LmA	Lamartine silt loam, 0 to 3 percent slopes	w
Winnebago County, Wisconsin	M-W	Miscellaneous water	+
Winnebago County, Wisconsin	MaA	Manawa silty clay loam, 0 to 3 percent slopes	w
Winnebago County, Wisconsin	Mn	Menasha clay	w
Winnebago County, Wisconsin	MoA	Morocco loamy fine sand, 0 to 3 percent slopes	w
Winnebago County, Wisconsin	NnA	Nenno loam, 0 to 3 percent slopes	w
Winnebago County, Wisconsin	OaB	Oakville fine sand, 2 to 6 percent slopes	p
Winnebago County, Wisconsin	OaC	Oakville fine sand, 6 to 12 percent slopes	p
Winnebago County, Wisconsin	Os	Ossian silt loam	w
Winnebago County, Wisconsin	Pa	Palms muck	wp
Winnebago County, Wisconsin	Pg	Pits, gravel	p+
Winnebago County, Wisconsin	Ph	Pits, quarries	rp+
Winnebago County, Wisconsin	Pu	Poygan silty clay loam	w
Winnebago County, Wisconsin	RhB	Ritchey silt loam, 2 to 6 percent slopes	r
Winnebago County, Wisconsin	RhC2	Ritchey silt loam, 6 to 12 percent slopes, eroded	r
Winnebago County, Wisconsin	RhD2	Ritchey silt loam, 12 to 30 percent slopes, eroded	r

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Winnebago County, Wisconsin	UoA	Udorthents, 0 to 3 percent slopes	+
Winnebago County, Wisconsin	W	Water greater than 40 acres	+
Winnebago County, Wisconsin	Wm	Willette muck	wp
Winnebago County, Wisconsin	YaA	Yahara silt loam, 0 to 3 percent slopes	w
Winnebago County, Wisconsin	ZtA	Zittau silty clay loam, 0 to 3 percent slopes	w
Wood County, Wisconsin	Aa	Alluvial land	+
Wood County, Wisconsin	Ab	Alluvial land, wet	w
Wood County, Wisconsin	Af	Altdorf silt loam	w
Wood County, Wisconsin	Au	Au Gres loamy sand	w
Wood County, Wisconsin	Ca	Cathro mucky peat	wp
Wood County, Wisconsin	CrA	Croswell loamy sand, 0 to 3 percent slopes	p
Wood County, Wisconsin	Da	Dancy sandy loam	w
Wood County, Wisconsin	Db	Dawson peat	wp
Wood County, Wisconsin	Dc	Dawson mucky peat	wp
Wood County, Wisconsin	Do	Dolph silt loam	w
Wood County, Wisconsin	EkB	Elkmound sandy loam, 2 to 6 percent slopes	r
Wood County, Wisconsin	EkC	Elkmound sandy loam, 6 to 12 percent slopes	r
Wood County, Wisconsin	EkD2	Elkmound sandy loam, 12 to 20 percent slopes, eroded	r
Wood County, Wisconsin	Em	Elm Lake loamy sand	wp
Wood County, Wisconsin	FrA	Friendship loamy sand, 1 to 3 percent slopes	p
Wood County, Wisconsin	GP	Gravel pit	p+
Wood County, Wisconsin	Gr	Greenwood peat	wp
Wood County, Wisconsin	LDF	Landfill	+
Wood County, Wisconsin	M-W	Miscellaneous water	+
Wood County, Wisconsin	Ma	Mann silt loam	w
Wood County, Wisconsin	Mc	Markey mucky peat	wp
Wood County, Wisconsin	Md	Marsh	w
Wood County, Wisconsin	Mf	Marshfield silt loam	w
Wood County, Wisconsin	Mh	Meehan loamy sand	w
Wood County, Wisconsin	MpA	Merrillan sandy loam, 1 to 3 percent slopes	w
Wood County, Wisconsin	Mr	Milladore silt loam	w
Wood County, Wisconsin	Ne	Newson loamy sand	wp
Wood County, Wisconsin	NoB	Norgo silt loam, 2 to 6 percent slopes	r

<b>County</b>	<b>MUSYM</b>	<b>Map Unit Name</b>	<b>Restriction</b>
Wood County, Wisconsin	NoC2	Norgo silt loam, 6 to 12 percent slopes, eroded	r
Wood County, Wisconsin	NoD2	Norgo silt loam, 12 to 20 percent slopes, eroded	r
Wood County, Wisconsin	NyA	Nymore loamy sand, 0 to 2 percent slopes	p
Wood County, Wisconsin	NzA	Nymore loamy sand, red subsoil, 0 to 2 percent slopes	p
Wood County, Wisconsin	NzB	Nymore loamy sand, red subsoil, 2 to 6 percent slopes	p
Wood County, Wisconsin	PbB	Plainbo sand, 2 to 12 percent slopes	p
Wood County, Wisconsin	PbD	Plainbo sand, 12 to 30 percent slopes	p
Wood County, Wisconsin	PfA	Plainfield sand, 0 to 2 percent slopes	p
Wood County, Wisconsin	PfB	Plainfield sand, 2 to 6 percent slopes	p
Wood County, Wisconsin	PfC	Plainfield sand, 6 to 12 percent slopes	p
Wood County, Wisconsin	PfE	Plainfield sand, 12 to 35 percent slopes	p
Wood County, Wisconsin	PgA	Plainfield loamy sand, 0 to 2 percent slopes	p
Wood County, Wisconsin	PgB	Plainfield loamy sand, 2 to 6 percent slopes	p
Wood County, Wisconsin	PoB	Point loamy sand, 2 to 6 percent slopes	w
Wood County, Wisconsin	Ps	Poskin silt loam	w
Wood County, Wisconsin	Pw	Psammaquents, nearly level	wp
Wood County, Wisconsin	Rb	Rib silt loam	w
Wood County, Wisconsin	ReB	Rietbrock silt loam, 2 to 6 percent slopes	w
Wood County, Wisconsin	ReC	Rietbrock silt loam, 6 to 12 percent slopes	w
Wood County, Wisconsin	Rf	Rifle mucky peat	wp
Wood County, Wisconsin	Rg	Rifle peat	wp
Wood County, Wisconsin	Sh	Sherry silt loam	w
Wood County, Wisconsin	Ss	Sherry stony silt loam	w
Wood County, Wisconsin	Ve	Veedum silt loam	w
Wood County, Wisconsin	Vs	Vesper silt loam	w
Wood County, Wisconsin	W	Water	+
Wood County, Wisconsin	WeA	Withee silt loam, 0 to 2 percent slopes	w
Wood County, Wisconsin	WeB	Withee silt loam, 2 to 6 percent slopes	w